

* 王鴻利教授
所有發表期刊論文

1. Chiu CC, Yeh TH, Lai SC, Wu-Chou YH, Chen CH, Mochly-Rosen D, Huang YC, Chen YJ, Chen CL, Chang YM, **Wang HL***, Lu CS (2014) Neuroprotective effects of aldehyde dehydrogenase 2 activation in rotenone-induced cellular and animal models of parkinsonism. *Experimental Neurology*, In Press..
2. Chou AH, Chen YL, Hu SH, Chang YM, **Wang HL*** (2014) Polyglutamine-expanded ataxin-3 impairs long-term depression in Purkinje neurons of SCA3 transgenic mouse by inhibiting HAT and impairing histone acetylation. *Brain Research*, 1583, 220-229
3. Huang YC, Wei KC, Chang CN, Chen PY, Hsu PW, Chen CP, Lu CS, Wang HL, Gutmann DH, Yeh TH (2014) Transglutaminase 2 expression is increased as a function of malignancy grade and negatively regulates cell growth in meningioma. PLoS One. 9, e108228
4. Chou JS, Chen CY, Chen YL, Weng YH, Yeh TH, Lu CS, Chang YM, **Wang HL*** (2014) (G2019S) LRRK2 causes early-phase dysfunction of SNpc dopaminergic neurons and impairment of corticostriatal long-term depression in the PD transgenic mouse. *Neurobiology of Disease*, 68, 190-199.
5. Huang CY, Chen YL, Li AH, Lu JC, **Wang HL*** (2014) Minocycline, a microglial inhibitor, blocks spinal CCL2-induced heat hyperalgesia and augmentation of glutamatergic transmission in substantia gelatinosa neurons. *Journal of Neuroinflammation*. 2014, 11:7
6. **Wang HL***, Chang NC, Weng YH, Yeh TH (2013) XLID CUL4B mutants are defective in promoting TSC2 degradation and positively regulating mTOR signaling in neocortical neurons. *Biochimica et Biophysica Acta, Molecular Basis of Disease*, 1832, 585-593.
7. **Wang HL***, Hu SH, Chou AH, Wang SS, Weng YH, Yeh TH (2013) H1152 promotes the degradation of polyglutamine-expanded ataxin-3 or ataxin-7 independently of its ROCK-inhibiting effect and ameliorates mutant ataxin-3-induced neurodegeneration in the SCA3 transgenic mouse. *Neuropharmacology*, 70, 1-11.
8. Chen CY, Weng YH, Chien KY, Lin KJ, Yeh TH, Cheng YP, Lu CS, **Wang HL*** (2012) (G2019S) LRRK2 activates MKK4-JNK pathway and causes degeneration of SN dopaminergic neurons in a transgenic mouse model of PD. *Cell Death & Differentiation*, 19, 1623-1633.

9. Kao DJ, Li AH, Chen JC, Luo RS, Chen YL, Lu JC, **Wang HL*** (2012) CC chemokine ligand 2 upregulates the current density and expression of TRPV1 channels and Nav1.8 sodium channels in dorsal root ganglion neurons. *Journal of Neuroinflammation*, **9**, 189.
10. Chao PK, Lu KT, YL, Chen JC, **Wang HL**, Yang YL, Cheng MY, Liao MF, Ro LS (2012) Early Systemic granulocyte-colony stimulating factor treatment attenuates neuropathic pain after peripheral nerve injury. PLoS ONE, **7**:e43680.
11. Chou AH, Chen SY, Yeh TH, Weng YH, **Wang HL*** (2011) HDAC inhibitor sodium butyrate reverses transcriptional downregulation and ameliorates ataxic symptoms in a transgenic mouse model of SCA3. *Neurobiology of Disease*, **41**, 481-488.
12. **Wang HL***, Chou AH, Wu AS; Chen SY, Weng YH, Kao YC, Yeh TH, Lu CS (2011) PARK6 PINK1 mutants are defective in maintaining mitochondrial membrane potential and inhibiting ROS formation of substantia nigra dopaminergic neurons. *Biochimica et Biophysica Acta, Molecular Basis of Disease*, **1812**, 674-684.
13. Chou AH, Lin AC; Hong KY, Hu SH, Chen YL, Chen JY and **Wang HL*** (2011) p53 activation mediates polyglutamine-expanded ataxin-3 upregulation of Bax expression in cerebellar and pontine nuclei neurons. *Neurochem. Int.*, **58**, 145-152.
14. Lee WS, Yan JY, Chiang YC, Hung TW, **Wang HL**, Chiou LC, Ho KI (2011) Differential pharmacological actions of methadone and buprenorphine in human embryonic kidney 293 cells coexpressing human mu-opioid and opioid receptor-like 1 receptors. *Neurochem. Res.*, **36**, 2008-2021.
15. Lin YT, Ro LS, **Wang HL** Chen JC (2011) Up-regulation of dorsal root ganglia BDNF and trkB receptor in inflammatory pain: an invivo and in vitro study. *Journal of Neuroinflammation*, **8**, 126.
16. **Wang HL***, Chou AH, Lin AC; Chen SY, Weng YH, Yeh TH (2010) Polyglutamine-expanded ataxin-7 upregulates Bax expression by activating p53 in cerebellar and inferior olivary neurons. *Exp Neurol.* **224**, 486-494.
17. Chen YL, Li AH, Yeh TH, Chou AH, Weng YS, **Wang HL*** (2010) Nocistatin excites rostral agranular insular cortex-periaqueductal gray projection neurons by enhancing transient receptor potential cation conductance via G_C(q/11)-PLC-protein kinase C pathway. *Neuroscience*. **168**, 226-239.
18. Chou AH, Chen CY, Chen SY, Chen WJ, Chen YL, Weng YS, **Wang HL*** (2010) Polyglutamine-expanded ataxin-7 causes cerebellar dysfunction by inducing transcriptional dysregulation. *Neurochem. Int.*, **56**, 329-339.

19. Chen YL, Li AH, Yeh TH, Chou AH, **Wang HL*** (2009) Nocistatin and nociceptin exert opposite effects on the excitability of central amygdala nucleus-periaqueductal gray projection neurons. *Mol Cell Neurosci* **40**, 76-88.
20. Chou AH, Yeh TH, Ouyang P, Chen YL, Chen SY and **Wang HL*** (2008) Polyglutamine-expanded ataxin-3 causes cerebellar dysfunction of SCA3 transgenic mice by inducing transcriptional dysregulation. *Neurobiology of Disease*, **31**, 89-101
21. **Wang HL***, He CY, Chou AH, Yeh TH, Chen YL and Li AH (2007) Polyglutamine-expanded ataxin-7 decreases nuclear translocation of NF- κ B p65 and impairs NF- κ B activity by inhibiting proteasome activity of cerebellar neurons. *Cellular Signalling*, **19**, 573-581
22. **Wang HL***, Chou AH, Yeh TH, Li AH, Chen YL, Kuo YL, Tsai SR, and Yu ST (2007) PINK1 mutants associated with recessive Parkinson's disease are defective in inhibiting mitochondrial release of cytochrome-c. *Neurobiology of Disease*, **28**, 216-226
23. Chou AH, Yeh TH, Kuo YL, Kao YC, Jou MJ, Hsu CY, Tsai SR, Kakizuka A and **Wang HL*** (2006) Polyglutamine-expanded ataxin-3 activates mitochondrial apoptotic pathway by upregulating Bax and downregulating Bcl-x_L. *Neurobiology of Disease*, **21**, 333-345.
24. **Wang HL***, Yeh TH, Chou AH, Kuo YL, Luo LJ, He CY, Huang PC, and Li A (2006) Polyglutamine-expanded ataxin-7 activates mitochondrial apoptotic pathway of cerebellar neurons by upregulating Bax and downregulating Bcl-x_L. *Cellular Signalling*, **18**, 541-552.
25. **Wang HL***, Kuo YL, Hsu CY, Huang PC, Li A, Chou AH, Yeh TH and Chen YL (2006) Two C-terminal amino acids, Ser³³⁴ and Ser³³⁵, are required for homologous desensitization and agonist-induced phosphorylation of opioid receptor-like 1 receptors. *Cellular Signalling*, **18**, 670-678.
26. Yeh TH, and **Wang HL*** (2005) Global ischemia downregulates the function of metabotropic glutamate receptor subtype 5 in hippocampal CA1 pyramidal neurons. *Mol. Cell. Neurosci.*, **29**, 484-492.
27. Yeh TH, Hwang HM, Chen JJ, Wu T, Li A and **Wang HL*** (2005) Glutamate transporter function of rat hippocampal astrocytes is impaired following the global ischemia. *Neurobiology of Disease*, **18**, 476-483
28. **Wang HL***, Hsu CY, Huang PC, Kuo YL, Li A, Yeh TH, Tso AS and Chen YL (2005) Heterodimerization of opioid receptor-like 1 and mu-opioid receptors impairs the potency of mu receptor agonist. *J. Neurochem.*, **92**, 1285-1295.

