

\*陳聰興醫師

所有發表期刊論文

(1) **Chen KH**, Lin JL\*, Lin-Tan DT, Hsu HH, Hsu CW, Hsu KH, Yen TH. Effect of chelation therapy on progressive diabetic nephropathy in patients with type 2 diabetes and high-normal body lead burdens. *Am J Kidney Dis.* 2012 Oct;60(4):530-8.

(2) **Chen KH**, Cheng ML, Jing YH, Chiu DT, Shiao MS\*, Chen JK\*. Resveratrol ameliorates metabolic disorders and muscle wasting in streptozotocin-induced diabetic rats. *Am J Physiol Endocrinol Metab.* 2011 Nov;301(5):E853-63.

(3) **Chen KH**, Hung CC, Hsu HH, Jing YH, Yang CW, Chen JK\*. Resveratrol ameliorates early diabetic nephropathy associated with suppression of augmented TGF- $\beta$ /smad and ERK1/2 signaling in streptozotocin-induced diabetic rats. *Chem Biol Interact.* 2011;190(1):45-53.

(4) **Chen KH\***, Lin JL, Hung CC, Lin-Tan DT, Weng SM, Yen TH, Hsu CW, Yang CW. Impaired fasting glucose association with mortality in nondiabetic patients on maintenance peritoneal dialysis. *Am J Med Sci.* 2011;341(4):312-7.

(5) **Chen KH**, Hung CC, Lin-Tan DT, Huang WH, Hsu CW, Weng SM, Lin JL\*. Cardiothoracic ratio association with mortality in patients on maintenance peritoneal dialysis. *Ther Apher Dial.* 2011;15(1):81-8.

(6) **Chen KH**, Lin JL\*, Lin-Tan DT, Hsu CW, Huang WH, Yen TH, Weng SM, Hung CC. Glycated hemoglobin predicts mortality in nondiabetic patients receiving chronic peritoneal dialysis. *Am J Nephrol.* 2010;32(6):567-74.

(7) **Chen KH**, Wu CH, Hsu CW, Chen YM, Weng SM, Yang CW, Hung CC\*. Protein Nutrition Index as a Function of Patient Survival Rate in Peritoneal Dialysis. *Kidney Blood Press Res.* 2010 ;33(3):174-180.

- (8) Huang WY, Weng WC, Peng TI, Chien YY, Wu CL, Lee M, Hung CC, **Chen KH\***. Association of hyponatremia in acute stroke stage with three-year mortality in patients with first-ever ischemic stroke. *Cerebrovasc Dis.* 2012; 34(1):55-62.
- (9) Huang WY, Peng TI, Weng WC, Chien YY, Wu CL, Lee M, **Chen KH\***. Higher leukocyte count is associated with higher risk of 3-year mortality in non-diabetic patients with first-ever ischemic stroke. *J Neurol Sci.* 2012; 316(1-2):93-8.
- (10) Chen HC, **Chen KH**, Lin YJ, Chang CJ, Tian YC, Yang CW, Hung CC. Hemoglobin variability does not predict mortality in peritoneal dialysis patients. *Chang Gung Med J.* 2012 Jan-Feb;35(1):79-87.
- (11) Lee CC, **Chen KH**, Tian YC, Weng CM, Yang CW, Hung CC\*. Initial high peritoneal transport status is not a predictor of mortality in peritoneal dialysis patients. *Ren Fail.* 2010;32(7):788-95.
- (12) Lin JL\*, Lin-Tan DT, **Chen KH**, Huang WH, Hsu CW, Hsu HH, Yen TH. Improved survival in severe paraquat poisoning with repeated pulse therapy of cyclophosphamide and steroids. *Intensive Care Med.* 2011;37(6):1006-13.
- (13) Lin JL\*, Lin-Tan DT, **Chen KH**, Hsu CW, Yen TH, Huang WH, Huang YL. Blood lead levels association with 18-month all-cause mortality in patients with chronic peritoneal dialysis. *Nephrol Dial Transplant.* 2010; 25(5):1627-33.
- (14) Yang HY, Yen TH, Lin CY, Chen YC, Pan MJ, Lee CH, Yu CC, Wu MS, Wu SS, Weng CH, **Chen KH**, Hung CC, Yang CW. Early identification of leptospirosis as an ignored cause of multiple organ dysfunction syndrome. *Shock.* 2012 Jul;38(1):24-9.
- (15) Liu SH, Lin JL, Weng CH, Yang HY, Hsu CW, **Chen KH**, Huang WH, Yen TH. Heart rate-corrected QT interval helps predict mortality after intentional organophosphate poisoning. *PLoS One.* 2012;7(5):e36576.
- (16) Lin JL\*, Lin-Tan DT, Hsu CW, Yen TH, **Chen KH**, Hsu HH, Ho TC, Hsu KH. Association of blood lead levels with mortality in patients on maintenance hemodialysis. *Am J Med.* 2011 ; 124(4):350-8.

(17) Yen TH, Lin JL\*, Lin-Tan DT, Hsu CW, **Chen KH**, Hsu HH. Blood cadmium level's association with 18-month mortality in diabetic patients with maintenance haemodialysis. *Nephrol Dial Transplant*. 2011; 26(3):998-1005.

(18) Hsu CW, Lin JL\*, Lin-Tan DT, Yen TH, **Chen KH**, Huang WH, Ho TC, Huang YL. High-calcium dialysate: a factor associated with inflammation, malnutrition and mortality in non-diabetic maintenance haemodialysis patients. *Nephrology (Carlton)*. 2010; 15(3):313-20.

(19) Liang CC, Huang CC, Wang IK, Chang CT, **Chen KH**, Weng CH, Lin JL, Hung CC, Yang CW, Yen TH\*. Impact of renal survival on the course and outcome of systemic lupus erythematosus patients treated with chronic peritoneal dialysis. *Ther Apher Dial*. 2010; 14(1):35-42.

(20) Hsu CW, Lin JL\*, Lin-Tan DT, Yen TH, **Chen KH**. White blood cell count predicts all-cause, cardiovascular disease-cause and infection-cause one-year mortality of maintenance hemodialysis patients. *Ther Apher Dial*. 2010; 14(6):552-9.

(21) Jing YH, **Chen KH**, Yang SH, Kuo PC, Chen JK\*. Resveratrol ameliorates vasculopathy in STZ-induced diabetic rats: role of AGE-RAGE signalling. *Diabetes Metab Res Rev*. 2010 Mar;26(3):212-22.

(22) Hung CC, Chang CT, Lee CC, **Chen KH**, Yu CC, Wu CH, Huang JY, Wu MS, Yang CW. Prognostic predictors of technique and patient survival in elderly Southeast Asian patients undergoing continuous ambulatory peritoneal dialysis. *Int J Clin Pract*. 2009 Feb;63(2):254-60.

(23) Yang PY, Lin JL\*, Lin-Tan DT, Hsu CW, Yen TH, **Chen KH**, Ho TC. Residual daily urine volume association with inflammation and nutrition status in maintenance hemodialysis patients. *Ren Fail*. 2009;31(6):423-30.

(24) Jenq CC, Hsu CW, Huang WH, **Chen KH**, Lin JL\*, Lin-Tan DT. Serum ferritin levels predict all-cause and infection-cause 1-year mortality in diabetic patients on maintenance hemodialysis. *Am J Med Sci*. 2009 ; 337(3):188-94.

(25) Liang CC, Fang JT, **Chen KH**, Hung CC, Hwang TL, Huang JY\*. Candida parapsilosis peritonitis complicated with infected pancreatic pseudocysts in a peritoneal dialysis patient: a challenge for nephrologists. Clin Nephrol. 2008; 69(6):461-3.

(26) **Chen KH**, Lin-Tan DT, Huang WH, Hung CC, Chang CT, Huang JY, Lin JL\*. Cardiothoracic ratio, malnutrition, inflammation, and two-year mortality in non-diabetic patients on maintenance hemodialysis. Kidney & Blood Pressure Research 2008; 31(3): 143-51.

(27) Weng CH, Yen TH, **Chen KH**, Hung CC, Wu JH, Yang CW, Chang CT\*. The quality of hemodialysis in patients with mental retardation. Ren Fail. 2008; 30(1):63-5.

(28) Lin JL\*, Lin-Tan DT, Yen TH, Hsu CW, Jenq CC, **Chen KH**, Hsu KH, Huang YL. Blood lead levels, malnutrition, inflammation, and mortality in patients with diabetes treated by long-term hemodialysis. Am J Kidney Dis. 2008; 51(1):107-15.

(29) **Chen KH**, Chang CT, Weng SM, Yu CC, Fang JT, Huang JY, Yang CW, Hung CC\*. Culture-negative peritonitis: A fifteen-year review. Ren Fail 2007; 29(2): 177-81.

(30) Huang WY, Weng WC, Peng TI, Ro LS, Yang CW, **Chen KH**\*. Central pontine and extrapontine myelinolysis after rapid correction of hyponatremia by hemodialysis in a uremic patient. Renal Failure 2007; 29(5): 635-8.

(31) Lin-Tan DT, Lin JL\*, Yen TH, **Chen KH**, Huang YL. Long-term outcome of repeated lead chelation therapy in progressive non-diabetic chronic kidney diseases. Nephrol Dial Transplant. 2007; 22(10):2924-31. (32) Huang WH, **Chen KH**, Hsu CW, Chen YC, Hung CC, Huang JY, Lin JL, Yang CW\*. Residual renal function - one of the factors associated with arterial stiffness in peritoneal dialysis patients. Insight from a retrospective study in 146 peritoneal dialysis patients. Blood Purification 2008; 26(2): 133-7.

(33) Chang CT, Wu MS, Tian YC, **Chen KH**, Yu CC, Liao CH, Hung CC, Yang CW\*. Enhancement of epithelial sodium channel expression in renal cortical collecting

ducts cells by advanced glycation end products. *Nephrol Dial Transplant*. 2007; 22(3):722-31.

(34) **Chen KH**, Chang CT, Yu CC, Huang JY, Yang CW, Hung CC\*. *Candida parapsilosis* peritonitis has more complications than other *Candida* peritonitis in peritoneal dialysis patients. *Ren Fail*. 2006;28(3):241-6.

(35) **Chen KH**, Chang CT, Hung CC\*. Glomerulonephritis associated with chronic inflammatory demyelinating polyneuropathy. *Ren Fail*. 2006;28(3):255-9

(36) Hung CC, Chang CT, **Chen KH**, Tian YC, Wu MS, Pan MJ, Vandewalle A, Yang CW. Upregulation of chemokine CXCL1/KC by leptospiral membrane lipoprotein preparation in renal tubule epithelial cells. *Kidney Int*. 2006 ;69(10):1814-22.

(37) Lin JL\*, Lin-Tan DT, Li YJ, **Chen KH**, Huang YL. Low-level environmental exposure to lead and progressive chronic kidney diseases. *Am J Med*. 2006 ; 119(8):707.e1-9.

(38) Yang HY, Lin JL\*, **Chen KH**, Yu CC, Hsu PY, Lin CL. Aristolochic acid-related nephropathy associated with the popular Chinese herb Xi Xin. *J Nephrol*. 2006 ; 19(1):111-4.

(39) Lin JL\*, Lin-Tan DT, **Chen KH**, Huang WH. Repeated pulse of methylprednisolone and cyclophosphamide with continuous dexamethasone therapy for patients with severe paraquat poisoning. *Crit Care Med*. 2006; 34(2):368-73.

(40) **Chen GH**, Lin JL\*, Huang YK. Combined methylprednisolone and dexamethasone therapy for paraquat poisoning. *Crit Care Med*. 2002; 30(11):2584-7.

(41) Lin JL\*, Leu ML, Liu YC, **Chen GH**. A prospective clinical trial of pulse therapy with glucocorticoid and cyclophosphamide in moderate to severe paraquat-poisoned patients. *Am J Respir Crit Care Med*. 1999 Feb;159(2):357-60.

