

\*王俊傑醫師

所有發表期刊論文

1. **Wang CC**, Yeh SJ, Lin FC, Wu D. Spontaneous atrioventricular dissociation in atrioventricular nodal reentrant tachycardia. Am Heart J 1990; 119: 1426-9.
2. **Yeh SJ**, Yamamoto T, Lin FC, **Wang CC**, Wu D. Repetitive sinoatrial exit block as the major mechanism of drug-provoked long sinus or atrial pause. J Am Coll Cardiol 1991; 18: 587-95.
3. Wu D, Yeh SJ, Lin FC, **Wang CC**, Cherng WJ. Sinus automaticity and sinoatrial conduction in severe symptomatic sick sinus syndrome. J Am Coll Cardiol 1992; 19:355-64.
4. Yeh SJ, **Wang CC**, Lin FC, Chang JP, Chang CH, Wu D. Usefulness of pre-discharge electrophysiologic study in predicting late outcome after surgical ablation of the accessory pathway in the Wolff-Parkinson-White syndrome. Am J Cardiol 1992; 69:909-12.
5. Wu D, Yeh SJ, **Wang CC**, Wen MS, Chang HJ, Lin FC. Nature of dual atrioventricular nodal pathways and the tachycardia circuit as defined by radiofrequency ablation technique. J Am Coll Cardiol 1992; 20:884-95.
6. Yeh SJ, **Wang CC**, Wen MS, Lin FC, Wu D\*. Radiofrequency ablation in multiple accessory pathways and the physiologic implications. Am J Cardiol 1993; 71:1174-80.
7. Chang HJ, **Wang CC**, Yeh SJ, Wu D\*. Double atrial responses to a single ventricular premature impulse due to simultaneous ventriculo-atrial conduction through the normal pathway and a slow paraseptal accessory pathway. Am Heart J 1993; 125:1434-6.
8. Wu D, Yeh SJ, **Wang CC**, Wen MS, Lin FC. A simple technique for selective radiofrequency ablation of the slow pathway in atrioventricular node reentry tachycardia. J Am Coll Cardiol 1993; 21:1612-21.
9. Wen MS, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Radiofrequency ablation therapy in three patients with paroxysmal atrial tachycardia. Pacing Clin Electrophysiol 1993; 16:2146-56.
10. Yeh SJ, **Wang CC**, Wen MS, Lin FC, Koo CC, Lo YCA, Wu D\*. Characteristics and radiofrequency ablation therapy of intermediate septal accessory pathway. Am J Cardiol 1994; 73:50-6.
11. Wu D, Yeh SJ, **Wang CC**, Wen MS, Lin FC. Double loop figure-of-8 reentry as the

mechanism of multiple atrioventricular node reentry tachycardias. *Am Heart J* 1994; 127:83-95.

12. Wen MS, Yeh SJ, **Wang CC**, Lin FC, Chen IC, Wu D\*. Radiofrequency ablation therapy in idiopathic left ventricular tachycardia with no obvious structural heart disease. *Circulation* 1994; 89:1690-6.
13. Wen MS, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Concertina-like phenomenon in ventricular preexcitation due to spontaneous atrioventricular nodal Wenckebach periodicity. *Chest* 1994; 105:937-8.
14. Wen MS, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Successful radiofrequency ablation in reentrant tachycardia incorporating a nodoventricular tract. *Am Heart J* 1994; 127:1413-9.
15. **Wang CC**, Yeh SJ, Wen MS, Lin FC, Wu D\*. Worsening of vasovagal syncope after beta-blocker therapy. *Chest* 1994;106:963-5.
16. **Wang CC**, Yeh SJ, Wen MS, Hsieh IC, Lin FC, Wu D\*. Late clinical and electrophysiologic outcome of radiofrequency ablation therapy using the inferior approach in atrioventricular node reentry tachycardia. *Am Heart J* 1994;128:219-26.
17. Hsieh IC, Yeh SJ, Wen MS, **Wang CC**, Lin FC, Wu D\*. The effects of adenosine on paroxysmal atrial tachycardia. *Am J Cardiol* 1994;74:279-81.
18. Yeh SJ, **Wang CC**, Wen MS, Lin FC, Chen IC, Wu D\*. Radiofrequency ablation therapy in atypical or multiple atrioventricular node reentry tachycardia. *Am Heart J* 1994;128:742-58.
19. Lin PJ, Chang CH, Tan PP, **Wang CC**, Chang JP, Liu DW, Chu JJ, Tsai KT, Kao CL, Hsieh MJ. Protection of the brain by retrograde cerebral perfusion during circulatory arrest. *J Thorac Cardiovasc Surg* 1994;108:969-74.
20. Mond HG\*, Hua W, **Wang CC**. Atrial pacing leads: The clinical contribution of steroid elution. *Pacing Clin Electrophysiol* 1995;18:1601-8. (SCI; IF = 1.746 ; *Cardiac & Cardiovascular Systems* 65/122)
21. Chen IC, Yeh SJ, Wen MS, **Wang CC**, Lin FC, Wu D\*. Progression to complete atrioventricular block in a patient with bundle branch reentry tachycardia. *J Electrocardiol* 1995;28:253-59.
22. Lin FC, Wen, MS, **Wang CC**, Yeh SJ, Wu D\*. Left ventricular fibromuscular band is not a specific substrate for idiopathic left ventricular tachycardia. *Circulation* 1996;93:525-8.

23. King A, Wen MS, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Catheter-induced atrioventricular nodal block during radiofrequency ablation. *Am Heart J* 1996;132:979-85.
24. Wen MS, Yeh SJ, **Wang CC**, King A, Lin FC, Wu D\*. Radiofrequency ablation therapy of the posteroseptal accessory pathway. *Am Heart J* 1996;132:612-20.
25. Wang CH, Yeh SJ, **Wang CC**, Wen MS, Lin FC, Wu D. Retrograde atrio-His bundle dissociation as a sign indicative of retrograde accessory pathway conduction. *Chang Gung Med J*. 1996;19:62-5.
26. Hsieh IC, Yeh SJ, Wen MS, **Wang CC**, Lin FC, Wu D\*. Radiofrequency ablation for supraventricular and ventricular tachycardia in young patients. *Int J Cardiol* 1996;54:33-40.
27. Lin PJ, Chang CH, Tan PP, Chang CN, Lee ST, **Wang CC**, Chang JP, Liu DW, Chu JJ, Tsai KT, Kao CL, Hsieh MJ, Hua MS. Prolonged circulatory arrest in moderate hypothermia with retrograde cerebral perfusion. Is brain ischemic? *Circulation* 1996;94(suppl): II: 169-72.
28. Fang W, Huang CC\*, Chu NS, Chen CJ, Lu CS, **Wang CC**. Childhood-onset autosomal-dominant limb-girdle muscular dystrophy with cardiac conduction block. *Muscle Nerve* 1997;20:286-92.
29. Wen MS, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Successful radiofrequency ablation of idiopathic left ventricular tachycardia at a site away from the tachycardia exit. *J Am Coll Cardiol* 1997;30:1024-31.
30. Taniguchi Y, Yeh SJ, Wen MS, **Wang CC**, Wu D\*. Atypical atrioventricular nodal reentry tachycardia with atrioventricular block mimicking atrial tachycardia: electrophysiologic properties and radiofrequency ablation therapy. *J Cardiovasc Electrophysiol* 1997;8:1302-8.
31. Yeh SJ, Wen MS, **Wang CC**, Lin FC, Wu D\*. Adenosine-sensitive ventricular tachycardia from the anterobasal left ventricle. *J Am Coll Cardiol* 1997;30:1339-45.
32. Wen MS, Taniguchi Y, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Determinants of tachycardia recurrences after radiofrequency ablation of idiopathic ventricular tachycardia. *Am J Cardiol* 1998;81:500-3.
33. Yasuhiro Taniguchi, Yeh SJ, Wen MS, **Wang CC**, Lin FC, Wu D\*. Variation of P-QRS relation during atrioventricular node reentry tachycardia. *J Am Coll Cardiol* 1999;33:376-84.
34. Chu JJ, Chang CH, **Wang CC**, Tan PP. Video-assisted endoscopic removal of

infected endocardial pacemaker lead with large floating vegetation. *Pacing Clin Electrophysiol* 1999;22(11):1700-3.

35. Guo GB, Chen MC, **Wang CC**, Chang KC, Fu M. Unexpected loss of bipolar pacing with implanted dual chamber pacemaker. *Pacing Clin Electrophysiol* 2000;23(1):4-7.
36. Juang JM, Huang SK\*, Tsai CT, Chiang FT, Lin JL, Lai LP, **Wang CC**, Kuo CT, Ueng KC, Kong CW, Ko WC, Lei MH, Tsao HM. Characteristics of Chinese patients with symptomatic Brugada syndrome in Taiwan. *Cardiology* 2003;99(4):182-9.
37. Vestal M, Wen MS, Yeh SJ, **Wang CC**, Lin FC, Wu D\*. Electrocardiographic predictors of failure and recurrence in patients with idiopathic right ventricular outflow tract tachycardia and ectopy who underwent radiofrequency catheter ablation. *J Electrocardiol* 2003;36(4):327-32.
38. Takenaka S, Yeh SJ, Wen MS, Yeh KH, **Wang CC**, Lin FC, Wu D\*. Algorithm for differentiation of left and right posterior paraseptal accessory pathway. *J Electrocardiol* 2004;37(2):75-81.
39. Yeh KH, **Wang CC\***, Wen MS, Chou CC, Yeh SJ, Wu D. Long-term performance of transvenous, steroid-eluting, high impedance, passive-fixation ventricular pacing leads. *Pacing Clin Electrophysiol* 2004;27(10):1399-404.
40. Chang HC\*, Yeh KH, Huang HL, **Wang CC**, Chang YS. Aortic intramural hematoma presenting as acute inferior wall MI with cardiogenic shock. *Am J Emerg Med*. 2004 Sep;22(5):433-436.
41. Satish OS, Yeh KH, Wen MS, **Wang CC\***. Left ventricular premature contractions induced concealed mechanical bradycardia and dilated cardiomyopathy: Reversal with radiofrequency catheter ablation. *J Cardiovasc Electrophysiol* 2005;16(1):88-91.
42. Takenaka S, Yeh SJ, Wen MS, Yeh KH, **Wang CC**, Lin FC, Wu D\*. Characteristics and radiofrequency ablation in posteroseptal and left free-wall subepicardial accessory pathways. *J Electrocardiol*. 2005;38(1):69-76.
43. Satish OS, Yeh KH, Wen MS, **Wang CC\***. Focal right ventricular tachycardia originating from the subtricuspid septum. *Europace*. 2005;7(4):348-52.
44. Satish OS, Yeh KH, Wen MS, **Wang CC\***. Cardiac resynchronisation therapy versus dual site right ventricular pacing in a patient with permanent pacemaker and congestive heart failure. *Europace*. 2005;7(4):380-4.
45. Satish OS, Yeh SJ, Yeh KH, Wen MS, **Wang CC\***, Chou CC, Wu D. Radiofrequency catheter ablation therapy of swallowing-induced atrioventricular nodal reentrant

tachycardia: report of two cases. *Pacing Clin Electrophysiol.* 2005;28(6):594-7.

46. Lai LP, Su YN, Chiang FT, Juang JM, Liu YB, Ho YL, Chen WJ, Yeh SJ, **Wang CC**, Ko YL, Wu TJ, Ueng KC, Lei MH, Tsao HM, Chen SA, Lin TK, Wu MH, Lo HM, Huang SK, Lin JL\*. Denaturing high-performance liquid chromatography screening of the long QT syndrome-related cardiac sodium and potassium channel genes and identification of novel mutations and single nucleotide polymorphisms. *J Hum Genet.* 2005;50(9):490-6.
47. Hsieh MJ, Yeh KH, Satish OS, **Wang CC\***. Permanent pacing using a coronary sinus lead in a patient with univentricular physiology: an extended application of biventricular pacing technology. *Europace.* 2006;8(2):147-150.
48. Satish OS, Yeh KH, Wen MS, **Wang CC\***. Right ventricular lead ring capture in sequential biventricular pacing with pseudo-bipolar left ventricular lead configuration: an unwanted effect. *Chang Gung Med J.* 2007;30(2):178-183.
49. Chen TE, **Wang CC**, Chern MS\*, Chu JJ. Entrapment of permanent pacemaker lead as the cause of tricuspid regurgitation. *Circ J.* 2007 Jul;71(7):1169-71.
50. Chen TE, **Wang CC\***, Satish OS, Wu D. Electrocardiographic features of ventricular pacing lead in the middle cardiac vein vs. right ventricular apex in a patient with persistent left superior vena cava. *J Electrocardiol.* 2007 Nov-Dec;40(6):531-3.
51. Chen TE, **Wang CC\***, Chang SH, Yeh SJ, Wu D. Implantable cardioverter defibrillator therapy: ten years experience in a medical center. *Chang Gung Med J.* 2008;31(1):81-90.
52. Lau CP, **Wang CC**, Ngarmukos T, Kim YH, Kong CW, Omar R, Sriratanasathavorn C, Munawar M, Kam R, Lee KL, Lau EO, Tse HF. SAFE Study Steering Committee for SAFE Study Group. A prospective randomized study to assess the efficacy of rate and site of atrial pacing on long-term development of atrial fibrillation. *J Cardiovasc Electrophysiol.* 2009;20(9):1020-5.
53. Wo HT, Chang PC, Chen TH, **Wang CC\***. Cardiac resynchronization therapy in patients with and without atrial fibrillation. *Acta Cardiol Sin.* 2011;27:46-51.
54. Chen TH, Wo HT, Wu CC, Wang JL, **Wang CC**, Hsieh IC, Kuo CY, Liu CT\*. Exendin-4 attenuates lipopolysaccharides induced inflammatory response but does not protects H9c2 cells from apoptosis. *Immunopharmacol Immunotoxicol.* 2012;34(3):484-90.
55. Chang YC, Chen TH, Lin PJ, Hung KC\*, Lin FC, **Wang CC**, Hsieh IC, Wang JL, Wo HT, Wu CC. Papillary muscle stump mimicking a left ventricular mass after mitral valve replacement with partial chordal preservation. *Asian biomedicine* 2012; 6:

625-628.

56. **Wang CC**, Chen JH, Yu WC, Cheng JJ, Yin WH, Wu CC, Li AH, Lin WS, Chen PS, Ueng KC, Huang JL, Tsai FC, Wang CH, Fu TC, Liu MH, Chen PR, Pai HY, Cherng WJ\*. 2012 Guidelines of the Taiwan Society of Cardiology (TSOC) for the diagnosis and treatment of heart failure. *Acta Cardiol Sin.* 2012;28:161-195.
57. Hsieh MJ, Chen YC, Chen CC, Wang CL, Wu LS, **Wang CC\***. Renal dysfunction on admission, worsening renal function, and severity of acute kidney injury predict 2-year mortality in patients with acute myocardial infarction. *Circ J.* 2013;77(1):217-23.
58. Chen TH, Tsai ML, Chang PC, Wo HT, Chou CC, Wen MS, **Wang CC\***, Yeh SJ, Wu D. Risk factors of recurrence and complication in radiofrequency catheter ablation of atrioventricular reentrant tachycardia in children and adolescents. *Cardiol Young.* 2013 Oct;23(5):682-91.
59. Chua SK, Cheng JJ\*, Shyu KG, Kuo JY, Ko YL, **Wang CC**, Chang KC, Ku PM, Lee SH. Improvement in door-to-balloon (D2B) time in acute ST-elevation myocardial infarction through the D2B alliance--experience of 15 primary percutaneous coronary intervention centers in Taiwan. *Circ J.* 2013;77(2):383-9.
60. Lau CP, Tachapong N, **Wang CC**, Wang JF, Abe H, Kong CW, Liew R, Shin DG, Padeletti L, Kim YH, Omar R, Jirasirojanakorn K, Kim YN, Chen MC, Sriratanasathavorn C, Munawar M, Kam R, Chen JY, Cho YK, Li YG, Wu SL, Bailleul C, Tse HF\*; for the SAFE Study Group. Prospective Randomized Study to Assess the Efficacy of Site and Rate of Atrial Pacing on Long-term Progression of Atrial Fibrillation in Sick Sinus Syndrome: Septal Pacing for Atrial Fibrillation Suppression Evaluation (SAFE) Study. *Circulation.* 2013 Aug. 13; 128(7): 687-93.
61. Chang PC, Wo HT, Chen TH, Wu D, Lin FC, **Wang CC\***. Remote Past Left Ventricular Function before Chronic Right Ventricular Pacing Predicts Responses to Cardiac Resynchronization Therapy Upgrade. *Pacing Clin Electrophysiol.* 2014 Apr;37(4):454-63.
62. Chang PC, Chen WT, Wo HT, Chen TH, Wen MS, Yeh SJ, **Wang CC\***. Long-Term Survival of MADIT II-Eligible Patients in Taiwan. *Acta Cardiol Sin.* 2014 (in press).