

\*葉森洲醫師

所有發表期刊論文

1. Yeh SJ, Chang CH, Wu D, Hung JS. Unusual aorticopulmonary communication: Report of 2 cases. *Chinese J Cardiol* 1981; 1:139-42.
2. Yeh SJ, Hsu TS, Shieh WB, Chiang CW, Tzen KY, Huang MJ, Lee YS, Hung JS, Wu D. Right ventricular infarction. *J Form Med Asso* 1982; 81:507-13.
3. Hung JS, Hsu TS, Hsu KS, Yeh SJ, Wu D. Chang CH: Percutaneous transluminal coronary angioplasty. *J Form Med Asso* 1982; 81:626-32.
4. Yeh SJ, Lin FC, Hung JS, Wu D. Significance of bundle branch or fascicular block complicating acute myocardial infarction. *J Form Med Asso* 1982; 81:1543-51.
5. Lin FC, Yeh SJ, Hung JS, Wu D. A spontaneous atrioventricular reentrant atrial echo during sinus rhythm mimicking a blocked premature atrial beat. *Chang Gung Med J* 1982;5:105-9.
6. Kou HC, Yeh SJ, Lin FC, Hung JS, Wu D. Effects of acebutolol on paroxysmal atrioventricular reentrant tachycardia in patients with manifest or concealed accessory pathways. *Chest* 1983; 83:92-7.
7. Wu D, Kou HC, Yeh SJ, Lin FC, Hung JS. Effects of oral verapamil in patients with atrioventricular reentrant tachycardia incorporating an accessory pathway. *Circulation* 1983; 67:426-33.
8. Yeh SJ, Kou HC, Lin FC, Hung JS, Wu D. Effects of oral diltiazem in paroxysmal supraventricular tachycardia. *Am J Cardiol* 1983; 52:271-8.
9. Hung JS, Yeh SJ, Lin FC, Rose J, Wu D. Calcium channel blockers in the management of paroxysmal supraventricular tachycardia. *Clin Prog Pacing and Electrophysiol* 1984; 2:325-38.
10. Wu D, Kou HC, Yeh SJ, Lin FC, Hung JS. Determinants of tachycardia induction using ventricular stimulation in dual pathway atrioventricular nodal reentrant tachycardia. *Am Heart J* 1984; 108:44-55.

11. Hung JS, Yeh SJ, Lin FC, Fu M, Lee YS, Wu D. Usefulness of intravenous diltiazem in predicting subsequent electrophysiologic and clinical responses to oral diltiazem. *Am J Cardiol* 1984; 54:1259-62.
12. Yeh SJ, Lin FC, Chou YY, Hung JS, Wu D. Termination of paroxysmal supraventricular tachycardia with a single oral dose of diltiazem and propranolol. *Circulation* 1985; 71:104-9.
13. Lin FC, Yeh SJ, Wu D. Determinants of simultaneous fast and slow pathway conduction in patients with dual atrioventricular nodal pathways. *Am Heart J* 1985; 109: 963-70.
14. Lin FC, Yeh SJ, Wu D. Double atrial responses to a single ventricular impulse due to simultaneous conduction via two retrograde pathways. *JACC* 1985; 5:168-75.
15. Wu YC, Hung JS, Yeh SJ, Hsu TS, Chiang CW, Lee YS. Efficacy of intravenous verapamil on termination of paroxysmal supraventricular tachycardia. *Acta Cardiol Sin* 1985;1:315-9.
16. Yeh SJ, Fu M, Lin FC, Lee YS, Hung JS, Wu D. Serial electrophysiologic studies of the effects of oral diltiazem on paroxysmal supraventricular tachycardia. *Chest* 1985; 87:639-43.
17. Fang BR, Chen IC, Yeh SJ, Wu D. Two non-overlapping PR intervals in a patient with dual pathways atrioventricular nodal reentrant tachycardia. *J Form Med Asso* 1985; 84:1215-21.
18. Yeh SJ, Wu YC, Lin FC, Hung JS, Wu D. Pseudosimultaneous fast and slow pathway conduction: A common electrophysiologic finding in patients with dual atrioventricular nodal pathways. *JACC* 1985; 6:927-32.
19. Yeh SJ, Lin FC, Wu D. Exercise provocation of multiple reentrant tachycardias in a patient with permanent form of junctional tachycardia and intermittent ventricular preexcitation. *Am Heart J* 1986; 112:1009-114.
20. Yeh SJ, Fu M, Lin FC, Chang CH, Hung SJ. Paroxysmal supraventricular

tachycardia initiated by a swallowing-induced premature atrial beat. *J Electrocardiology* 1986;19:193-6.

21. Fu M, Hung JS, Yeh SJ, Lin FC, Hsu R, Wu. Pharmacokinetics and pharmacodynamic effects of aqueous diltiazem in healthy humans. *J Clin Pharmacol* 1987; 27: 106-10.
22. Tsai RC, Yamaji T, Ishibashi M, Takaku F, Yeh SJ, Lee YS, Hung JS, Wu D. Mechanism of polyuria and natriuresis associated with paroxysmal supraventricular tachycardia. *Jap Heart J* 1987; 28:203-9.
23. Yeh SJ, Lin FC, Wu D. Complete sinoatrial block in two patients with bradycardia-tachycardia syndrome. *JACC* 1987; 9:1184-8.
24. Chang JP, Chang CH, Lin PJ, Lee MC, Hsieh MJ, Yeh SJ, Wu D. Operative experience with 25 cases of the Wolff-Parkinson-White syndrome. *J Fomrosan Med Assoc* 1987;86:1175-9.
25. Lin FC, Fu M, Yeh SJ, Wu D. Doppler atrial shunt flow patterns in patients with secundum atrial septal defect: determinants, limitations, and pitfalls. *J Am Soc Echocardiogr* 1988; 1:141-9.
26. Tsai RC, Yamaji T, Ishibashi M, Takaku F, Pang SC, Yeh SJ, Lee YS, Hung JS, Wu D. Atrial natriuretic peptide during supraventricular tachycardia and relation to hemodynamic changes and renal function. *Am J Cardiol* 1988; 61:1260-4.
27. Tsai RC, Yamaji T, Ishibashi M, Takaku F, Hsu ST, Lai CY, Yeh SJ, Hung JS, Wu D, Lee YS. Effect of  $\beta$ -adrenergic blockade on plasma levels of atrial natriuretic peptide during exercise in humans. *J Cardiovasc Pharm* 1988; 11:614-8.
28. Pang SC, Chiang CW, Fu M, Lin FC, Lee CP, Yeh SJ, Kuo CT, Hsu TS, Lee YS. Early diagnosis of acute myocardial infarction by myoglobin latex agglutination test. *Jpn Heart J* 1988;29:631-8.
29. Lin PJ, Chang JP, Chang CH, Hsieh MJ, Lee MC, Yeh SJ. Permanent pacemaker implantation: subxiphoid approach. *Acta Cardiol Sin*

1988;4:265-70.

30. Cherng WJ, Lin FC, Yeh SJ, Wu D. Comparative study of antihypertensive effects of enalapril and atenolol in patients with mild to moderate hypertension. *J Formosa Med Assoc* 1989; 88:194-7.
31. Chern MS, Lin FC, Yeh SJ, Fu M, Cherng WJ, Hung JS, Wu D. Observation on ventricular arrhythmias in patients with spontaneously reperfused infarct-related artery. *Acta Cardiol Sin* 1989; 5:223-8.
32. Yeh SJ, Lin FC, Wu D. The mechanisms of exercise provocation of supraventricular tachycardia. *Am Heart J* 1989; 117:1041-9.
33. Wu JR, Hung JS, Cherng WJ, FU M, Lee CP, Yeh KH, Wu YC, Chua SO, Fan BR, Lin FC, Yeh SJ, Kuo CT, Hsu TS, Chiang CW, Lee YS, Wu D. Trans-venous mitral commissurotomy (PTMC) in 100 consecutive patients. *Acta Cardio Sin* 1989;5:33.
34. Yeh SJ, Yamamoto T, Lin FC, Wu D. Atrioventricular block in atypical form of junctional reciprocating tachycardia: evidence supporting the atrioventricular node as the site of reentry. *J Am Coll Cardiol* 1990; 15:385-92.
35. Wu D, Yeh SJ, Yamamoto T, Lin FC, Cheng NJ. Participation of a concealed nodoventricular fiber in the genesis of paroxysmal tachycardias. *Am Heart J* 1990; 119: 583-91.
36. Chang JP, Chang CH, Yeh SJ, Yamamoto T, Wu D. Surgical cure of automatic atrial tachycardia by partial left atrial isolation. *Ann Thorac Surg* 1990; 49:466-8.
37. Yamamoto T, Yeh SJ, Lin FC, Wu D. Effects of isoproterenol on accessory pathway conduction in intermittent or concealed Wolff-Parkinson-White syndrome. *Am J Cardiol* 1990; 65: 1438-42.
38. Wang CC, Yeh SJ, Lin FC, Wu D. Spontaneous atrioventricular dissociation in atrioventricular nodal reentrant tachycardia. *Am Heart J* 1990; 119: 1426-9.

39. Tsai RC, Yamaji T, Ishibashi M, Takaku F, Hsu ST, Yeh SJ, Lee YS. Role of atrial natriuretic peptide in hemoconcentration during exercise. *Am J Hypertens* 1990;3:833-7.
40. Hung JS, Fu M, Yeh SJ, Lin FC, Cherng WJ, Yeh KH, Wu YC, Wu D. Hemodynamic and clinical efficacious of catheter balloon percutaneous transvenous mitral commissurotomy: Experience of 100 patients with rheumatic mitral stenosis. *J Form Med Asso* 1990; 89:182-9.
41. Chen IC, Lin FC, Chern MS, Yeh SJ, Wu D. Diagnosis of postlaminectomy arteriovenous fistula using color doppler flow mapping. *Am Heart J* 1991; 121:217-9.
42. Wen MS, Lin FC, Yeh SJ, Wu D. Doppler color flow imaging in coronary artery fistula. *Am Heart J* 1991; 122:1180-3.
43. Yeh SJ, Yamamoto T, Lin FC, Wang CC, Wu D. Repetitive sinoatrial exit block as the major mechanism of drug-provoked long sinus or atrial pause. *J Am Coll Cardiol* 1991; 18:587-95.
44. Wu D, Yeh SJ, Lin FC, Wang CC, Cherng WJ. Sinus automaticity and sinoatrial conduction in severe symptomatic sick sinus syndrome. *J Am Coll Cardiol* 1992; 19:355-64.
45. Yeh SJ, Wang CC, Lin FC, Chang JP, Chang CH, Wu D. Usefulness of pre-discharge electrophysiologic study in predicting late outcome after surgical ablation of the accessory pathway in the Wolff-Parkinson-White syndrome. *Am J Cardiol* 1992; 69:909-12.
46. Wu D, Yeh SJ, Wang CC, Wen MS, Chang HJ, Lin FC. Nature of dual atrioventricular nodal pathways and the tachycardia circuit as defined by radiofrequency ablation technique. *J Am Coll Cardiol* 1992; 20:884-95.
47. Fu M, Hung JS, Yeh SJ, Chang CH. Reversal of silent Myocardial ischemia by surgery for isolated anomalous origin of the left anterior descending coronary artery from the pulmonary artery. *Am Heart J* 1992;124:1369-1371.

48. Yeh SJ, Wang CC, Wen MS, Lin FC, D Wu. Radiofrequency ablation in multiple accessory pathways and the physiologic implications. *Am J Cardiol* 1993; 71(13):1174-80.
49. Chang HJ, Wang CC, Yeh SJ, D Wu. Double atrial responses to a single ventricular premature impulse due to simultaneous ventriculo-atrial conductions through the normal pathway and a slow paraseptal accessory pathway. *Am Heart J* 1993; 125:1434-6.
50. Chern MS, Fu M, Cherng WJ, Yeh SJ, Lin FC, Hung JS, D Wu. Prognosis after a first Q-wave myocardial infarction in ethnic Chinese people: a prospective study. *Internat J Cardiol* 1993; 39:33-41.
51. Wu D, Yeh SJ, Wang CC, Wen MS, Lin FC. A simple technique for selective radiofrequency ablation of the slow pathway in atrioventricular node reentry tachycardia. *J Am Coll Cardiol* 1993; 21:1612-21.
52. Wen MS, Yeh SJ, Wang CC, Lin FC, Wu D. Radiofrequency ablation therapy in three patients with paroxysmal atrial tachycardia. *PACE* 1993; 16:2146-56.
53. Yeh SJ, Wang CC, Wen MS, Lin FC, Koo CC, Lo YCA, Wu D. Characteristics and radiofrequency ablation therapy of intermediate septal accessory pathway. *Am J Cardiol* 1994; 73:50-6.
54. Wu D, Yeh SJ, Wang CC, Wen MS, Lin FC. Double loop figure-of-8 reentry as the mechanism of multiple atrioventricular node reentry tachycardias. *Am Heart J* 1994; 127:83-95.
55. Wen MS, Yeh SJ, Wang CC, Lin FC, Chen IC, Wu D. Radiofrequency ablation therapy in idiopathic left ventricular tachycardia with no obvious structural heart disease. *Circulation* 1994; 89:1690-6.
56. Wen MS, Yeh SJ, Wang CC, Lin FC, Wu D. Concertina-like phenomenon in ventricular preexcitation due to spontaneous atrioventricular nodal Wenckebach periodicity. *Chest* 1994; 105:939-48.
57. Wen MS, Yeh SJ, Wang CC, Lin FC, Wu D. Successful radiofrequency

- ablation in reentrant tachycardia incorporating a nodoventricular tract. *Am Heart J* 1994; 127:1413-9.
58. Wang CC, Yeh SJ, Wen MS, Lin FC, Wu D. Worsening of vasovagal syncope after beta-blocker therapy. *Chest* 1994;106:963-5.
  59. Ng KS, Wen MS, Yeh SJ, Lin FC, Wu D. The effects of adenosine on idiopathic ventricular tachycardia. *Am J Cardiol* 1994;74:195-7.
  60. Wang CC, Yeh SJ, Wen MS, Hsieh IC, Lin FC, Wu D. Late clinical and electrophysiologic outcome of radiofrequency ablation therapy using the inferior approach in atrioventricular node reentry tachycardia. *Am Heart J* 1994;128:219-26.
  61. Chern MS, Yeh SJ, Lin FC, Wu D, Hung JS. Estimation of pulmonary artery pressure from pulmonary vein wedge pressure. *Cathet Caridovasc Diagn* 1994;31:277-82.
  62. Hsieh IC, Yeh SJ, Wen MS, Wang CC, Lin FC, Wu D. The effects of adenosine on paroxysmal atrial tachycardia. *Am J Cardiol* 1994;74:279-81.
  63. Yeh SJ, Wang CC, Wen MS, Lin FC, Chen IC, Wu D. Radiofrequency ablation therapy in atypical or multiple atrioventricular node reentry tachycardia. *Am Heart J* 1994;128:742-58.
  64. Chen IC, Yeh SJ, Wen MS, Lin FC, Wu D. Radiofrequency ablation therapy in concealed left free wall accessory pathway with decremental conduction. *Chest* 1995;107:41-5.
  65. Chen IC, Yeh SJ, Wen MS, Wang CC, Lin FC, Wu D. Progression to complete atrioventricular block in a patient with bundle branch reentry tachycardia. *J Electrocardiog* 1995;28:253-59.
  66. Lin FC, Chang HJ, Chern MS, Wen MS, Yeh SJ, Wu D. Multiple transesophageal echocardiography in the diagnosis of congenital coronary artery fistula. *Am Heart J* 1995;130:1236-44.
  67. Yeh SJ, Wang CC, Wen MS, Lin FC, Wu D. Selective radiofrequency ablation

of slow pathway on atrioventricular node reentry tachycardia using the inferior approach. *Ther. Res.* 1995;4:43-58.

68. Lin FC, Wen MS, Wang CC, Yeh SJ, Wu D. Left ventricular fibromuscular band is not a specific substrate for idiopathic left ventricular tachycardia. *Circulation* 1996;93:525-8.
69. Wong CW, Wang CH, Wen MS, Yeh SJ, Wu D. Effective therapy with transthoracic video-assisted endoscopic coagulation of the left stellate ganglion and the upper sympathetic trunk in a patient with congenital long QT syndrome. *Am Heart J* 1996;132:1060-3.
70. King A, Wen MS, Yeh SJ, Wang CC, Lin FC, Wu D. Catheter-induced atrioventricular nodal block during radiofrequency ablation. *Am Heart J* 1996;132:979-85.
71. Wen MS, Yeh SJ, Wang CC, King A, Lin FC, Wu D. Radiofrequency ablation therapy of the posteroseptal accessory pathway. *Am Heart J* 1996;132:612-20.
72. Hsieh IC, Yeh SJ, Wen MS, Wang CC, Lin FC, Wu D. Radiofrequency ablation for supraventricular and ventricular tachycardia in young patients. *International Journal of Cardiology* 1996;54:33-40.
73. Wang SY, Yeh SJ, Lin FC, Wu D. Coronary sinus stenosis as a late complication of catheter ablation in Wolff-Parkinson-White syndrome. *Catheter Cardiovasc Disgn* 1997;42:70-2.
74. Wen MS, Yeh SJ, Wang CC, Lin FC, Wu D. Successful radiofrequency ablation of idiopathic left ventricular tachycardia at a site away from the tachycardia exit. *J Am Coll Cardiol* 1997;30:1024-31.
75. Yeh SJ, Wen MS, Wang CC, Lin FC, Wu D. Adenosine-sensitive ventricular tachycardia from the anterobasal left ventricle. *J Am Coll Cardiol* 1997;30:1339-45.
76. Taniguchi Y, Yeh SJ, Wen MS, Wang CC, Wu D. Atypical atrioventricular nodal reentry tachycardia with atrioventricular block mimicking atrial



tachycardia: electrophysiologic properties and radiofrequency ablation therapy. *J Cardiovasc Electrophysiol* 1997;8:1302-8.

77. Hsu SY, Lin FC, Chang HJ, Yeh SJ, Wu D. Multiplane transesophageal echocardiography in diagnosis of anomalous origin of the left coronary artery from the pulmonary artery. Recurrences after radiofrequency ablation of idiopathic ventricular tachycardia. *Am J Cardiol* 1998;81(4):500-3.
78. Hung KC, Lin FC, Chern MS, Yeh SJ. Multiplane transesophageal echocardiography in the diagnosis of sinus venosus atrial septal defect in adults. *J Med Ultra* 1998;6:194-199.
79. Yasuhiro Taniguchi, Yeh SJ, Wen MS, Wang CC, Lin FC, Wu D. Variation of P-QRS relation during atrioventricular node reentry tachycardia. *J Am Coll Cardiol* 1999;33:376-84.
80. Yeh KH, Hung KC, Lin FC, Yeh SJ, Wu D. Successful lysis of right and left heart thrombus by tissue plasminogen activator. *Cathet. Cardiovasc. Intervent.* 2000;49:91-96.
81. Wen MS, Yeh SJ, Wu D. Definition of the Reentry Circuit with Demonstration of a Low Frequency Diastolic Potential in a Patient with Verapamil-sensitive Idiopathic Left Ventricular Tachycardia. *J of Electrocardiology* 2002; 35:357-362
82. Vestal M, Wen MS, Yeh SJ, Wang CC, Lin FC, Wu D. Electrocardiographic predictors of failure and recurrence in patients with idiopathic right ventricular outflow tract tachycardia and ectopy who underwent radiofrequency catheter ablation. *J Electrocardiol* 2003;36(4):327-32.
83. Lin FC, Chang SH, Hsieh IC, Hung KC, Yeh SJ, See LC, Wu D. Time to peak velocity measurements by pulsed Doppler tissue imaging to quantify ischemia-related regional myocardial asynchrony. *J Am Soc Echocardiog.* 2004; 17:299-306
84. Takenaka S, Yeh SJ, Wen MS, Yeh KH, Wang CC, Lin FC, Wu D. Algorithm for Differentiation of Left and Right Posterior Paraseptal Accessory Pathway. *J*

of Electrocardiology 2004 Apr;37(2):75-81.

85. Yeh KH, Wang CC, Wen MS, Chou CC, Yeh SJ, Wu D. Long-term performance of transvenous, steroid-eluting, high impedance, passive-fixation ventricular pacing leads. *Pacing Clin Electrophysiol* 2004;27(10):1399-404.
86. Manita M, Kaneko Y, Kurabayashi M, Yeh SJ, Wen MS, Wang CC, Lin FC, Wu D. Electrophysiological characteristics and radiofrequency ablation of accessory pathways with slow conductive properties. *Circ J* 2004;68(12):1152-9.
87. Takenaka S, Yeh SJ, Wen MS, Yeh KH, Wang CC, Lin FC, Wu D. Characteristics and radiofrequency ablation in posteroseptal and left free-wall subepicardial accessory pathways. *J of Electrocardiology*. 2005;38(1):69-76.
88. Satish OS, Yeh SJ, Yeh KH, Wen MS, Wang CC, Chou CC, Wu D. Radiofrequency catheter ablation therapy of swallowing-induced atrioventricular nodal reentrant tachycardia: report of two cases. *Pacing Clin Electrophysiol*. 2005 Jun;28(6):594-7. PMID: 15955197.
89. Lai LP, Su YN, Chiang FT, Juang JM, Liu YB, Ho YL, Chen WJ, Yeh SJ, Wang CC, Ko YL, Wu TJ, Ueng KC, Lei MH, Tsao HM, Chen SA, Lin TK, Wu MH, Lo HM, Huang SKS, Lin JL. Denaturing high-performance liquid chromatography screening of the long QT syndrome-related cardiac sodium and potassium channel genes and identification of novel mutations and single nucleotide polymorphisms. *J Hum Genet* (2005) 50:490-496.
90. Chou CC, Zhou S, Hayashi H, Nihei M, Liu YB, Wen MS, Yeh SJ, Fishbein MC, Weiss JN, Lin SF, Wu D, Chen PS. Remodeling of action potential and intracellular calcium cycling dynamics during subacute myocardial infarction promotes ventricular arrhythmias in langendorff-perfused rabbit hearts. *J Physiology* 2007;580(3):895-906.
91. Chou CC, Nguyen BL, Tan AY, Chang PC, Lee HL, Lin FC, Yeh SJ, Fishbein MC, Lin SF, Wu D, Wen MS, Chen PS. Intracellular calcium dynamics and acetylcholine-induced triggered activity in the pulmonary veins of dogs with pacing-induced heart failure. *Heart Rhythm* 2008;5:1170 -1177

*(CMRPG33016)*

92. Chen TE, Wang CC, Chang SH, Yeh SJ, Wu D. Implantable Cardioverter Defibrillator Therapy: Ten Years Experience in a Medical Center. *Chang Gung Med. J* 2008;31:81-90.
93. Erdine S, Ro YM, Howes LG, Aguilar-Salinas CA, Chaves H, Guindy R, Chopra P, Moller RA and Schou IM, on behalf of the Gemini-AALA Investigators. Single-pill amlodipine/atorvastatin helps patients of diverse ethnicity attain recommended goals for blood pressure and lipids (the Gemini-AALA study). *J Human Hypertension* advance online publication, 18 September 2008;doi:10.1038/jhh.2008.114. (The Gemini-AALA Study Investigators, Taiwan: Dr. SJ Yeh)
94. Chou CC, Chang PC, Wen MS, Lee HL, Chen TC, Yeh SJ, Wu D. Epicardial ablation of rotors suppresses inducibility of acetylcholine-induced atrial fibrillation in left pulmonary vein-left atrium preparations in a beagle heart failure model. *J Am Coll Cardiol* 2011; 58: 158-66
95. Hirai Y, Wen MS, Yeh SJ, Wu D. A specific sign for differential diagnosis of atypical atrioventricular nodal reentrant tachycardia from atrial tachycardia. *Pacing Clin Electrophysiol.* 2012 Feb;35(2):245-8. doi: 10.1111/j.1540-8159.2011.03249.x. Epub 2011 Dec 8.