

\*許隆安醫師

所有發表期刊論文

1. **Hsu LA**, Chu PH, Ko YS, Ko YL, Chiang CW\*. Transluminal coronary angioplasty and stenting in a patient with single coronary artery and acute myocardial infarction. *Chang Gung Med J.* 1997;20:299-303.
2. Chiang CW\*, **Hsu LA**, Chu PH, Ko YS, Ko YL, Cheng NY, Lee YS, Lin PJ, Chang CH. On-line multiplane transesophageal echocardiography for balloon mitral commissurotomy: *Am J. Cardiol.* 1998;81:515-518.
3. Chiang CW\*, Su WJ, **Hsu LA**, Lin KH, Chu PH, and Cheng NJ. Transcatheter closure of atrial septal defect guided by on-line transesophageal echocardiography, *Proceedings of the National Science Council, Republic of China.* 1998;22:144-149.
4. Ko YL\*, Ko YS, Wang SM, **Hsu LA**, Chang CJ, Chu PH, Cheng NJ, Chen WJ, Chiang CW, Lee YS. The Cln-Arg 191 polymorphism of the human paraoxonase gene is not associated with the risk of coronary artery disease among Chinese in Taiwan. *Atherosclerosis.* 1998;141:259-264.
5. **Hsu LA**, Ko YL\*, Wang SM, Chang CJ, Hsu TS, Chiang CW, Lee YS. The C677T mutation of the methylenetetrahydrofolate reductase is not associated with the risk of coronary artery disease or venous thrombosis among Chinese in Taiwan. *Human Heredity.* 2001;51:41-45.
6. Chu PH, Chiang CW\*, **Hsu LA**, Lin KH, Cheng NJ, Kuo CT. Low prevalence of coronary arterial disease in Chinese adults with mitral stenosis. *Chang Gung Med J.* 2001;24:97-102
7. Hsu TS\*, **Hsu LA**, Chang CJ, Sun CF, Ko YL, Kuo CT, Chiang CW, Lee YS. Importance of hyperhomocysteinemia as a risk factor for venous thromboembolism in a Taiwanese population. A case-control study, *Thrombosis Research* 2001;102:387-395.
8. Wang CL, **Hsu LA**, Ko YS, Ko YL\*, Lee YS. Lack of association between the Glu298Asp variant of the endothelial nitric oxide synthase gene and the risk of coronary artery disease among Taiwanese. *J Forms Med Assoc* 2001;100:736-40.
9. **Hsu LA**, Ko YL\*, Hsu KH, PhD, Ko YH, Lee YS. Genetic Variations in the Cholesteryl Ester Transfer Protein Gene and High Density Lipoprotein Cholesterol Levels in Taiwanese Chinese. *Hum Genet* 2002;110:57-63.
10. Chiang CW\*, Chu PH, **Hsu LA**. Intra-Atrial Thrombolytic Therapy for Dissolution of Chronic Left Atria Thrombi in Patients Undergoing Balloon Mitral Commissurotomy. *Cathete Cardiovasc Intervent.* 2002;56:460-465.
11. Wu S, Ko YS, Teng MS, KoYL\*, **Hsu LA**, Hsueh C, Chou YY, Liew CC, Lee YS. Adriamycin-induced cardiomyocyte and endothelial cell apoptosis: in vitro and in vivo studies. *J Mol Cell Cardiol.* 2002;34:1595-607.
12. **Hsu LA\***, Chiang CW, Chang CJ, Chu PH, Hsu TS, Ko YL, Kuo CT. Clinical significance of positive treadmill exercise test in patients with mitral stenosis. *Acta Cardiologica Sinica.* 2002;18:160-163.

13. Chiang CW\*, **Hsu LA**, Chu PH, Ho WJ, Lo HS. Feasibility of simplifying balloon mitral valvuloplasty through the obviation of left-sided cardiac catheterization using online guidance with transesophageal echocardiography. *Chest*. 2003;123:1957-63.
14. Chang CJ\*, **Hsu LA**, Chiang CW, Ko YS, See LC, Shen YC, Ko YL, Kou CT, Lee YS, Pang JH. Percutaneous transvenous mitral valvulotomy normalizes elevated circulating levels of tumor necrosis factor-alpha and interleukin-6 in mitral stenosis with heart failure. *Am J Cardiol*. 2003;91:1018-20, A8.
15. **Hsu LA**, Ko YL\*, Wu S, Teng MS, Peng TY, Chen CF, Chen CF, Lee YS. Association Between a Novel 11-Base Pair Deletion Mutation in the Promoter Region of the Scavenger Receptor Class B Type I Gene and Plasma HDL Cholesterol Levels in Taiwanese Chinese. *Arterioscler Thromb Vasc Biol*. 2003; 23:1869-1874.
16. Ko YL\*, **Hsu LA**, Hsu KH, Ko YH, Lee YS. The interactive effects of hepatic lipase gene promoter polymorphisms with sex and obesity on high-density-lipoprotein cholesterol levels in Taiwanese-Chinese. *Atherosclerosis*. 2004;172:135-42.
17. Chang CJ\*, Ko PJ, **Hsu LA**, Ko YS, Ko YL, Chen CF, Huang CC, Hsu TS, Lee YS, Pang S JH. Highly Increased Cell Proliferation Activity in the Restenotic Hemodialysis Vascular Access after Percutaneous Transluminal Angioplasty-Implication in Prevention of Restenosis. *Am J Kidney Dis* 2004;43:74-84.
18. [Wang CL, Lin KH, Luqman N, Chu PH, Hsu LA, Kuo CT\\*](#). Simultaneous biplane single-beat assessment of left ventricular systolic function in patients with atrial fibrillation. *Am J Cardiol*. 2004;94:942-4.
19. [Chang CJ, Ko YS, Ko PJ, Hsu LA, Chen CF, Yang CW, Hsu TS, Pang JH\\*](#). Thrombosed arteriovenous fistula for hemodialysis access is characterized by a marked inflammatory activity. *Kidney Int*. 2005;68:1312-9.
20. [Wang CL, Lin KH, Luqman N, Ho WJ, Hsu LA, Chu PH, Kuo CT\\*](#). Refinement on single-beat determination of left ventricular systolic function in patients with atrial fibrillation. *J Am Soc Echocardiogr*. 2005;18:913-8.
21. [Yeh YH, Chang CJ\\*, Hsu TS, Ko YS, Hsu LA, Kuo CT](#). Cardiac catheterization complicated by iliaco abscess: a rare complication of transfemoral approach-a case report. *Angiology*. 2005;56:623-5.
22. [Hsu LA, Ko YL\\*, Chang CJ, Hu CF, Wu S, Teng MS, Wang CL, Ho WJ, Ko YS, Hsu TS, Lee YS](#). Genetic variations of apolipoprotein A5 gene is associated with the risk of coronary artery disease among Chinese in Taiwan. *Atherosclerosis*. 2006;185(1):143-9.
23. [Wang CL, Ho WJ, Luqman N, Hsu LA, Kuo CT\\*](#). Biplane assessment of left ventricular function during atrial fibrillation at beats with equal subsequent cycles. *Int J Cardiol*. 2006;113(1):54-60.
24. [Ko YL\\*, Hsu LA, Hsu TS, Tsai CT, Teng MS, Wu S, Chang CJ, Lee YS](#). Functional polymorphisms of FGA, encoding alpha fibrinogen, are associated with susceptibility to venous thromboembolism in a Taiwanese population. *Hum Genet*. 2006;119(1-2):84-91.

25. Wang CL, Chen WJ, Ho WJ, **Hsu LA**, Cheng NJ, Hsu TS, Luqman N, Kuo CT\*. Assessment of Doppler-derived Aortic Flow in Atrial Fibrillation Using Beats with Equal Subsequent Cycles. *Acta Cardiologica Sinica*. 2006;22:16-23.
26. **Hsu LA\***, Ko YL, Chang CJ, Wang CL, Ho WJ, Ko YS, Hsu TS, Chen WJ, Cheng NJ, Kuo CT. G-50T polymorphism of the cytochrome P450 epoxygenase CYP2J2 gene is not associated with the risk of coronary artery disease among Chinese in Taiwan. *Acta Cardiologica Sinica*. 2006;22:148-53.
27. Chang YC, Wu WM, Chen CH, Lee SH, Hong HS, **Hsu LA\***. Association between the Insertion/Deletion Polymorphism of Angiotensin-converting Enzyme Gene and Risk for Psoriasis in a Chinese Population in Taiwan. *Br J Dermatol*. 2007;156(4):642-5. *corresponding author*
28. Wu LS, Wu CT, Hsu LA, Luqman N, Kuo CT\*. Brugada-like electrocardiographic pattern and ventricular fibrillation in a patient with primary hyperparathyroidism. *Europace*. 2007;9(3):172-4.
29. Hsiao JF, Hsu LA\*, Chang CJ, Wang CL, Ho WJ, Chu PH, Ko YS, Kuo CT. Late migration of a Sideris septal occluder device for closure of atrial septal defect into the left atrium with mitral valve obstruction. *Am J Cardiol*. 2007; 99(10):1479-80. *corresponding author*
30. Chang YC, Wu WM, Chen CH, Hu CF, **Hsu LA\***. Association between P478S polymorphism of the filaggrin gene and risk of psoriasis in a Chinese population in Taiwan. *Arch Dermatol Res*. 2008;300:133-137. *corresponding author*
31. Chen JY\*, Wang CM, Ma CC, Hsu LA, Ho HH, Wu YJ, Kuo SN, Wu J. A transmembrane polymorphism in FcgammaRIIb (FCGR2B) is associated with the production of anti-cyclic citrullinated peptide autoantibodies in Taiwanese RA. *Genes Immun*. 2008;9(8):680-8.
32. Chang H\*, Lin TL, Ho WJ, Hsu LA. Acute myeloid leukemia associated with acute myocardial infarction and dural sinus thrombosis: the possible role of leukemia-related hyperhomocysteinemia. *J Chin Med Assoc*. 2008; 71(8):416-20.
33. Wu CT, Kuo CT\*, Luqman N, Wang CL, Ho WJ, **Hsu LA**, Chang CJ. Three-Dimensional Automated Contour Detection for Global Systolic Dyssynchrony Index Measurements. *Acta Cardiologica Sinica*. 2008;24:136-143.
34. Ko YL\*, Hsu LA, Wu S, Teng MS, Chang HH, Chen CC, Cheng CF. Genetic variation in the ASIC3 gene influences blood pressure levels in Taiwanese. *J Hypertens*. 2008;26:2154-60. *Co-First Author*
35. Hsu LA\*, Ko YL, Chang CJ, Teng MS, Wu S, Hu CF. Apolipoprotein A5 gene -1131T/C polymorphism is associated with risk of metabolic syndrome in ethnic Chinese in Taiwan. *Clin Chem Lab Med*. 2008;46(12):1714-9. *corresponding author*
36. Hsu LA\*, Teng MS, Ko YL, Chang CJ, Wu S, Wang CL, Hu CF. The PCSK9 gene E670G polymorphism affects LDL cholesterol levels but is not a risk factor for coronary artery disease in ethnic Chinese in Taiwan. *Clin Chem Lab Med*. 2009;47(2):154-8 *corresponding author*
37. Teng MS, Hsu LA, Wu S, Chang HH, Chou HH, Ko YL\*. Association between C-reactive protein gene haplotypes and C-reactive protein levels in Taiwanese: interaction with obesity.

- Atherosclerosis. 2009;204(2):e64-9.
38. **Hsu LA**, Chang CJ, Teng MS, Wu S, Hu CF, Chang WY, Ko YL\*. CAG repeat polymorphism of the *MEF2A* gene is not associated with the risk of coronary artery disease among Taiwanese. Clin Appl Thromb Hemost. 2010 Jun;16(3):301-5.
39. Chang CJ, Chen CC, **Hsu LA**, Chang GJ, Ko YH, Chen CF, Chen MY, Yang SH, Pang JH\*. Degradation of the internal elastic laminae in vein grafts of rats with aortocaval fistulae: potential impact on graft vasculopathy. Am J Pathol. 2009;174(5):1837-46.
40. **Hsu LA**, Ko YL\*, Wu S, Teng MS, **Chou HH**, Chang CJ, Chang PY. Association of soluble intercellular adhesion molecule-1 with insulin resistance and metabolic syndrome in Taiwanese. Metabolism. 2009;58(7):983-8.
41. Chang CJ, **Hsu LA**, Ko YH, Chen PL, Chuang YT, Lin CY, Liao CH, Pang JH\*. Thrombin regulates matrix metalloproteinase-9 expression in human monocytes. Biochem Biophys Res Commun. 2009;24:385(2):241-6.
42. Chen WJ\*, Pang JH, Lin KH, Lee DY, **Hsu LA**, Kuo CT. Propylthiouracil, independent of its antithyroid effect, promotes vascular smooth muscle cells differentiation via PTEN induction. Basic Res Cardiol. 2010;105:19-28.
43. Lin YC, **Hsu LA**, Ko YS, Kuo CT, Chen WJ, Lin CP, Pan WH, Chang CJ\*. Impact of Conventional Cardiovascular Risk Factors on Acute Myocardial Infarction in Young Adult Taiwanese. Acta Cardiologica Sinica. 2010;26:228-234.
44. **Hsiao FC**, **Hsu LA**\*. Meta-analysis of Association Between Insertion/Deletion Polymorphism of the Angiotensin-I Converting Enzyme Gene and Venous Thromboembolism. Clin Appl Thromb Hemost. 2011;17(1):51-7. *corresponding author*
45. Ho WJ, Hsu TS\*, Tsay PK, **Hsu LA**, Wang CL, Chang CJ, Yu KH, Chen JY, Kuo CT. Serial Plasma Brain Natriuretic Peptide Testing in Clinical Management of Pulmonary Arterial Hypertension. Acta Cardiologica Sinica. 2009;25:147-153.
46. Chou HH, **Hsu LA**, Liu CJ, Teng MS, Wu S, Ko YL\*. Insulin resistance is associated with C-reactive protein independent of abdominal obesity in nondiabetic Taiwanese. Metabolism. 2010;59:824-30.
47. Wu S, **Hsu LA**, Teng MS, Lin JF, Chang HH, Chang PY, Hu CF, Ko YL\*. Association of matrix metalloproteinase 9 genotypes and cardiovascular disease risk factors with serum matrix metalloproteinase 9 concentrations in Taiwanese individuals. Clin Chem Lab Med. 2010;48:543-9.
48. Wang CL, Wu CT, Yeh YH, Wu LS, Chang CJ, Ho WJ, **Hsu LA**, Luqman N, Kuo CT\*. Recoordination rather than resynchronization predicts reverse remodeling after cardiac resynchronization therapy. J Am Soc Echocardiogr. 2010;23:611-20.
49. Wu S, **Hsu LA**, Chou HH, Teng MS, Chang HH, Yeh KH, Chen CC, Chang PY, Cheng CF, Ko YL\*. Association between an ASIC3 gene variant and insulin resistance in Taiwanese. Clin Chim Acta. 2010;411(15-16):1132-6.

50. **Hsu LA**, Chang CJ, Wu S, Teng MS, Chou HH, Chang HH, Chang PY, Ko YL\*. Association between functional variants of the ICAM1 and CRP genes and metabolic syndrome in Taiwanese subjects. *Metabolism*. 2010;59(12):1710-6.
51. Chou SH, Kuo CT, **Hsu LA**, Ho WJ, Wang CL\*. Single-Beat Determination of Right Ventricular Function in Patients with Atrial Fibrillation. *Echocardiography*. 2010;27(10):1188-93.
52. Hsiao JF, Chou HH, **Hsu LA**, Wu LS, Yang CW, Hsu TS, Chang CJ\*. Vascular changes at the puncture segments of arteriovenous fistula for hemodialysis access. *J Vasc Surg*. 2010;52(3):669-73.
53. Lin CW, **Hsu LA**, Chen CC, Yeh JT, Sun JH, Lin CH, Chen ST, Hsu BR, Huang YY\*. C-reactive protein as an outcome predictor for percutaneous transluminal angioplasty in diabetic patients with peripheral arterial disease and infected foot ulcers. *Diabetes Res Clin Pract*. 90(2):167-72.
54. Chang CJ\*, Wu LS, **Hsu LA**, Chang GJ, Chen CF, Yeh HI, Ko YS. Differential endothelial gap junction expression in venous vessels exposed to different hemodynamics. *J Histochem Cytochem*. 58(12):1083-92.
55. **Hsu LA**, Ko YL\*, Teng MS, Wu S, Chou HH, Chang PY, Chang HH. Effect of obesity on the association between common variations in the *HNF1A* gene region and C-reactive protein level in Taiwanese. *Clin Chim Acta*. 2011;412(9-10):725-9.
56. Wu S, **Hsu LA**, Cheng CF, Teng MS, Chou HH, Lin H, Chang PY, Ko YL\*. Effect of obesity on the association between *ATF3* gene haplotypes and C-reactive protein level in Taiwanese. *Clin Chim Acta*. 2011;412(11-12):1026-31. *Co-First Author*
57. Hsiao PG, **Hsu LA**, Lin CP, Ko YS, Chen WJ, Kuo CT, Chang CJ\*. The clinical outcome in treating real-world patients of multi-vessel coronary artery disease with exclusive usage of drug-eluting for complex lesions and liberal usage of drug-eluting or bare metal stent for simple lesions. *J Taiwan Cardiovasc Interv*. 2011;2: 1-11.
58. Chou HH, **Hsu LA**, Peng CH, Wu S, Teng MS, Chang PY, Ko YL\*. Oxidative Stress is Associated with Urinary Albumin Excretion in Taiwanese Women. *Acta Cardiologica Sinica*. 2011;27:166-173.
59. Hsieh CA, Ko YL, Hsu TS, Chang CJ, Teng MS, Wu S, **Hsu LA**\*. Angiotensin-I Converting Enzyme Gene Polymorphisms and the Risk of Venous Thromboembolism in an Ethnically Chinese Population Living in Taiwan. *Acta Cardiologica Sinica*. 2011;27:252-258. *corresponding author*
60. Chang YC, Wu WM, **Hsu LA**\*. 2012 Apr; Lack of association between the genetic variations in the C-reactive protein gene and the risk of psoriasis among the Taiwanese. *Mol Biol Rep*. 2012;39:4111-7. *corresponding author*
61. Lin CP, Kuo CT, Wang CL\*, Yeh YH, Wu LS, **Hsu LA**, Ho WJ, Luqman N. Left Ventricular Systolic Function is Sensitive to Cycle-Length Irregularity in Patients with Atrial Fibrillation and Systolic Dysfunction. *Acta Cardiologica Sinica*. 2012;28:103-110.
62. Wang CC, **Hsu LA**, Chen WJ, Ko YS, Kuo CT, Chang CJ\*. Global Risk Classification Predicts the Clinical Outcomes of Patients with Significant Left Main Coronary Artery Disease

- Undergoing Coronary Bypass Surgery. Acta Cardiologica Sinica. 2012;28:118-128.
63. [Lee HF](#), [Lin YC](#), [Lin CP](#), [Wang CL](#), [Chang CJ](#), **Hsu LA\***. Association of blood group a with coronary artery disease in young adults in taiwan. [Intern Med](#). 2012;51(14):1815-20. *corresponding author*
64. Lee HF, Hsu TS, Ho WJ, Lin CP, Wang CL, Chang CJ, Tsai HY, **Hsu LA\***. BMPR2 Mutations in Six Taiwanese Patients with Idiopathic Pulmonary Arterial Hypertension. [Acta Cardiologica Sinica](#). 2012;28:249-254. *corresponding author*
65. Chang YC, Wu WM, Tsai HY, **Hsu LA\***. [Microsatellite polymorphism in the heme oxygenase-1 gene promoter and the risk of psoriasis in Taiwanese](#). [Arch Dermatol Res](#). 2012;304:739-44 *corresponding author*
66. Chan YH, Kuo CT, Yeh YH, Wu LS, Wang CL\*, Ho WJ, **Hsu LA**. [Incremental value of radial discoordination index for the prediction of response to cardiac resynchronization therapy](#). [Eur Heart J Cardiovasc Imaging](#). 2013;14(3):213-22.
67. Wu S, **Hsu LA**, Teng MS, Lin JF, Chang HH, Sun YC, Chen HP, Ko YL. Association of SELE genotypes/haplotypes with sE-selectin levels in Taiwanese individuals: interactive effect of MMP9 level. [BMC Med Genet](#). 2012;13:115. *Co-First Author*
68. Chan YH, Wu LS, Kuo CT, Wang CL, Yeh YH, Ho WJ, **Hsu LA**. Incremental value of inefficient deformation indices for predicting response to cardiac resynchronization therapy. [J Am Soc Echocardiogr](#). 2013;26(3):307-15.
69. Huang HL, Wu S, **Hsu LA**, Teng MS, Lin JF, Sun YC, Ko YL. Genetic variants associated with circulating MMP1 levels near matrix metalloproteinase genes on chromosome 11q21-22 in Taiwanese: interaction with obesity. [BMC Med Genet](#). 2013;4:14:30.
70. Tsai CY, Chu SY, Wen YW, **Hsu LA**, Chen CC, Peng SH, Huang CH, Sun JH, Huang YY. The value of Doppler waveform analysis in predicting major lower extremity amputation among dialysis patients treated for diabetic foot ulcers. [Diabetes Res Clin Pract](#). 2013;100(2):181-8.
71. Teng MS, **Hsu LA**, Wu S, Chou HH, Chang CJ, Sun YZ, Juan SH, Ko YL. Mediation analysis reveals a sex-dependent association between ABO gene variants and TG/HDL-C ratio that is suppressed by sE-selectin level. [Atherosclerosis](#). 2013 Jun;228(2):406-12.
72. Tung YC, Wu LS, Chen WJ, Kuo CT, Wang CL, Chang CJ, Tsai HY, Yeh YH, **Hsu LA**. C-Reactive Protein Gene Polymorphisms and the Risk of Atrial Fibrillation in a Chinese Population in Taiwan. [Acta Cardiologica Sinica](#). 2013;29:208-216. *Co-corresponding author*
73. Lee HF, **Hsu LA**, Chan YH, Wang CL, Chang CJ, Kuo CT. Prognostic value of global left ventricular strain for conservatively treated patients with symptomatic aortic stenosis. [J Cardiol](#). 2013 Nov;62(5):301-6.
74. Liu KL, Lee HF, Chou SH, Lin YC, Lin CP, Wang CL, Chang CJ, **Hsu LA**. Acute gouty arthritis complicated with acute ST elevation myocardial infarction is independently associated with short- and long-term adverse non-fatal cardiac events. [Clin Rheumatol](#). 2013 Aug 30. [Epub ahead of print] *corresponding author*
75. Lai CC, Yeh YH, Hsieh WP, Kuo CT, Wang WC, Chu CH, Hung CL, Cheng CY, Tsai HY, Lee JL, Tang CY,

**Hsu LA.** Whole-Exome Sequencing to Identify a Novel LMNA Gene Mutation Associated with Inherited Cardiac Conduction Disease. Plos One 2013;8:e83322 ***corresponding author***