

*賀萬靖醫師

所有發表期刊論文

1. Chan YH, Wu LS, Kuo CT, Wang CL*, Yeh YH, Ho WJ, Hsu LA. Incremental value of inefficient deformation indices for prediction of response to cardiac resynchronization therapy. *J Am Soc Echocardiogr* 2013;26:307-15.
2. Yang CH, Shen SC, Hui CY, Huang YH, Chu PH, Ho WJ*. Association between peripheral vascular endothelial dysfunction and levedoid vasculopathy. *J Am Acad Dermatol* 2012;67:107-112.
3. Chan YH, Kuo CT, Yeh YH, Wu LS, Wang CL*, Ho WJ, Hsu LA. Incremental value of radial discoordination index for prediction of response to cardiac resynchronization therapy. *Eur Heart J Cardiovasc Imaging* (epub).
4. Lee HF, Hsu TS, Ho WJ, Lin CP, Wang CL, Chang CJ, Tsai HY, Hsu LA*. BMPR2 mutations in six Taiwanese Patients with idiopathic pulmonary arterial hypertension. *Acta Cardiol Sin.* 2012;28:249-54.
5. Lin CP, Kuo CT, Wang CL*, Yeh YH, Wu LS, Hsu LA, Ho WJ, Luqman N. Left ventricular systolic function is sensitive to cycle-length irregularity in patients with atrial fibrillation and systolic dysfunction. *Acta Cardiol Sin.* 2012;28:103-10.
6. Lin YC, Chang YS, Chen MS, Ho WJ, Chang CJ*. Effective myocardial salvage with percutaneous coronary intervention in late diagnosed acute post-traumatic ST-elevation myocardial infarction. *J Emerg Med* 2012;42:28-35.
7. Chen SY, Chan YL, Ho WJ, Chen JC, Chang YC*. Infective endocarditis presenting with complete atrioventricular block in the emergency department. *J Taiwan Emerg Med* 2011;13:29-32.

8. Chou SH, Kuo CT, Hsu LA, Ho WJ, Wang CL*. Single-beat determination of right ventricular function in patients with atrial fibrillation. *Echocardiography* 2010;27:1188-93.
9. Ho WJ*, Tsai WP, Yu KH, Tsay PK, Wang CL, Hsu TS, Kuo CT. Association between endothelial dysfunction and hyperuricemia. *Rheumatology* 2010;49:1929-34.
10. Wang CL, Wu CT, Yeh YH, Wu LS, Chang CJ, Ho WJ, Hsu LA, Luqman N, Kuo CT*. Reoordination rather than resynchronization predicts reverse remodeling after cardiac resynchronization therapy. *J Am Soc Echocardiogr* 2010;23:611-20.
11. Shen SC, Ho WJ, Wu SC, Yu KH, Lin HC, Lin YS, Tsay PK, Chu PH*. Glaucomatocyclitic crisis is associated with peripheral vascular endothelial dysfunction — a preliminary study. *Invest Ophthalmol Vis Sci.* 2010;51:272-6.
12. Ho WJ, Hsu TS*, Tsay PK, Hsu LA, Wang CL, Chang CJ, Yu KH, Chen JY, Kuo CT. Serial plasma brain natriuretic peptide testing in clinical management of pulmonary arterial hypertension. *Acta Cardiol Sin.* 2009;25:147-53.
13. Wu CT, Kuo CT, Luqman N, Wang CL*, Ho WJ, Hsu LA, Chang CJ. Three-dimensional automated contour detection for global systolic dyssynchrony index measurements. *Acta Cardiol Sin.* 2008;24:136-43.
14. Chang H, Lin TL*, Ho WJ, Hsu LA. Acute myeloid leukemia associated with acute myocardial infarction and dural sinus thrombosis: the possible role of leukemia-related hyperhomocysteinemia. *J Chin Med Assoc.* 2008;71(8):416-20.
15. Hsiao JF, Wang CL, Ho WJ*, Kuo CT. Left atrial aneurysm presenting as paroxysmal atrial flutter. *Int J Clin Pract.* 2008;62(8):1294-8.

16. Su WW, Cheng ST, Ho WJ*, Tsay PK, Shirley HL Chang, Wu SC. Glaucoma is associated with peripheral vascular endothelial dysfunction. *Ophthalmology*. 2008;115:1173-8.
17. Hsiao JF, Lee MH, Chia JH, Ho WJ, Chu JJ, Chu PH*. Neisseria elongate endocarditis complicated by brain embolism and abscess. *J Med Microbiol* 2008; 57:376-81.
18. Ho WJ, Chen ST, Tsay PK, Wang CL, Hsu TS, Kuo CT, Chen WJ*. Enhancement of endothelium-dependent flow-mediated vasodilation in hyperthyroidism. *Clin Endoc*. 2007; 67:505-11.
19. Hsiao JF, Hsu LA*, Chang CJ, Wang CL, Ho WJ, Chu PH, Ko YS, Kuo CT. Late migration of a Sideris septal occluder device for closure of atrial septal defect into the left atrium with mitral valve obstruction. *Am J Cardiol* 2007; 99:1479-80.
20. Hsu JT, Chu CM, Chang ST, Cheng HW, Lin PC, Hsu TS, Hsiao JF, Ho WC, Chung CM*. Prognostic value of arterial/alveolar- oxygen ratio (a/APO₂) in acute pulmonary embolism. *Circ J*. 2007;70:1560-6.
21. Su WW, Ho WJ, Cheng ST*, Chang HL, Wu SC. Systemic high-sensitivity C-reactive protein levels in normal-tension glaucoma and primary open-angle glaucoma. *J Glaucoma*. 2007; 16:320-3.
22. Chen WJ*, Ho WJ (first co-author), Chang GJ, Chen ST, Pang JHS, Chou SH, Tsay PK, Kuo CT. Propylthiouracil, independent of its antithyroid effect, produces endothelium-dependent vasodilatation through induction of nitric oxide bioactivity. *Atherosclerosis*. 2008;196:383-90.
23. Hsu JT, Chu CM, Chang ST, Cheng HW, Cheng NJ, Ho WC, Chung CM*. Prognostic role of alveolar-arterial oxygen pressure difference in acute

- pulmonary embolism. *Circ J*. 2006;70:1611-6.
24. Wang CL, Ho WJ, Luqman N, Hsu LA, Kuo CT*. Biplane assessment of left ventricular function during atrial fibrillation at beats with equal subsesequent cycles. *Int J Cardiol*. 2006;113:54-60.
25. Hsu LA*, Ko YL, Chang CJ, Wang CL, Ho WJ, Ko YS, Hsu TS, Chen WJ, Cheng NJ, Kuo CT. G-50T polymorphism of cytochrome P450 epoxygenase CYP2J2 gene is not associated with the risk of coronary disease among Chinese in Taiwan. *Acta Cardiol Sin*. 2006;22:148-153.
26. Su WW, Cheng ST, Hsu TS, Ho WJ*. Abnormal flow-mediated vasodilation in normal-tension glaucoma using a noninvasive determination for peripheral endothelial dysfunction. *Invest Ophthalmol Vis Sci*. 2006;47:3390-4.
27. Wang CL, Chen WJ, Ho WJ, Hsu LA, Cheng NJ, Hsu TS, Hsu LA, Ko YL, Chang CJ, Hu CF, Luqman N, Kuo CT*. Assessment of Doppler-derived aortic flow in atrial fibrillation using beats with equal subsequent cycles. *Acta Cardiol Sin*. 2006;22:16-23.)
28. Hsu LA, Ko YL*, Chang CJ, Hu CF, Wu S, Teng MS, Wang CL, Ho WJ, Ko YS, Hsu TS, Lee YS. Genetic variations of apolipoprotein A5 gene is associated with the risk of coronary artery disease among Chinese in Taiwan. *Atherosclerosis*. 2006;185:143-9.
29. Wang CL, Lin KH, Luqman N, Ho WJ, Hsu LA, Chu PH, Kuo CT*. Refinement on single-beat determinant of left ventricular systolic function in patients with atrial fibrillation. *J Am Soc Echocardiogr*. 2005;18:913-8.
30. Hsu JT, Ho WJ, Wang CL, Cheng NJ*. Heart failure due to giant congenital aorto-right atrial fistula: report of a case. *Int J Clin Pract*. 2005;59(suppl. 147):9-11.

31. Ho WJ, Chu PH*, Cheng NJ, Lee YS. Exercise-induced myocardial ischemia complicated by paroxysmal complete atrioventricular block. *Int J Clin Pract.* 2005;59(suppl. 147):19-22.
32. Ho WJ, Tsay PK, Chu PH, Chang CJ, Kuo CT, Chen WJ*. Predictors of stable outcome in treating chronic heart failure patients with carvedilol. *Jap Heart J.* 2004;45:823-32.
33. Cheng NJ*, Ho WJ, Ko YS, Yang DY, Wang CL, Ko YL, Chen WJ, Chang CJ. Percutaneous cardiac catheterization combining direct venipuncture of superficial forearm veins and transradial arterial approach – a feasible approach. *Acta Cardiol Sin.* 2003;19:159-64.
34. Cheng NJ*, Chang CJ, Ho WJ. Retrograde dilatation of a totally occluded ostial left anterior descending artery from saphaenous venous graft in descending aorta following stenting of the aorto-ostial graft restenosis in a patient with left main coronary artery stenosis. *Cathet Cardiovasc Intervent.* 2003;59:357-60.
35. Wang CL, Chang NJ*, Ho WJ, Yang DY. Subclavian artery occlusion and symptomatic angina treated by stenting at the subclavian artery – a case report. *Acta Cardiol Sin.* 2003;19:109-12.
36. Chiang CW*, Hsu LA, Chu PH, Ho WJ, Lo HS, Chang CC. Feasibility of simplifying balloon mitral valvuloplasty by obviating left-sided cardiac catheterization using on-line guide with transesophageal echocardiography. *Chest.* 2003; 123:1957-63.
37. Ho WJ, Chu PH, Chiang SY, Chiang CW*. Localizing Intrapulmonary shunt in hepatopulmonary syndrome by transesophageal echocardiography. *Jap Heart J.* 1999;3:369-74.

38. Ho WJ, Kuo CT*, Lin KH. Right pneumothorax resulting from an endocardial screw-in atrial lead. *Chest*. 1999;116:1133-4.