

*陳瓊美醫師

所有發表期刊論文

Publications (*: Corresponding author)

1. **Chen CM**, Lai SC, Chen IC, Hsu KC, Lyu RK, Ro LS, Chang HS. First report of two Taiwanese siblings with sialidosis type I: a 10-year follow-up study. *J Neurol Sci.* 2006;247:65-69.
2. Wang CK*, **Chen CM***, Chang CY, Chang KH, Chen IC, Li M L, Lee-ChenG-J, Wu Y R. α -Synuclein promoter *RsaI* T-to-C polymorphism and the risk of Parkinson's disease. *J Neural Transm.* 2006;113:1425-1433. (Co-first author).
3. [Chen CM](#), [Lane HY](#), [Wu YR](#), et al. Expanded trinucleotide repeats in the TBP/SCA17 gene mapped to chromosome 6q27 are associated with schizophrenia. *Schizophr Res.* 2005;78:131-6
4. [Chen CM](#), [Lee-Chen GJ](#), [Wu YR](#), [Lin CY](#), [Chen CJ](#), [Chen IC](#), [Ro LS](#). Recurrent cerebral venous thrombosis: An Arg359X mutation in the antithrombin gene in a Taiwanese family. *Thromb Res.* 2006;118(2):235-40
5. **Chen CM**. Investigating the functional consequences of expanded triplet repeat sequence in a mouse model of Huntington's disease (HD), 2002 (PhD thesis).
6. **Chen CM**, Chang HS, Lyu RK, Tang LM, Chen ST. Myasthenia gravis and Charcot-Marie-Tooth disease type 1A: an unusual combination of diseases. *Muscle Nerve* 1997;20(11):1457-1459
7. [Chen CM](#), [Huang CC](#). Gonadal dysfunction in mitochondrial encephalomyopathies. *Eur Neurol* 1995;35:281-286
8. [Chen CM](#), [Huang CC](#), [Lee CC](#), et al. Hypothalamic amenorrhea in a case of mitochondrial encephalomyopathy. *J Formosan Med Assoc* 1992;91:1195-1199
9. HC Wu, LS Ro, CJ Chen, ST Chen, TH Lee, YC Chen, **Chen CM***. Isolated ocular motor nerve palsy in dural carotid-cavernous sinus fistula. *Euro J Neurol.* 2006;13: 1221–1225. (Corresponding author)
10. [Wang HK](#), [Fung HC](#), [Hsu WC](#), [Wu YR](#), [Lin JC](#), [Ro LS](#), [Chang KH](#), [Hwu FJ](#), [Hsu Y](#), [Huang SY](#), [Lee-Chen GJ](#), **Chen CM***. Analysis of *apolipoprotein E*, *angiotensin-converting enzyme* and *kallikrein* gene polymorphisms and the risk of Alzheimer's disease and vascular dementia. *J Neural Transm.*

- 2006;113:1499-1509. (Impact Factor: 2.938) (Corresponding author).
11. KH Chang, RK Lyu, LS Ro, YR Wu, **Chen CM***. Coexistence of Pernicious Anemia and Myasthenia Gravis ~ A Rare Combination of Autoimmune Diseases in Taiwan. *Formos Med Assoc* 2006;105:946-9. (Corresponding author).
 12. [Lee M](#), [Chang HS](#), [Wu HT](#), [Weng HH](#), **Chen CM***. Intractable epilepsy as the presentation of vitamin B12 deficiency in the absence of macrocytic anemia. *Epilepsia* 2005;46:1147–1148. (Corresponding author)
 13. [Ro LS](#), [Lee-Chen GJ](#), [Wu YR](#), [Lee M](#), [Hsu PY](#), **Chen CM***. Phenotypic variability in a Chinese family with rimmed vacuolar distal myopathy. *J Neurol Neurosurg Psychiatry*. 2005;76:752-5. (Corresponding author).
 14. [Wu YR](#), [Fung HC](#), [Lee-Chen GJ](#), [Gwinn-Hardy K](#), [Ro LS](#), [Chen ST](#), [Hsieh-Li HM](#), [Lin HY](#), [Lin CY](#), [Li SN](#), **Chen CM***. Analysis of polyglutamine-coding repeats in the TATA-binding protein in different neurodegenerative diseases. *J Neural Transm* 2005;112:539-46. (Corresponding author).
 15. Wu YR, Lin HY, **Chen CM***, et al. Genetic testing in spinocerebellar ataxia in Taiwan: expansions of trinucleotide repeats in SCA8 and SCA17 are associated with typical Parkinson's disease. *Clin Genet* 2004;65:209-214. (Corresponding author)
 16. [Fung HC](#), [Chen CM](#), [Hardy J](#), et al. Lack of G2019S LRRK2 mutation in a cohort of Taiwanese with sporadic Parkinson's disease. *Mov Disord* 2006;21:880-881
 17. [Fung HC](#), [Chen CM](#), [Hardy J](#), [Singleton AB](#), [Lee-Chen GJ](#), [Wu YR](#). Analysis of the *PINK1* Gene in a cohort of patients with sporadic early-onset parkinsonism in Taiwan. *Neurosci Lett*. 2006;394:33-36.
 18. [Fung HC](#), [Chen CM](#), [Wu YR](#), et al. Heat Shock Protein 70 and Tumor Necrosis Factor- α in Taiwanese Patients with Dementia. *Dement Geriatr Cogn Disord*. 2005;20:1-7.
 19. YR Wu, **CM Chen**, LS Ro, RK Lyu, LM Tang. Sensory neuropathy as the initial manifestation of multiple system atrophy. *Formos Med Assoc* 2004;103:727-30.
 20. Chen CJ, **Chen CM**, Wu CL, et al. Hirayama's diseases: MRI diagnosis. *Am J Neuroradiol* 1998;19:365-368.

21. Chen CJ, **Chen CM**, Lin TK. Enhanced cervical MRI in identifying intracranial dural arteriovenous fistulae with spinal perimedullary venous drainage. *Neuroradiology* 1998;40:393-397 .
22. Liao YS, **Chen CM**, Wu YR, Chen ST, et al: Fluoxetine-induced Parkinsonism: A Case Report and Literature Review. *Acta Neurol Taiwan* 1998; 7:32-37.
23. [Wu YR](#), [Chen CM](#), [Ro LS](#), [Chen ST](#), [Tang LM](#). Vocal cord paralysis as an initial sign of multiple system atrophy in the central nervous system. *J Formosan Med Assoc* 1996;95:804-806 .
24. Corcos DM, **Chen CM**, Quinn NP, Rothwell JC. Strength in Parkinson's Disease: Relationship to rate of force. Generation and clinical status. *Ann Neurol* 1996;39:79-88 .
25. Chang KH, Lyu RK, **Chen CM**, et al. Clinical Characteristics of Multiple Sclerosis in Taiwan-A Cross-Sectional Study. *Mult Scler.* 2006;12:501-6. .
26. Wu YR, Wang CK, **Chen CM**, Hsu Y, Lin SJ, Lin YY, Fung HC, Chang KH, Lee-Chen GJ. Analysis of Heat shock protein 70 gene polymorphisms and the risk of Parkinson's disease. *Hum Genetics* 2004;114:236-241.
27. Ro LS, Lai SL, **Chen CM**, et al. Deleted 4977-bp mitochondrial DNA mutation is associated with sporadic amyotrophic lateral sclerosis: A hospital-based case-control study. *Muscle Nerve* 2003;28:737-743.
28. Kennedy L, Evans E, **Chen CM**, et al. Dramatic tissue-specific mutation length increases are an early molecular event in Huntington disease pathogenesis. *Hum Mol Genet* 2003;12:3359-3367.
29. Chen CJ, Fang W, **Chen CM**, et al. Spontaneous spinal epidural hematoma with repeated remission and relapse. *Neuroradiology* 1997;39 (10):737-740
30. [Huang CC](#), [Chen RS](#), [Chen CM](#), et al. MELAS syndrome with mitochondrial tRNA^{Leu}(UUR) gene mutation in a Chinese family. *J Neurol Neurosurg Psychiatry* 1994;57:586-589
31. Lyu RK, Tang LM, Chen CJ, **Chen CM**, Chang HS, Wu YR: The use of evoked potentials for clinical correlation and surgical outcome in cervical spondylotic myelopathy with intramedullary high signal intensity on MRI. *J Neurol Neurosurg Psychiatry* 2004;75:256-261.

32. Wu YR, Lee-Chen GJ, Lang AE, **Chen CM** et al. Dystonia as a presenting sign of spinocerebellar ataxia type 1. *Movement Disorder* 2004;19:586-7.
33. SC Wang, GJ Lee-Chen, CK Wang, **CM Chen**, LM Tang, YR Wu. Markedly Asymmetrical Parkinsonism as a Leading Feature of Adult-Onset Huntington's Disease. *Movement disorder* 2004;19:854-856
34. CK Wang, YR Wu, WL Hwu, **CM Chen**, et al. DNA haplotype analysis of CAG repeat in Taiwanese Huntington's disease patients. *Eur Neurol* 2004;52:96-100.
35. Tang LM, Chen ST, Hsu WC, **Chen CM**. Klebsiella meningitis in Taiwan: an overview. *Epidemiol Infect* 1997;119(2):135-142 .
36. [Lee JD](#), [Chen ST](#), [Chen CJ](#), [Chen CM](#), [Ro LS](#). Idiopathic hypereosinophilic myositis, peripheral neuropathy, and central nervous system. *J Formosan Med Assoc* 1996 Dec; 95(12):933-936 .
37. JD Lee, Sien-Tsong Chen, Lok-Ming Tang, Man Chang, **CM Chen**, Yih-Ru Wu, Yi-Sheng Liao, Long-Sun Ro. Primer-shift PCR in detection of an age-associated 4977-bp deletion of mitochondrial DNA in human muscle tissues. *Acta Neurol Taiwan* 1997;6:145-151.
38. Chen CJ, Hsu HL, Tseng YC, Lyu RK, **Chen CM**, et al. in Hirayama flexion myelopathy: Neutral-position MR imaging findings– Importance of loss of attachment. *Radiology* 2004; 231:39-44.
39. Ro LS, Lee-Chen GJ, Lin TC, Wu YR, **Chen CM**, et al. Phenotypic features and genetic findings in two Chinese families with Miyoshi distal myopathy. *Arch Neurol* 2004;61:1594-9.
40. [Chen YC](#), [Wu YR](#), [Hsu WC](#), [Chen CM](#) et al., Basal Ganglia-Thalamic Hemorrhage in Young Adults: A Hospital-Based Study. *Cerebrovasc Dis* 2006;22:33-39.
41. J Clarimon, S Scholz, HC Fung, J Hardy, J Eerola, O Hellström, **CM Chen**, et al., Conflicting results regarding the Semaphorin gene (SEMA5A) and the risk for Parkinson's Disease. *Am J Hum Genet* 2006;78:1082-4.
42. Fung HC, Xiromerisiou G, Gibbs JR, Wu YR, Eerola J, Gourbali V, Hellström O, **Chen CM**, Duckworth J, Papadimitriou A, Tienari PJ, Hadjigeorgiou GM, Hardy J, Singleton AB. Association of tau haplotype tagging polymorphisms with Parkinson's Disease in diverse ethnic PD cohorts. *Neurodegenerative Diseases*. 2006 June;3:327-333.

43. Fung HC, **Chen CM**, Hardy J, Singleton AB, Wu YR*. A common genetic factor for Parkinson disease in ethnic Chinese population in Taiwan. BMC Neurology 2006 Dec;6:47
44. **Chen CM**, Chen IC, Chang KH, Chen YC, Lyu RK, Liu YT, Hu FJ, Chao CY, Lee-Chen GJ, Wu YR*. Nuclear Receptor *NR4A2* IVS6 +18insG and Brain Derived Neurotrophic Factor (*BDNF*) V66M Polymorphisms and Risk of Taiwanese Parkinson's Disease. Am J Med Genet B: Neuropsychiatric genetics. 2007 June; 144B(4):458-462 .
45. **Chen CM***, Wu YR, Cheng ML, Liu JL, Lee YM, Lee PW, Soong BW, Chiu D TY. Increased oxidative damage and mitochondrial abnormalities in the peripheral blood of Huntington's disease patients. Biochem Biophys Res Commun. 2007 Jul 27;359(2):335-40 .
46. **Chen CM**, Kuan CC, Lee-Chen GJ, Wu YR*. Mitochondrial DNA polymorphisms and the risk of Parkinson's disease in Taiwan. J Neural Transm. 2007 Aug;114(8):1017-21
47. Wu YR, Feng IH, Lyu RK, Chang KH, Lin YY, Chan H, Hu FJ, Liu YT, Lai YY, Huang HJ, Lee-Chen GJ, **Chen CM***. Tumor Necrosis Factor- α promoter polymorphism is associated with the risk of Parkinson's disease. Am J Med Genet Part B: Neuropsychiatric genetics. 2007 April;144B (3):300-304
48. [Chang KH](#), [Lyu RK](#), Tseng MU, [Ro LS](#), [Wu YR](#), Chang HS, Hsu WC, Hsieh, SY, [Chen CM*](#). Elevated haptoglobin level of cerebrospinal fluid in Guillain-Barré syndrome revealed by proteomics analysis. Proteomics Clinical Application 2007 May 3;1(5):467-475
49. Wang HK, Hsu WC, Fung HC, Lin JC, Hsu HP, Wu YR, Hsu Y, Hu FJ, Lee-Chen GJ, [Chen CM*](#). Interleukin-1 Alpha and -1 Beta Promoter Polymorphisms in Taiwanese Patients with Dementia. Dement Geriatr Cogn Disord. 2007;24(2):104-10 .
50. Huang YC, [Chen CM](#), La SL, Lee TH, Chen ST, Chin SC, Chen YC*. Spontaneous intrapetrous internal carotid artery dissection: A case report and literature review. J Neurol Sci. 2007 Feb;253:90-93
51. Chiang MC, Chen HM, Lee YH, Chang HH, Wu YC, Soong BW, **Chen CM**, Wu YR,

- Liu CS, Niu DM, Wu JY, Chen YT, Chern Y*. Dysregulation of C/EBP α by mutant Huntingtin causes the urea cycle deficiency in Huntington's disease. *Hum Mol Genet.* 2007 Mar 1;16(5):483-98 .
52. Ro LS, **Chen CM**, Chang HS, Lyu RK, Wu YR, Hsu WC, Lee-Chen G-J*. Contribution of clinical screening to carrier detection in a large Chinese family with Fabry disease due to a novel alpha-galactosidase A gene deletion. *Euro J Neurol.* 2007 May;14(5):493-7 .
53. [Chang KH](#), [Chuang CC](#), [Lyu RK](#), [Chen CM](#), [Ro LS](#), [Chen ST](#), [Wu YR](#)*. Clinical characteristics of corticobasal syndrome amongst Chinese in Taiwan. *Parkinsonism Relat Disord.* 2007 May;13(4):219-23.
54. [Huang HJ](#), [Liang KC](#), [Chen CP](#), [Chen CM](#), [Hsieh-Li HM](#)*. Intrahippocampal administration of Abeta (1-40) impairs spatial learning and memory in hyperglycemic mice. *Neurobiol Learn Mem.* 2007 May;87(4):483-94 .
55. Wu YR, [Chen CM](#), Chao CY, Ro LS, Lyu RK, Chang KH, Lee-Chen GJ*. Glucocerebrosidase gene mutation is a risk factor for early onset of Parkinson's disease among Taiwanese. *J Neurol Neurosurg Psychiatry.* 2007 Sep;78(9):977-9 .
56. Wu YR, [Chen CM](#), Hwang JC, Chen ST, Feng IH, Hsu HC, Liu CN, Liu YT, Lai YY, Huang HJ, G. Lee-Chen GJ*. Interleukin-1 α polymorphism has influence on late-onset sporadic Parkinson's disease in Taiwan. *J Neural Transm.* 2007 Sep;114(9):1173-7 .

Recent Publication (after Jan, 2008) *: Corresponding author

1. [Chen CM](#), Wu YR, Hu FJ, Chen YC, Chuang TJ, Cheng YF, Lee-Chen GJ*. *HSPA5* promoter polymorphisms and risk of Parkinson's disease in Taiwan. *Neurosci Lett.* 2008;435:219-222 .
2. [Chen CM](#), Chen YC, Wu YR, Hu FJ, Lyu RK, Chang HS, Ro LS, Hsu WC, Chen ST, Lee-Chen GJ*. Angiotensin-converting enzyme (ACE) polymorphisms and risk of spontaneous deep intracranial hemorrhage in Taiwan. *Euro J Neurol.* 2008 Nov;15(11):1206-11
3. [Chen CM](#), [Hou YT](#), [Liu JY](#), Wu YR, Lin CH, Fung HC, Hsu WC, Hsu Y, Lee SH, Hsieh-Li HM, Su MT, Chen ST, Lane HY, Lee-Chen GJ*. *PPP2R2B* CAG repeat

- length in the Han Chinese in Taiwan: Association analyses in neurological and psychiatric disorders and potential functional implications. *Am J Med Genet B Neuropsychiatr Genet.* 2009 Jan; 150B(1):124-129
4. Lee LC, [Chen CM](#), Chen FL, [Lin PY](#), [Hsiao YC](#), [Wang PR](#), [Su MT](#), [Hsieh-Li HM](#), [Hwang JC](#), [Wu CH](#), [Lee GC](#), [Singh S](#), [Lin Y](#), [Hsieh SY](#), [Lee-Chen GJ](#), [Lin JY](#)*. Altered expression of HSPA5, HSPA8 and PARK7 in spinocerebellar ataxia type 17 identified by 2-dimensional fluorescence difference in gel electrophoresis. *Clin Chim Acta* 2009 Feb;400(1-2):56-62 (Co-first author)
 5. [Chen CM](#), Liu JL, Wu YR, Chen YC, Cheng HS, Cheng ML, Chiu D TY*. Increased oxidative damage in peripheral blood correlates with severity of Parkinson's disease. *Neurobiol Dis.* 2009; Mar,33:429–435
 6. [Chen CM](#), [Lee LC](#), [Soong BW](#), [Fung HC](#), [Hsu WC](#), [Lin PY](#), [Huang HJ](#), [Chen FL](#), [Lin CY](#), [Lee-Chen GJ](#), [Wu YR](#). SCA17 repeat expansion: Mildly expanded CAG/CAA repeat alleles in neurological disorders and the functional implications. [Clin Chim Acta](#). 2010 Mar;411(5-6):375-80.
 7. Chen WL, Lin JW, Huang HJ, Wang SM, Su MT, Lee-Chen GJ, **[Chen CM](#)***, Hsieh-Li HM*. SCA8 mRNA expression suggests an antisense regulation of KLHL1 and correlates to SCA8 pathology. *Brain Res.* 2008 Oct 3;1233:176-84
 8. Hsu WC, Wang HK, Lee LC, Fung HC, Lin JC, Hsu HP, Wu YR, Ro LS, Hu FJ, Chang YT, Lee-Chen GJ, **[Chen CM](#)***. Promoter polymorphisms modulating HSPA5 expression may increase susceptibility to Taiwanese Alzheimer's disease. *J Neural Transm.* 2008 Nov;115(11):1537-43
 9. Huang YC, Lyu RK, Tseng MU, Chang HS, Hsu WC, Chu CC, Wu YR, Huang CC, **[Chen CM](#)***. Decreased intrathecal synthesis of prostaglandin D synthase in the cerebrospinal fluid of patients with acute inflammatory demyelinating polyneuropathy. *Journal of Neuroimmunology.* 2009 Jan 3;206(1-2):100-5
 10. Wu YR, Chen IC, Soong BW, Kao SH, Lee GC, Huang SY, Fung HC, Lee-Chen GJ, **[Chen CM](#)***. SCA8 repeat expansion: large CTA/CTG repeat alleles in neurological disorders and functional implications. *Hum Genet.* 2009 May;125(4):437-44
 11. Chiang HL, Lyu RK, Tseng MY, Chang KH, Chang HS, Hsu WC, Kuo HC, Chu CC, Wu YR, Ro LS, Huang CC, **[Chen CM](#)***. Analyses of transthyretin concentration in the cerebrospinal fluid of patients with Guillain-Barré syndrome and other

- neurological disorders. *Clin Chim Acta*. 2009 Jul;405(1-2):143-7
12. Chen YC, Lee-Chen GJ, Wu YR, Hu FJ, Wu HC, Kuo HC, Chu CC, Ryu SJ, Chen ST, **Chen CM***. Analyses of interaction effect between apolipoprotein E polymorphism and alcohol use as well as cholesterol concentrations on spontaneous deep intracerebral hemorrhage in the Taiwan population. [Clin Chim Acta](#). 2009 Oct;408(1-2):128-32.
 13. Wu YR, Wu CH, Chao CY, Kuan CC, Zhang WL, Wang CK, Chang CY, Chang YC, Lee-Chen GJ, **Chen CM***. Genetic analysis of Parkin in early onset Parkinson's disease (PD): Novel intron 9 g > a single nucleotide polymorphism and risk of Taiwanese PD. *Am J Med Genet B Neuropsychiatr Genet*. 2010 Jan 5;153B(1):229-34.
 14. Chen YC, Hu FJ, Chen P, Wu YR, Wu HC, Chen ST, Lee-Chen GJ, **Chen CM***. Association of TNF- α gene with spontaneous deep intracerebral hemorrhage in the Taiwan population: a case control study. *BMC Neurol*. 2010 Jun 10;10(1):41.
 15. Huang YC, Wu YR, Tseng MY, Chen YC, Hsieh SY, **Chen CM***. Increased prothrombin, apolipoprotein A-IV, and haptoglobin in the cerebrospinal fluid of patients with Huntington's disease. *PLoS ONE*. 2011 Jan 31;6(1): e15809.
 16. [Huang YC](#), [Ro LS](#), [Chang HS](#), [Chen CM](#), [Wu YR](#), [Lee JD](#), [Lyu RK*](#). A clinical study of hirayama disease in Taiwan. *Muscle Nerve*. 2008 May;37(5):576-82
 17. [Hsieh MJ](#), [Lyu RK](#), [Chang WN](#), [Chang KH](#), [Chen CM](#), [Chang HS](#), [Wu YR](#), [Chen ST](#), [Ro LS*](#). Hypokalemic Thyrotoxic Periodic Paralysis: Clinical Characteristics and Predictors of Recurrent Paralytic Attacks. *European Journal of Neurology* 2008 Jun;15(6):559-64
 18. Chen SR, Lin KP, Kuo HC, **Chen CM**, Hsieh ST, Lee MJ, Yang CC, Liu CS, Huang CC, Lyu RK, Ro LS*. Comparison of two PCR-based molecular methods in the diagnosis of CMT 1A and HNPP diseases in Chinese. *Clin Neurol Neurosurg* 2008;110:466-471
 19. [Ross OA](#), [Wu YR](#), [Lee MC](#), [Funayama M](#), [Chen ML](#), [Soto AI](#), [Mata IF](#), [Lee-Chen GJ](#), [Chen CM](#), [Tang M](#), [Zhao Y](#), [Hattori N](#), [Farrer MJ](#), [Tan EK](#), [Wu RM*](#). Analysis of Lrrk2 R1628P as a risk factor for Parkinson's disease. *Ann Neurol*. 2008 Jul;64(1):88-92
 20. [Gutti U](#), [Fung HC](#), [Hruska KS](#), [Lamarca ME](#), [Chen CM](#), [Wu YR](#), [Sidransky E*](#). The

- need for appropriate genotyping strategies for glucocerebrosidase mutations in cohorts with Parkinson disease. *Arch Neurol*. 2008 Jun;65(6):850-1
21. Chen IC, Lin HY, Lee GC, Kao SH, **Chen CM**, Wu YR, Hsieh-Li HM, Su MT, Lee-Chen GJ*. Spinocerebellar ataxia type 8 larger triplet expansion alters histone modification and induces RNA foci. *BMC Mol Biol*. 2009 Feb 10;10:9.
 22. Wu YR, **Chen CM**, Chao CY, Lyu RK, Lee-Chen GJ*. Pantothenate kinase-associated neurodegeneration in two Taiwanese siblings: Identification of a novel PANK2 gene mutation. *Mov Disord*. 2009 Feb 17;24(6):940-941
 23. Kuo HC, **Chen CM**, Lee-Chen G-J, Hu FJ, Chu CC, Liou CW, Huang CC*. Study of a Taiwanese family with oculopharyngeal muscular dystrophy. *J Neurol Sci*. 2009 Mar 15;278(1-2):21-4
 24. Chiang MC, Chen HM, Lai HL, Chen HW, Chou SY, **Chen CM**, Tsai FJ, Chern Y*. The A2A adenosine receptor rescues the urea cycle deficiency of Huntington's disease by enhancing the activity of the ubiquitin-proteasome system. *Hum Mol Genet*. 2009 Aug 15;18(16):2929-42
 25. Cheng MY, Lyu RK, Chang YJ, **Chen CM**, Chen ST, Wai YY, Ro LS*. Concomitant spinal cord and vertebral body infarction is highly associated with aortic pathology: a clinical and magnetic resonance imaging study. [J Neurol](#). 2009 Sep;256(9):1418-26
 26. Tan EK, Peng R, Wu YR, Wu RM, Wu-Chou YH, Tan LC, An XK, **Chen CM**, Fook-Chong S, Lu CS*. LRRK2 G2385R modulates age at onset: a pooled analysis. *Am J Med Genet B Neuropsychiatr Genet*. 2009 Oct 5;150B(7):1022-3.
 27. Sidransky E, Nalls MA, Aasly JO, Aharon-Peretz J, Annesi G, Barbosa ER, Bar-Shira A, Berg D, Bras J, Brice A, **Chen CM**, et al. Multicenter Analysis of Glucocerebrosidase Mutations in Parkinson Disease. *New England Journal of Medicine*. 2009;361:1651-1661.
 28. Huang YC, Fan JY, Ro LS, Lyu RK, Chang HS, Chen ST, Hsu WC, **Chen CM**, Wu YR. Validation of a Chinese version of disease specific quality of life scale (HFS-36) for hemifacial spasm in Taiwan. *Health Qual Life Outcomes*. 2009 Dec 24;7:104.
 29. Chang KH; Tsou JC; Chen ST; Ro LS; Lyu RK; Chang HS; Hsu WC; **Chen CM**; Wu YR; Chen CJ. Temporal Features of Magnetic Resonance Imaging and Spectroscopy in Nonketotic Hyperglycemic Chorea-Ballism Patients. *Eur J Neurol*. 2010

Apr;17(4):589-93.

30. Chen YC, Hu FJ, Chen P, Wu YR, Wu HC, Chen ST, Lee-Chen GJ, **Chen CM**. Association of TNF-alpha gene with spontaneous deep intracerebral hemorrhage in the Taiwan population: a case control study. *BMC Neurol*. 2010 Jun 10;10:41. doi: 10.1186/1471-2377-10-41.
31. Wu YR, **Chen CM**, Chen YC, Chao CY, Ro LS, Fung HC, Hsiao YC, Hu FJ, Lee-Chen GJ. Ubiquitin specific proteases USP24 and USP40 and ubiquitin thiolesterase UCHL1 polymorphisms have synergic effect on the risk of Parkinson's disease among Taiwanese. *Clin Chim Acta*. 2010 Jul 4;411(13-14):955-8.
32. Lin CH, **Chen CM**, Hou YT, Wu YR, Hsieh-Li HM, Su MT, Lee-Chen GJ. The CAG repeat in SCA12 functions as a cis element to up-regulate PPP2R2B expression. *Hum Genet*. 2010 Aug;128(2):205-12.
33. Chiang MC, **Chen CM**, Lee MR, Chen HW, Chen HM, Wu YS, Hung CH, Kang JJ, Chang CP, Chang C, Wu YR, Tsai YS, Chern Y. Modulation of energy deficiency in Huntington's disease via activation of the peroxisome proliferator-activated receptor gamma. *Hum Mol Genet*. 2010 Oct 15;19(20):4043-58.
34. Tan EK, Lu CS, Peng R, Teo YY, Wu-Chou YH, Chen RS, Weng YH, **Chen CM**, Fung HC, Tan LC, Zhang ZJ, An XK, Lee-Chen GJ, Lee MC, Fook-Chong S, Burgunder JM, Wu RM, Wu YR*. Analysis of the UCHL1 genetic variant in Parkinson's disease among Chinese. *Neurobiol Aging*. 2010 Dec;31(12):2194-6.
35. Wu YR, Tan EK, **Chen CM**, Kumar M, Lee-Chen JG, Chen ST "Genetic analysis of "leucine-rich repeat (LRR) and immunoglobulin (Ig) domain-containing, Nogo receptor-interacting protein -1 (LINGO1) in two independent Chinese Parkinson's Disease populations" *Am J Med Genet B Neuropsychiatr Genet*. 2011 Jan;156(1):99-103.
36. Liao MF, Huang CC, Lyu RK, **Chen CM**, Chang HS, Chu CC, Hsu WC, Wu YR, Kuo HC, Cheng MY, Hung PC, Chou ML, Lin KL, Hsieh MY, Ro LS. Acute disseminated encephalomyelitis that meets modified McDonald criteria for dissemination in space is associated with a high probability of conversion to multiple sclerosis in Taiwanese patients. *Eur J Neurol*. 2011 Feb;18(2):252-9.
37. Huang YC, Wu YR, Tseng MY, Chen YC, SY Hsieh, **Chen CM***. Increased prothrombin, apolipoprotein A-IV, and haptoglobin in the cerebrospinal fluid of

- patients with Huntington's disease. PLoS ONE. 2011 Jan 31;6(1): e15809. (4.4)
38. Lin YS, **Chen CM**, Soong BW, Wu YR, Chen HM, Yeh WY, Wu DR, Lin YJ, Poon PW, Cheng ML, Wang CH, Chern Y. Dysregulated brain creatine kinase is associated with hearing impairment in mouse models of Huntington disease. J Clin Invest. 2011 Apr 1;121(4):1519-23. (Co-first author) (14.15)
 39. [Chang YC](#), [Lin CY](#), [Hsu CM](#), [Lin HC](#), [Chen YH](#), [Lee-Chen GJ](#), [Su MT](#), [Ro LS](#), [Chen CM](#), [Hsieh-Li HM](#). Neuroprotective effects of granulocyte-colony stimulating factor in a novel transgenic mouse model of SCA17. [J Neurochem](#). 2011 May 10. doi: 10.1111/j.1471-4159.2011.07304.x. [Epub ahead of print]
 40. **Chen CM**. Mitochondrial Dysfunction, Metabolic Deficits, and Increased Oxidative Stress in Huntington's Disease. Chang Gung Med J. 2011 Mar-Apr;34(2):135-52.
 41. Lyu RK, Huang YC, Wu YR, Kuo HC, Ro LS, **Chen CM**, Chang HS. Electrophysiological features of Hirayama disease. Muscle Nerve. 2011 Aug;44(2):185-90.
 42. **Chen CM**, Lin CH, Juan HF, Hu FJ, Hsiao YC, Chang HY, Chao CY, Chen IC, Lee LC, Wang TW, Chen YT, Chen YT, Lee-Chen GJ, Wu YR. ATP13A2 variability in Taiwanese Parkinson's disease. Am J Med Genet B Neuropsychiatr Genet. 2011 Sep;156(6):720-9.
 43. Chen YC, **Chen CM**, Liu JL, Chen ST, Cheng ML, Chiu DT. Oxidative markers in spontaneous intracerebral hemorrhage: leukocyte 8-hydroxy-2'-deoxyguanosine as an independent predictor of the 30-day outcome. J Neurosurg. 2011 Dec;115(6):1184-90.
 44. [Chang KH](#), Chuang TJ, [Lyu RK](#), [Ro LS](#), [Wu YR](#), Chang HS, Huang CC, Kuo HC, Hsu WC, Chu CC, [Chen CM](#)*. Identification of Gene Networks and Pathways Associated with Guillain-Barre Syndrome. PLoS ONE. 2012;7(1): e29506.
 45. Su FC, **Chen CM**, Chen YC, Wu YR. [LINGO-2 polymorphism and the risk of Parkinson's disease in Taiwan](#). Parkinsonism Relat Disord. 2012 Jun;18(5):609-11.
 46. Chiang HL, Lee-Chen GJ, **Chen CM**, Chen YC, Lee CM, Liao MH, Wu YR. [Genetic analysis of HLA-DRA region variation in Taiwanese Parkinson's disease](#). Parkinsonism Relat Disord. 2012 May;18(4):391-3.
 47. Lee LC, **Chen CM**, Wang PR, Wang HC, Hsieh HH, Su MT, Li-Hsieh HM, Wu CH, Lee GC, Lee-Chen Guey-Jen Lin JY. Role of the CCAAT-Binding Protein NFY in SCA17 Pathogenesis. PLoS One. 2012;7(4):e35302. (co-first author).

48. Wu YR, Tan LC, Fu X, **Chen CM**, Au WL, Chen L, Chen YC, Prakash KM, Zheng Y, Lee-Chen GJ, Zhao Y, Zeng JS, Tan EK, Pei Z. [LRRK2 A419V Is Not Associated with Parkinson's Disease in Different Chinese Populations](#). PLoS ONE. 2012;7(7):e36123.
49. Chang KH, Lyu RK, **Chen CM**, Wu YR, Chang HS, Huang CC, Kuo HC, Chu CC, Hsu WC, Ro LS. [Distinct features between longitudinally extensive transverse myelitis presenting with and without anti-Aquaporin 4 antibodies](#). Mult Scler. 2012 Jul 24. [Epub ahead of print]
50. Chen YC, Chen P, Wu YR, Shie SS, Chen ST, Lee-Chen GJ, **Chen CM**.* [Protein kinase C \$\eta\$ polymorphism and the susceptibilities to intracerebral hemorrhage in the Taiwan population](#). Neurosci Lett. 2012 Oct 24;528(2):170-3.
51. Chang K-H, Chen Y-C, Wu Y-R, Lee W-F, **Chen C-M**.* Downregulation of Genes Involved in Metabolism and Oxidative Stress in the Peripheral Leukocytes of Huntington's Disease Patients. PLoS ONE 2012;7(9): e46492.
52. Chen IC, Wu YR, Yang SJ, Kao SH, Chen YC, Chang KH, Lee CM, Lee-Chen GJ, **Chen CM**.* [ATXN8 -62 G/A promoter polymorphism and risk of Taiwanese Parkinson's disease](#). Eur J Neurol. 2012 Nov;19(11):1462-9.
53. Chen YC, Wu YR, Wu YC, Lee-Chen GJ, **Chen CM**.* [Genetic analysis of NFE2L2 promoter variation in Taiwanese Parkinson's disease](#). Parkinsonism Relat Disord. 2013 Feb;19(2):247-50.
54. Chang KH, Tseng MY, Ro LS, Lyu RK, Tai YH, Chang HS, Wu YR, Huang CC, Hsu WC, Kuo HC, Chu CC, **Chen CM**.* [Analyses of haptoglobin level in the cerebrospinal fluid and serum of patients with neuromyelitis optica and multiple sclerosis](#). Clin Chim Acta. 2013 Feb 18;417:26-30
55. Chang KH, Lyu RK, **Chen CM**, Wu YR, Chang HS, Huang CC, Kuo HC, Chu CC, Hsu WC, Ro LS. [Distinct features between longitudinally extensive transverse myelitis presenting with and without anti-aquaporin 4 antibodies](#). Mult Scler. 2013 Mar;19(3):299-307.
56. Chang KH, Chen WL, Lee LC, Lin CH, Kung PJ, Lin TH, Wu YC, Wu YR, Chen YC, Lee-Chen GJ, and **Chen CM**.* Aqueous Extract of Paeonia lactiflora and Paeoniflorin as Aggregation Reducers Targeting Chaperones in Cell Models of Spinocerebellar Ataxia 3. Evid Based Complement Alternat Med.

2013;2013:471659. doi: 10.1155/2013/471659.

57. Chen YC, Lee YS, Shih CC, Wu T, [Chen CM](#)*. Mutations of proline-rich transmembrane protein-2 and paroxysmal kinesigenic dyskinesia in Taiwan. [Mov Disord](#). 2013 Sep;28(10):1459-60
58. Chang KH, [Chen CM](#), Chen YC, Hsiao YC, Huang CC, Kuo HC, Hsu HC, Lee-Chen GJ, Wu YR. [Association between GRN rs5848 polymorphism and Parkinson's disease in Taiwanese population](#). PLoS One. 2013;8(1):e54448.
59. Wu YR, Foo JN, Tan LC, [Chen CM](#), Prakash KM, Chen YC, Bei JX, Au WL, Chang CW, Wong TY, Liu JJ, Zhao Y, Tan EK. Identification of a novel risk variant in the FUS gene in essential tremor. Neurology. 2013 Aug 6;81(6):541-4.
60. Hung CH, Chang KH, Wu YM, Chen YL, Lyu RK, Chang HS, Wu YR, [Chen CM](#), Huang CC, Chu CC, Liao MF, Wai YY, Hsu SP, Ro LS. A comparison of benign and inflammatory manifestations of Tolosa-Hunt syndrome. Cephalalgia. 2013 Jul;33(10):842-52.
61. Tseng WE, [Chen CM](#), Chen YC, Yi Z, Tan EK, Wu YR. Genetic Variations of GAK in Two Chinese Parkinson's Disease Populations: A Case-Control Study. PLoS One. 2013 Jun 24;8(6):e67506.
62. Yu SW, [Chen CM](#), Chen YC, Chang CW, Chang HS, Lyu RK, Ro LS, Wu YR. SLC1A2 Variant Is Associated with Essential Tremor in Taiwanese Population. PLoS One. 2013;8(8):e71919
63. Chen IC, Lin HY, Hsiao YC, [Chen CM](#), Wu YR, Shiau HC, Shen YF, Huang KS, Su MT, Hsieh-Li HM, Lee-Chen GJ. Internal Ribosome Entry Segment Activity of ATXN8 Opposite Strand RNA. PLoS One. 2013 Sep 11;8(9):e73885.
64. Chang KH, [Chen CM](#), Chen YC, Lyu RK, Chang HS, Ro LS, Lee-Chen GJ, Wu YR. Association between PARK16 and Parkinson's disease in the Han Chinese population: a meta-analysis. Neurobiol Aging. 2013 Oct;34(10):2442.e5-9.
65. Wu YR, Chang KH, Chang WT, Hsiao YC, Hsu HC, Jiang PR, Chen YC, Chao CY, Chang YC, Lee BH, Hu FJ, Chen WL, Lee-Chen GJ, [Chen CM](#)* Genetic variants of LRRK2 in Taiwanese Parkinson's disease. PLoS One. 2013;8(12):e82001.
66. [Chen CM](#), Wu CH, Hsieh CH, Lin CH, Chen IC, Chen YC, Lee LC, Lee CM, Tseng YC, Lee-Chen GJ, Wu YR. [HTRA2 variations in Taiwanese Parkinson's disease](#). J Neural Transm. 2014 May;121(5):491-8.

67. [Lee LC](#), [Weng YT](#), [Wu YR](#), [Soong BW](#), [Tseng YC](#), [Chen CM*](#), [Lee-Chen GJ](#).
Downregulation of proteins involved in the endoplasmic reticulum stress response and Nrf2-ARE signaling in lymphoblastoid cells of spinocerebellar ataxia type 17. [J Neural Transm](#). 2014 Jan 11. [Epub ahead of print].
68. Chang KH, Chen WL, Wu YR, Lin TH, Wu YC, Chao CY, Lin JY, Lee LC, Chen YC, Lee-Chen GJ, [Chen CM*](#). [Aqueous extract of Gardenia jasminoides targeting oxidative stress to reduce polyQ aggregation in cell models of spinocerebellar ataxia 3](#). [Neuropharmacology](#). 2014 Jun;81:166-75.
69. Lin CH, Wu YR, Chen WL, Wang HC, Lee CM, Lee-Chen GJ, [Chen CM*](#). Variant R244H in Na⁺/Mg²⁺ exchanger SLC41A1 in Taiwanese Parkinson's disease is associated with loss of Mg²⁺ efflux function. [Parkinsonism Relat Disord](#). 2014 Mar 12.
70. [Chen CM](#), Weng YT, Chen WL, et al. [Aqueous extract of Glycyrrhiza inflata inhibits aggregation through upregulating PPARGC1A and NFE2L2-ARE pathways in cell models of spinocerebellar ataxia 3](#). [Free Radic Biol Med](#). 2014 Mar 25;71C:339-350.
71. Hsiao HY, Chiu FL, [Chen CM](#), Wu YR, Chen HM, Chen YC, Kuo HC, Chern Y. [Inhibition of soluble tumor necrosis factor is therapeutic in Huntington's disease](#). [Hum Mol Genet](#). 2014 Apr 3. [Epub ahead of print]