

* 尤俊成醫師

所有發表期刊論文

1. Yang HY, Yen TH, Lin CY, Chen YC, Pan MJ, Lee CH, Yu CC, Wu MS, Wu SS, WengCH, Chen KH, Hung CC, Yang CW. Early identification of leptospirosis as an ignored cause of multiple organ dysfunction syndrome. Shock. 2012 Jul;38(1):24-9.
2. Weng CH, Hu CC, Ueng SH, Yu CC, Hui CY, Lin JL, Yang CW, Hung CC, Hsu CW, and Yen TH. Predictors of acquired perforating dermatosis in uremic patients on hemodialysis: a case-control study. ScientificWorldJournal, 2012. 2012: p. 158075.
3. Kang YC, Tai WC, Yu CC, Kang JH, and Huang YC. Methicillin-resistant Staphylococcus aureus nasal carriage among patients receiving hemodialysis in Taiwan: prevalence rate, molecular characterization and de-colonization. BMC Infect Dis, 2012. 12: p. 284.
4. Chen IJ, Chang MY, Chiao SL, Chen JL, Yu CC, Yang SH, Liu JM, Hung CC, Yang RC, Chang HC, Hsu CH, Fang JT. Korean red ginseng improves blood pressure stability in patients with intradialytic hypotension. Evid Based Complement Alternat Med. 2012. 2012:595271
5. Weng CH, Hu CC, Yu CC, Lin JL, Yang CW, Hung CC, Hsu CW, Yen TH. Immunoglobulin G levels can predict non-diabetic renal disease in patients with type 2 diabetes mellitus. J Diabetes. 2012 Mar;4(1):37-40.
6. Hsieh CY, Fang JT, Yang CW, Lai PC, Hu SA, Chen YM, Yu CC, Tian YC, Chien CC, Hung CC. The impact of type of assistance on characteristics of peritonitis in elderly peritoneal dialysis patients. Int Urol Nephrol 2010 Dec;42(4):1117-24
7. Weng CH, Hsu CW, Yu CC, Yen TH, Yang CW, Hung C. Peritoneal Dialysis and Hemodialysis in Systemic Lupus Erythematosus Patients: Comparison of Clinical Outcomes. Kidney Blood Press Res 2009 Dec;32(6):451-456.
8. Weng CH, Huang WH, Yu CC, Chang CT, Yang CW: Serum aluminum level correlates with arterial stiffness in haemodialysis patients. Int J Clin Pract. 2009 Feb;63(2):249-53.

9. Hung CC, Chang CT, Lee CC, Chen KH, Yu CC, Wu CH, Huang JY, Wu MS, Yang CW: Prognostic predictors of technique and patient survival in elderly Southeast Asian patients undergoing continuous ambulatory peritoneal dialysis. *Int J Clin Pract.* 2009 Feb;63(2):254-60.
10. Chang CT, Wu MS, Tian YC, Chen KH, Yu CC, Liao CH, Hung CC, Yang CW: Enhancement of epithelial sodium channel expression in renal cortical collecting ducts cells by advanced glycation end products. *Nephrol Dial Transplant* 2007;22(3):722-731.
11. Chen KH, Chang CT, Weng SM, Yu CC, Fang JT, Huang JY, Yang CW, Hung CC: Culture-negative peritonitis: a fifteen-year review. *Ren Fail* 2007;29(2):177-181.
12. Huang WH, Hsu CW, Yu CC* : Colchicine overdose-induced acute renal failure and electrolyte imbalance. *Ren Fail* 2007;29(3):367-370. (Corresponding author)
13. Huang WH, Wang LJ, Yu CC*, Lin JL: Bilateral renal aneurysms in chronic hepatitis B patient. *Nephrol Dial Transplant* 2007 Jan;22(1):276-7. (Corresponding author)
14. Liu YL, Lin HH, Yu CC, Kuo HL, Yang YF, Chou CY, Lin PW, Liu JH, Liao PY, Huang CC. A comparison of sevelamer hydrochloride with calcium acetate on biomarkers of bone turnover in hemodialysis patients. *Ren Fail* 2006;28(8):701-7.
15. Chen KH, Chang CT, Yu CC, Huang JY, Yang CW, Hung CC: Candida parapsilosis peritonitis has more complications than other Candida peritonitis in peritoneal dialysis patients. *Ren Fail* 2006;28(3):241-246.
16. Lin JL, Lin-Tan DT, Yu CC, Li YJ, Huang YY, Li KL: Environmental exposure to lead and progressive diabetic nephropathy in patients with type II diabetes. *Kidney Int* 2006;69(11):2049-2056.
17. Yang HY, Lin JL, Chen KH, Yu CC, Hsu PY, Lin CL: Aristolochic acid-related nephropathy associated with the popular Chinese herb Xi Xin. *J Nephrol* 2006;19(1):111-114.
18. Wu IW, Yu CC, Wu CT, Jung SM, Huang JY. Xanthogranulomatous pyelonephritis

and malacoplakia of the bladder in a middle aged female. J Nephrol 2006 Mar-Apr;19(2):222-4.

19. Yen TH, Huang CC, Lin HH, Huang JY, Tian YC, Yang CW, Wu MS, Fang JT, Yu CC, Chiang YJ, Chu SH: Does hepatitis C virus affect the reactivation of hepatitis B virus following renal transplantation? Nephrol Dial Transplant 2006 Apr;21(4):1046-52.
20. Hung CC, Chang CT, Tian YC, Wu MS, Yu CC, Pan MJ, Vandewalle A, Yang CW: Leptospiral membrane proteins stimulate pro-inflammatory chemokines secretion by renal tubule epithelial cells through toll-like receptor 2 and p38 mitogen activated protein kinase. Nephrol Dial Transplant 2006 Apr;21(4):898-910.
21. Li YJ, Lin JL, Yang CW, Yu CC*: Acute renal failure induced by a Brazilian variety of propolis. Am J Kidney Dis 2005 46(6):e125-e129. (Corresponding author)
22. Yang HY, Hsu PY, Pan MJ, Wu MS, Lee CH, Yu CC, Hung CC, Yang CW: Clinical distinction and evaluation of leptospirosis in Taiwan--a case-control study. J Nephrol 2005; 18(1):45-53.
23. Hsu PY, Lin CL, Yu CC, Chien CC, Hsiao TG, Sun TH, Yang CW: Ultrapure dialysate improves iron utilization and erythropoietin response in chronic hemodialysis patients - A prospective cross-over study. J Nephrol 2004; 17(5):693-700.
24. Lin HH, Huang CC, Huang JY, Yang CW, Wu MS, Fang JT, Yu CC, Chiang YJ, Chu SH: Impact of HCV infection on first cadaveric renal transplantation, a single center experience. Clin Transplant 2004 18(3): 261-266.
25. Wang HY, Yu CC, Huang CC: Successful treatment of severe calciphylaxis in a hemodialysis patient using low-calcium dialysate and medical parathyroidectomy: case report and literature review. Ren Fail 2004 Jan;26(1):77-82.
26. Yu CC, Lin JL, Lin-Tan DT: Environmental exposure to lead and progression of chronic renal diseases: a four-year prospective longitudinal study. J Am Soc Nephrol 2004 Apr;15(4):1016-1022. (NSC91-2314-B-182A-129)

27. Lin CL, Huang CC, Yu CC, Yang HY, Chuang FR, Yang CW: Reduction of advanced glycation end product levels by on-line hemodiafiltration in long-term hemodialysis patients. *Am J Kidney Dis* 2003 Sep;42(3):524-31.
28. Lin NC, Lin JL, Lin-Tan DT, Yu CC: Combined initial cyclophosphamide with repeated methylprednisolone pulse therapy for severe paraquat poisoning from dermal exposure. *Clin Toxicol* 2003;41(6):877-81.
29. Lin JL, Lin-Tan DT, Hsu KH, Yu CC: Environmental lead exposure and progression of chronic renal diseases in patients without diabetes. *N Engl J Med* 2003; 348(4):277-286.
30. Chen JK, Lin JL, Huang CC, Yu CC*: Mycotic aneurysm presenting as acute pyelonephritis. *Ren Fail* 2002; 24(5):677-682. (Corresponding author)
31. Lin CL, Huang CC, Yu CC, Wu CH, Chang CT, Hsu HH, Hsu PY, Yang CW: Improved iron utilization and reduced erythropoietin resistance by on-line hemodiafiltration. *Blood Purif* 2002; 20(4):349-356.
32. Lin JL, Tan DT, Ho HH, Yu CC: Environmental lead exposure and urate excretion in the general population. *Am J Med* 2002; 113(7):563-568.
33. Lin JL, Yu CC, Lin-Tan DT, Ho HH: Lead chelation therapy and urate excretion in patients with chronic renal diseases and gout. *Kidney Int* 2001; 60(1):266-271.
34. Lin JL, Tan DT, Hsu KH, Yu CC: Environmental lead exposure and progressive renal insufficiency. *Arch Intern Med* 2001; 161(2):264-271.
35. Yu CC, Yang CW, Wu MS, Ko YC, Huang CT, Hong JJ, Huang CC: Mycophenolate mofetil reduces renal cortical inducible nitric oxide synthase mRNA expression and diminishes glomerulosclerosis in MRL/lpr mice. *J Lab Clin Med* 2001; 138(1):69-77. (NSC89-2320-B-182A-005)
36. Yang CW, Wu MS, Pan MJ, Hong JJ, Yu CC, Vandewalle A, Huang CC: Leptospira outer membrane protein activates NF-kappaB and downstream genes expressed in medullary thick ascending limb cells. *J Am Soc Nephrol* 2000; 11(11):2017-2026.

37. Lin J, Shih I, Yu C: Hemodialysis-related nodulocystic acne treated with isotretinoin. *Nephron* 1999; 81(2):146-150.
38. Lin JL, Ho HH, Yu CC: Chelation therapy for patients with elevated body lead burden and progressive renal insufficiency. A randomized, controlled trial. *Ann Intern Med* 1999; 130(1):7-13.
39. Wu MS, Yu CC, Wu CH, Haung JY, Leu ML, Huang CC: Pre-dialysis glycemc control is an independent predictor of mortality in type II diabetic patients on continuous ambulatory peritoneal dialysis. *Perit Dial Int* 1999; 19 Suppl 2:S179-S183.
40. Yang CW, Yu CC, Ko YC, Huang CC: Aminoguanidine reduces glomerular inducible nitric oxide synthase (iNOS) and transforming growth factor-beta 1 (TGF-beta1) mRNA expression and diminishes glomerulosclerosis in NZB/W F1 mice. *Clin Exp Immunol* 1998; 113(2):258-264.
41. Wu MS, Yu CC, Yang CW, Wu CH, Haung JY, Hong JJ, Fan CC, Huang CC, Leu ML: Poor pre-dialysis glycaemic control is a predictor of mortality in type II diabetic patients on maintenance haemodialysis. *Nephrol Dial Transplant* 1997; 12(10):2105-2110.
42. Yu CC, Wu MS, Wu CH, Yang CW, Huang JY, Hong JJ, Fan CC, Leu ML, Huang CC: Predialysis glycemc control is an independent predictor of clinical outcome in type II diabetics on continuous ambulatory peritoneal dialysis. *Perit Dial Int* 1997; 17(3):262-268.
43. Yang CW, Hwang TL, Wu CH, Lai PC, Huang JY, Yu CC, Shyr MH, Huang CC: Peritoneal nitric oxide is a marker of peritonitis in patients on continuous ambulatory peritoneal dialysis. *Nephrol Dial Transplant* 1996; 11(12):2466-2471.
44. Yu CC, Wu MS, Leu ML, Hong JJ, Fan-Chiang CY, Cheng CH, Yang CW, Huang JY, Huang ST, Huang CC: Concurrence of autosomal dominant polycystic kidney disease and duplication of collecting system: two developmental anomalies with similar pathogenesis? *Acta Nephrologica* 1996; 10:91-95.