

* 吳樹鏗醫師

所有發表期刊論文

共發表論文 350 篇，以第一作者發表 43 篇，以指導作者發表 25 篇；
以共同作者發表 282 篇

First Author (43 篇)

1. Sex dimorphism of cortical water diffusion in normal aging measured by magnetic resonance imaging. *Front Aging Neurosci* 5:1-14, 2013 (Nov). (SCI)
2. Dynamic contrast-enhanced MR imaging predicts local control in oropharyngeal or hypopharyngeal squamous cell carcinoma treated with chemoradiotherapy. *Plos One* 8(8)(e72230): 1-11, 2013 (Aug). (SCI)
3. PET/CT and 3-T whole-body MRI in the detection of malignancy in treated oropharyngeal and hypopharyngeal carcinoma. *Eur J Nucl Med Mol Imaging* 38 (6): 996-1008, 2011 (Jun). (SCI)
4. Comprehensive imaging of residual/recurrent nasopharyngeal carcinoma using whole-body MRI at 3 T compared with FDG-PET-CT. *Eur Radiol.* 20: 2229-2240, 2010 (Sep). (SCI)
5. Pretreatment evaluation of distant-site status in patients with nasopharyngeal carcinoma: accuracy of whole-body MRI at 3 Tesla and FDG-PET-CT. *Eur Radiol* 19:2965-2976. 2009 (Dec). (SCI)
6. Staging of untreated nasopharyngeal carcinoma with PET/CT: comparison with conventional imaging work-up. *Eur J Nucl Med Mol Imaging* 36:12-22. 2009 (Jun). (SCI).
7. Distant metastases and synchronous second primary tumors in patients with newly diagnosed oropharyngeal and hypopharyngeal carcinomas: evaluation of (18)F-FDG PET and extended-field multidetector row CT. *Neuroradiology* 50: 969-979, 2008 (Nov). (SCI).
8. Prospective study of 18F fluorodeoxyglucose positron emission tomography and computed tomography and magnetic resonance imaging in oral cavity squamous cell carcinoma with palpably negative neck. *J Clin Oncol* 24(27): 4371-4376, 2006 (Sep) (SCI)
9. Imaging of neck metastases. *Chang Gung Med J* 29 (2): 119-129, 2006 (April).
10. 18F-FDG and CT/MRI in oral cavity squamous cell carcinoma: a prospective study of 124 patients with histologic correlation. *J Nucl Med* 46(7): 1136-1143, 2005 (Jul). (SCI)
11. Extraskeletal Ewing's sarcoma of the parapharyngeal space. *Br J Radiol* 77 (924): 1046-1049, 2004 (Dec). (SCI)
12. Clinical usefulness of ¹⁸F-FDG PET in nasopharyngeal carcinoma patients with questionable MRI findings for recurrence. *J Nucl Med* 45: 1669-1676,

- 2004 (Oct). (SCI)
- 13. Nodal metastases of nasopharyngeal carcinoma: patterns of disease on MRI and FDG PET. *Eur J Nucl Med Mol Imaging* 31(8): 1073-1080, 2004 (Aug). (SCI)
 - 14. Paracardiac pleural castleman disease: radiographic and MR findings. *Br J Radiol* 77(917): 433-435, 2004 (May). (SCI)
 - 15. Blunt abdominal trauma associated with testicular dislocation and contralateral inguinal hernia. *Clin Radiol.* 59: 1-2, 2004. (SCI)
 - 16. Posttreatment imaging of the nasopharynx. *Eur J Radiol* 44 (2): 82-95, 2002 (Nov). (SCI)
 - 17. Ependymoblastoma: CT and MRI demonstration. *Chin J Radiol* 27 (1): 21-25, 2002 (Feb).
 - 18. Fatal liver abscess and tumor rupture after transcatheter arterial chemoembolization for hepatocellular carcinoma. *Chin J Radiol* 26 (6): 275-278, 2001 (Dec).
 - 19. Proton magnetic resonance spectroscopy of cerebral glioma after irradiation. *Chang Gung Med J* 24 (11): 708-716, 2001 (Nov).
 - 20. Bilateral traumatic carotid-cavernous fistulas successfully treated by detachable balloon technique. *J Trauma* 47 (6):1156-1159, 1999 (Dec). (SCI)
 - 21. MRI in recurrent nasopharyngeal carcinoma. *Neuroradiology* 41 (11): 855-862, 1999 (Nov). (SCI)
 - 22. Magnetic resonance imaging of nasopharyngeal carcinoma. *Top Magn Reson Imaging* 10: 290-303, 1999 (Oct).
 - 23. Balo's concentric sclerosis: MRI features. *Brit J Radiol* 72 (856): 400-403, 1999 (Apr). (SCI)
 - 24. MRI of nasopharyngeal carcinoma with emphasis on relationship to radiotherapy. *J Magn Reson Imaging* 8: 327-336, 1998 (Mar-Apr). (SCI)
 - 25. Cervical ecchordosis physaliphora: CT and MR features. *Br J Radiol* 71 (843): 329-331, 1998 (Mar). (SCI)
 - 26. Preoperative embolization of meningiomas: comparison of superselective and subselective techniques. *J Formos Med Assoc* 97 (3): 153-158, 1998 (Mar). (SCI)
 - 27. CT assessment of buccal movement and vestibular volume. *Chin J Radiol* 22:149-152, 1997.
 - 28. Nasopharyngeal carcinoma: MRI and CT assessment. *Neuroradiology* 39 (10): 741-746, 1997 (Oct). (SCI)
 - 29. CT angiography of intracranial aneurysms: advantages and pitfalls. *Eur J Radiol* 25 (1): 14-19, 1997 (Jul). (SCI)
 - 30. Primary cardiac chondrosarcoma. *Am J Emerg Med* 14 (3): 285-287, 1996 (May). (SCI)
 - 31. Tuberculoma En plate: CT findings. *Neuroradiology* 38 (5): 453-455, 1996

- (Jul). (SCI)
32. Choroid plexus papilloma: imaging features. *Acta Neurol Sin* 3:211-217, 1994.
 33. Radiological findings of aneurysmal bone cyst. *Chin J Radiol* 19:217-222, 1994.
 34. Mesenteric panniculitis: report of two cases. *J Formos Med Assoc* 93 (4):340-342, 1994 (Apr). (SCI)
 35. Retroperitoneal Castleman's disease: report of two cases. *J Formos Med Assoc* 92 (5):482-484, 1993 (May). (SCI)
 36. Retractile mesenteritis with colon and retroperitoneum involvement: CT findings. *Gastrointest Radiol* 17 (4):333-335, 1992 (Fall). (SCI)
 37. Mammography of breast carcinoma: experience of 108 cases. *J Formos Med Assoc* 90 (6): 541-546, 1991 (Jun). (SCI)
 38. Computed tomography in pyriform sinus carcinoma. *Chin J Radiol* 14:17-22, 1989.
 39. Primary myxoma of the cranium: CT findings. *J Comput Assist Tomogr* 13 (5): 903-905, 1989 (Sep-Oct). (SCI)
 40. Tuberous sclerosis with aortic aneurysm and rib changes: CT demonstration. *J Comput Assist Tomogr* 12 (4): 666-668, 1988 (Jul-Aug). (SCI)
 41. Primary intraventricular oligodendrogloma: report of two cases. *Chang Gung Med J* 9:33-40, 1986.
 42. Acute hemorrhage leukoencephalitis simulating brain tumor: case report. *Chin J Radiol* 11:339-344, 1986.
 43. Radiologic evaluation of incomplete rotation of the midgut in infancy and childhood. *Chin J Radiol* 11:131-138, 1986.

Corresponding Author (25篇)

1. CT-guided core needle biopsy of deep suprathyroid head and neck lesions in untreated patients. *Interv Neuroradiol* 19(3): 365-369, 2013 (Sep). (SCI)
2. Magnetic resonance imaging evaluation for predictive factors of cochlear nerve deficiency in pediatric cochlear implant candidates. *J Radiol Sci* 38(2): 43-50, 2013 (Jun).
3. CT-guided core needle biopsy of deep suprathyroid head and neck lesions. *Korean J Radiol* 14(2): 299-306, 2013 (Mar). (SCI)
4. Kimura's disease: predicting disease recurrence by clinical and imaging parameters. *Clin Imaging* 36(4):272-278, 2012(Jul). (SCI)
5. Diagnostic efficacy of ultrasonography-guided fine needle aspiration biopsy in evaluating salivary gland malignancy. *Chang Gung Med J* 35(1):62-69, 2012 (Jan-Feb).

6. 18F-FDG PET/CT and 3.0-T whole-body MRI for the detection of distant metastases and second primary tumours in patients with untreated oropharyngeal/hypopharyngeal carcinoma: a comparative study. *Eur J Nucl Med Mol Imaging* 38(9): 1607-1619, 2011 (Sep). (SCI)
7. Extranodal Rosai-dorfman disease with paranasal sinuses and intracranial. *Chin J Radiol* 34(3): 191-196, 2009 (Sep).
8. Multicentric plasma cell Castleman's disease associated with POEMS syndrome: CT findings. *Chin J Radiol* 34: 113-117, 2009 (Jun).
9. Anterior cranial fossa hemorrhagic epidermoid cyst: CT and MRI findings. *Chin J Radiol* 33: 181-185, 2008 (Sep).
10. Diffusion tensor imaging of the auditory pathway in sensorineural hearing loss: changes in radial diffusivity and diffusion anisotropy. *J Magn Reson Imaging* 28: 598-603, 2008 (Sep). (SCI).
11. Combined hepatocellular cholangiocarcinoma: prognostic factors investigated by computed tomography/magnetic resonance imaging. *Int J Clin Pract* 62(8):1199-1205, 2008 (Aug). (SCI)
12. Calcified reticulate rind sign: a characteristic feature of gossypiboma on computed tomography. *World J Gastroenterol* 11:4927-4929, 2005 (Aug). (SCI)
13. Nasopharyngeal carcinoma staging by (18) F-fluorodeoxyglucose positron emission tomography. *Int J Radiat Oncol Biol Phys* 62: 501-507, 2005 (Jun). (SCI)
14. Are dual-phase 18F-FDG PET scans necessary in nasopharyngeal carcinoma to assess the primary tumour and loco-regional nodes? *Eur J Nucl Med Mol Imaging* 32: 541-548, 2005 (Apr). (SCI)
15. Survival outcome of lobar or segmental transcatheter arterial embolization with ethanol-lipiodol mixture in treating hepatocellular carcinoma. *World J Gastroenterol* 11 (18): 2771-2774, 2005 (May). (SCI)
16. Chest radiographic findings of missed lung cancers. *Chin J Radiol* 29 (6): 315-321, 2004 (Dec).
17. Combined hepatocellular cholangiocarcinoma: a case report. *Int J Clin Pract* 58 (12): 1170-1173, 2004 (Dec). (SCI)
18. Computed Tomography Evaluation of Retroperitoneal Hemangiopericytomas. *Chin J Radiol* 28 (4): 231-236, 2003 (Aug).
19. A Rare etiology of GI bleeding secondary to duodenopancreatic metastatic cystosarcoma phylloides from the breast: a case report. *Chin J Radiol* 28(1): 43-46, 2003 (Feb).
20. Langerhans cell histiocytosis with anterior mediastinum, pulmonary and liver involvement: CT demonstration. *Chin J Radiol* 27(4): 191-195, 2002 (Aug).

21. Submandibular Castleman's disease. *Int J Clin Pract* 56 (4): 314-315, 2002 (May). (SCI)
22. Gastric schwannoma. *Chin J Radiol* 25: 133-136, 2000.
23. Rhino-orbital mucormycosis. *Chin J Radiol* 24: 127-130, 1999.
24. Magnetic resonance imaging features of Neuro-Behcet's Disease: A case report. *Chin J Radiol* 24: 31-35, 1999.
25. Experience of endovascular treatment of direct carotid-cavernous fistulas with detachable balloons. *Chin J Radiol* 23: 81-86, 1998.

Co-Author 282篇