

\*曾雁明醫師

所有發表期刊論文

1. Ngan-Ming Tsang, Kai-Ping Chang, Shinn-Yn Lin, Sheng-Po Hao, Chen-Kan Tseng, Tseng-tong Kuo, Ming-Hsui Tsai, Tsao-Chuen Chung. (2003) Detection of Epstein-Barr Virus-Derived Latent Membrane Protein-1 Gene in Various Head and Neck Cancers: Is It Specific for Nasopharyngeal Carcinoma? *Laryngoscope*. 113:1050-1054.
2. Tsang NM, Chuang CC, Tseng CK, Hao SP, Kuo TT, Lin CY, Pai PC. (2003) Presence of the latent membrane protein 1 gene in nasopharyngeal swabs from patients with mucosal recurrent nasopharyngeal carcinoma. *Cancer*. 98:2385-2392.
3. Leung WM, Tsang NM\*, Chang FT, Lo CJ. (2005) Lhermitte's sign among nasopharyngeal cancer patients after radiotherapy. *Head Neck*. 27(3):187-94.
4. Lin SY, Chang KP, Hsieh MS, Ueng SH, Hao SP, Tseng CK, Pai PC, Chang FT, Tsai MH, Tsang NM\*. (2005) The time frame of EPSTEIN-BARR virus latent membrane protein-1 gene to disappear in nasopharyngeal swabs after initiation of primary radiotherapy is an independently significant prognostic factor predicting local control for patients with nasopharyngeal carcinoma. *Int J Radiat Oncol Biol Phys*. 63(5):1339-1346.
5. Chang KP, Hao SP, Lin SY, Ueng SH, Pai PC, Tseng CK, Hsueh C, Hsieh MS, Yu JS, Tsang NM\*. (2006) The 30-bp deletion of Epstein-Barr virus latent membrane protein-1 gene has no effect in nasopharyngeal carcinoma. *Laryngoscope*. 116(4):541-546.
6. Pai PC, Tseng CK, Chuang CC, Wei KC, Hao SP, Hsueh C, Chang KP, Tsang NM\* (2007). Polymorphism of C-terminal activation region 2 of Epstein-Barr virus latent membrane protein 1 in predicting distant failure and post-metastatic survival in patients with nasopharyngeal carcinoma. *Head Neck*. 29(2):109-19.
7. Tse KP, Tsang NM\*, Chen KD, Li HP, Liang Y, Hsueh C, Chang KP, Yu JS, Hao SP, Hsieh LL, Chang YS (2007). MCP-1 Promoter Polymorphism at 2518 Is Associated with Metastasis of Nasopharyngeal Carcinoma after Treatment.

8. Kai-Ping Chang, Ngan-Ming Tsang, Chun-Ta Liao; Cheng-Lung Hsu; Ming-Jui Chung; Chuan-Wei Lo, Sheng-Chieh Chan, Shu-Hang Ng, Hung-Ming Wang, Tzu-Chen Yen, (2012) Prognostic significance of 18F-FDG PET parameters and plasma EBV DNA load in patients with nasopharyngeal carcinoma. *J Nucl Med.* J Nucl Med. 2012 Jan;53(1):21-8. Erratum in: *J Nucl Med.* 2012 Feb;53(2):342.(First author: Drs. Kai-Ping Chang and Ngan-Ming Tsang contribute equally to this work.)
9. Ping Ching Pai, Chi Cheng Chuang, Chen Kan Tseng, Ngan Ming Tsang\*, Kai Ping Chang, Tzu Chen Yen, Chun Ta Liao, Ji Hong Hong, Joseph Tung Chieh Chang. (2012) Impact of pre-treatment body mass index on patients with head and neck cancer treated with radiation. *Int J Radiat Oncol Biol Phys.* Vol. 83, No. 1, pp. e93-e100, 2012.
10. Ka-Po Tse, Chi-Sheng Wu, Chuen Hsueh, Kai-Ping Chang, Sheng-Po Hao, Yu-Sun Chang and Ngan-Ming Tsang\*. (2012) The Relationship between Secretory Leukocyte Protease Inhibitor Expression and Epstein-Barr Virus Status among Patients with Nasopharyngeal Carcinoma. *Anticancer Research* April 2012 vol. 32 no. 4 1299-1307.
11. Yueh-Hsiang Huang, Jiun-Liang Chen, Geng-Hao Liu, Sien-Hung Yang, Kai-Ping Chang, and Ngan-Ming Tsang\*. (2013) Influence of Chinese Medicine on Weight Loss and Quality of Life During Radiotherapy in Head and Neck Cancer. *Integrative Cancer Therapies* 2013 vol. 12 no. 1 41-49.
12. Liu SC, Tsang NM\*, Chiang WC, Chang KP, Hsueh C, Liang Y, Juang JL, Chow KP, Chang YS. Leukemia inhibitory factor promotes nasopharyngeal carcinoma progression and radioresistance. *J Clin Invest.* 2013 Dec 2;123(12):5269-83.
13. Dai TS, Hao SP, Chang KP, Pan WL, Yeh HC, Tsang NM. (2003) Complications of mandibulotomy: Midline versus paramidline. *Otolaryngol Head Neck Surg.* 128:137-141.
14. Hao SP, Tsang NM, and Chang KP (2003). Screening nasopharyngeal carcinoma by detection of the latent membrane protein 1 (LMP-1) gene with nasopharyngeal swabs. *Cancer.* 15:1909-1913.

15. Hao SP, Tsang NM, Chen YL, Chang KP, Su JL. (2003) Detection of LMP-1 gene in middle ear effusion of NPC. *Oral Oncol.* 39(3):296-300.
16. Chen Kan Tseng, Ng Ming Tsang, Kuo Chen Wei, Tang Her Jaing, Ping Chin Pai and Tung Chien Chang. (2003) Radiotherapy to primary CNS germinoma: how large an irradiated volume is justified for tumor control? *Journal of neuro-oncology* 62:343-348.
17. Chen MF, Chang JT, Tsang NM, Liao CT, Chen WC. (2003) Radiotherapy of early-stage glottic cancer: analysis of factors affecting prognosis. *Ann Otol Rhinol Laryngol.* 112: 904-911.
18. Chuang CC, Chang CN, Tsang NM, Wei KC, Tseng CK, Chang JT, Pai PC. (2004) Linear accelerator-based radiosurgery in the management of skull base meningiomas. *J Neurooncol.* 66:241-249.
19. Pai PC, Tsang NM, Tseng CK, Hao SP, Kuo TT, Wei KC, Hsueh C, Chuang CC. (2004) Prevalence of LMP-1 gene in tonsils and non-neoplastic nasopharynxes by nest-polymerase chain reaction in Taiwan. *Head Neck.* 26(7):619-24.
20. Chang KP, Hao SP, Tsang NM, Ueng SH. (2004) Salvage surgery for locally recurrent nasopharyngeal carcinoma-A 10-year experience. *Otolaryngol Head Neck Surg.* 131(4):497-502.
21. Wang HM, Liao CT, Chang TC, Chen JS, Liaw CC, Chen IH, Tsang NM. (2004) Biweekly paclitaxel, cisplatin, tegafur, and leucovorin as neoadjuvant chemotherapy for unresectable squamous cell carcinoma of the head and neck. *Cancer.* 15;101(8):1818-23.
22. Kuo TT, Shih LY, Tsang NM. (2004) Nasal NK/T Cell Lymphoma in Taiwan: A Clinicopathologic Study of 22 Cases, with Analysis of Histologic Subtypes, Epstein-Barr Virus LMP-1 Gene Association, and Treatment Modalities. *Int J Surg Pathol.* 12(4):375-87.
23. Hao SP, Tsang NM, Chang KP. (2004) Monitoring Tumor Recurrence with Nasopharyngeal Swab and Latent Membrane Protein-1 and Epstein-Barr

Nuclear Antigen-1 Gene Detection in Treated Patients with Nasopharyngeal Carcinoma. Laryngoscope. 114(11):2027-2030.

24. Hao SP, Tsang NM, Chang KP, Ueng SH. (2004) Molecular diagnosis of nasopharyngeal carcinoma: Detecting LMP-1 and EBNA by nasopharyngeal swab. Otolaryngol Head Neck Surg. 131(5):651-4.
25. Chu PH, Jung SM, Lin HC, Yeh CH, Wu HH, Shiu TF, Huang SL, Tseng NM, Chu JJ, Lin PJ, Lai CH. (2005) Caspase-3-dependent apoptosis in cardiac myxoma: not associated with human papillomavirus or Epstein-Barr virus. Mod Pathol. 18:822-827.
26. Wu CC, Chien KY, Tsang NM, Chang KP, Hao SP, Tsao CH, Chang YS, Yu JS. (2005) Cancer cell-secreted proteomes as a basis for searching potential tumor markers: Nasopharyngeal carcinoma as a model. Proteomics. 5:3173-3182.
27. Hao SP, Tsang NM, Chang KP, Chen CK, Huang SS (2006). Treatment of squamous cell carcinoma of the retromolar trigone. Laryngoscope. 116(6):916-920.
28. Hsueh C, Kuo TT, Tsang NM, Wu YC, Yang CP, Hung IJ (2006). Thymic Lymphoepithelioma like Carcinoma in Children: Clinicopathologic Features and Molecular Analysis. J Pediatr Hematol Oncol. 28(12):785-790.
29. Chang KP, Hao SP, Tsang NM, Chang YL, Cheng MH, Liu CT, Lee YS, Tsai CL, Lee TJ, Wang TH, Tsai CN (2008). Gene expression and promoter polymorphisms of DNA methyltransferase 3B in nasopharyngeal carcinomas in Taiwanese people: A case-control study. Oncol Rep. Jan; 19(1):217-22.
30. Chang KP, Hsu CL, Chang YL, Tsang NM, Chen CK, Lee TJ, Tsao KC, Huang CG, Chang YS, Yu JS, Hao SP (2008). Complementary serum test of antibodies to Epstein-Barr virus nuclear antigen-1 and early antigen: A possible alternative for primary screening of nasopharyngeal carcinoma. Oral Oncol. 2008 Jan 16.
31. Hao SP, Tsang NM, Chang KP, Hsu YS, Chen CK, Fang KH. (2008) Nasopharyngectomy for recurrent nasopharyngeal carcinoma: a review of 53 patients and prognostic factors. Acta Otolaryngol. 128(4):473-81.

32. Chen LC, Hsueh C, Tsang NM, Liang Y, Chang KP, Hao SP, Yu JS, Chang YS. (2008) Heterogeneous ribonucleoprotein k and thymidine phosphorylase are independent prognostic and therapeutic markers for nasopharyngeal carcinoma. *Clin Cancer Res.* 15; 14(12):3807-13.
33. Lin JD, Lin KJ, Chao TC, Hseuh C, Tsang NM. (2008) Therapeutic outcomes of papillary thyroid carcinomas with tumors more advanced than T1N0M0. *Radiother Oncol.* 89:97-104.
34. Wu CC, Peng PH, Chang YT, Huang YS, Chang KP, Hao SP, Tsang NM, Yeh CT, Chang YS, Yu JS. (2008) Identification of potential serum markers for nasopharyngeal carcinoma from a xenografted mouse model using Cy-dye labeling combined with three-dimensional fractionation. *Proteomics.* Sep;8(17):3605-20.
35. Chang KP, Hao SP, Chang JH, Wu CC, Tsang NM, Lee YS, Hsu CL, Ueng SH, Liu SC, Liu YL, Wei PC, Liang Y, Chang YS, Yu JS. (2008) Macrophage Inflammatory Protein-3 $\{\alpha\}$  Is a Novel Serum Marker for Nasopharyngeal Carcinoma Detection and Prediction of Treatment Outcomes. *Clin Cancer Res.* Nov 1;14(21):6979-87.
36. Chu PH, Jung SM, Yeh CH, Wu HH, Shiu TF, She HC, Tsang NM. (2008) Expression of caspase-3-dependent apoptosis in mural thrombi leukocytes. *APMIS.* 116: 995-999.
37. Tse KP, Su WH, Chang KP, Tsang NM, Yu CJ, Tang P, See LC, Hsueh C, Yang ML, Hao SP, Li HY, Wang MH, Liao LP, Chen LC, Lin SR, Jorgensen TJ, Chang YS, Shugart YY. Genome-wide association study reveals multiple nasopharyngeal carcinoma-associated loci within the HLA region at chromosome 6p21.3. *Am J Hum Genet.* 2009 Aug;85(2):194-203.
38. Hsin LJ, Fang TJ, Chang KP, Fang KH, Tsang NM, Chen YL, Jung SM, Yeh AR, Hao SP. (2009) Transoral endoscopic CO<sub>2</sub> laser microsurgery for early laryngeal cancers. *Chang Gung Med J.* 2009 Sep-Oct;32(5):517-25. 優良期刊
39. Fang KH, Kao HK, Cheng MH, Chang YL, Tsang NM, Huang YC, Lee LY, Yu JS, Hao SP, Chang KP. (2009) Histological differentiation of primary oral squamous cell carcinomas in an area of betel quid chewing prevalence.

Otolaryngol Head Neck Surg. 2009 Dec;141(6):743-9.

40. Wei KC, Huang CY, Chen PY, Feng LY, Wu TW, Chen SM, Tsai HC, Lu YJ, Tsang NM, Tseng CK, Pai PC, Shin JW. Evaluation of the prognostic value of CD44 in glioblastoma multiforme. *Anticancer Res*. 2010 Jan;30(1):253-9.
41. Chen CC, Chen LC, Liang Y, Tsang NM, Chang YS. Epstein-Barr virus latent membrane protein 1 induces the chemotherapeutic target, thymidine phosphorylase, via NF-kappaB and p38 MAPK pathways. *Cell Signal*. 2010 Jul;22(7):1132-42.
42. Chang KP, Wu CC, Chen HC, Chen SJ, Peng PH, Tsang NM, Lee LY, Liu SC, Liang Y, Lee YS, Hao SP, Chang YS, Yu JS. Identification of candidate Nasopharyngeal carcinoma serum biomarkers by cancer cell secretome and tissue transcriptome analysis: potential usage of cystatin a for predicting nodal stage and poor prognosis. *Proteomics*. 2010 Jul;10(14):2644-60.
43. Chen LC, Chung IC, Hsueh C, Tsang NM, Chi LM, Liang Y, Chen CC, Wang LJ, Chang YS. The antiapoptotic protein, FLIP, is regulated by heterogeneous nuclear ribonucleoprotein K and correlates with poor overall survival of nasopharyngeal carcinoma patients. *Cell Death Differ*. 2010 Sep;17(9):1463-73.
44. Chen LC, Chen CC, Liang Y, Tsang NM, Chang YS, Hsueh C. A novel role for TNFAIP2: its correlation with invasion and metastasis in nasopharyngeal carcinoma. *Mod Pathol*. 2010 Feb;24(2):175-84.
45. Hsueh C, Chang YS, Tseng NM, Liao CT, Hsueh S, Chang JH, Wu IC, Chang KP. Expression pattern and prognostic significance of claudins 1, 4, and 7 in nasopharyngeal carcinoma. *Hum Pathol*. 2010 Jul;41(7):944-50
46. Tseng CK, Tsang NM, Jaing TH, Liau CT, Wu CT, Lin KL. Outcome of central nervous system germinoma treatment by chemoradiation. *J Pediatr Hematol Oncol*. 2011 May;33(4):e138-42.
47. Lin JD, Lin KJ, Chao TC, Hseuh C, Tsang NM. Clinical presentations of thyroid cancer patients with multiple primary cancers. *J Endocrinol Invest*. 2011 Dec;34(11):824-30.

48. Chang KP, Chang YT, Wu CC, Liu YL, Chen MC, Tsang NM, Hsu CL, Chang YS, Yu JS. Multiplexed immunobead-based profiling of cytokine markers for detection of nasopharyngeal carcinoma and prognosis of patient survival. *Head Neck.* 2011 Jun;33(6):886-97.
49. Huang BY, Lin JD, Chao TC, Lin KJ, Hsueh C, Tsang NM. Therapeutic Outcomes of Papillary Thyroid Cancer Patients in Different Risk Groups. *Oncology.* 2011 Jun 14;80(1-2):123-129.
50. Tse KP, Su WH, Yang ML, Cheng HY, Tsang NM, Chang KP, Hao SP, Yao Shugart Y, Chang YS. A gender-specific association of CNV at 6p21.3 with NPC susceptibility. *Hum Mol Genet.* 2011 Jul 15;20(14):2889-96.
51. Hsu CL, Chang KP, Lin CY, Chang HK, Wang CH, Lin TL, Liao CT, Tsang NM, Lee LY, Chan SC, Ng SH, Li HP, Chang YS, Wang HM. Plasma epstein-barr virus DNA concentration and clearance rate as novel prognostic factors for metastatic nasopharyngeal carcinoma. *Head Neck.* 2011 Nov 15.
52. Hsueh C, Lin JD, Yang CF, Chang YS, Chao TC, Sun JH, Wu IC, Tseng NM, Ueng SH. Prognostic significance of Tiam1 expression in papillary thyroid carcinoma. *Virchows Arch.* 2011 Dec;459(6):587-93.
53. Hsu WL, Tse KP, Liang S, Chien YC, Su WH, Yu KJ, Cheng YJ, Tsang NM, Hsu MM, Chang KP, Chen IH, Chen TI, Yang CS, Goldstein AM, Chen CJ, Chang YS, Hildesheim A. Evaluation of Human Leukocyte Antigen-A (HLA-A), Other Non-HLA Markers on Chromosome 6p21 and Risk of Nasopharyngeal Carcinoma. *PLoS One.* 2012;7(8):e42767.
54. Wang LJ, Hsu CW, Chen CC, Liang Y, Chen LC, Ojcius DM, Tsang NM, Hsueh C, Wu CC, Chang YS. Interactome-wide analysis identifies end-binding protein 1 as a crucial component for the speck-like particle formation of activated AIM2 inflammasomes. *Mol Cell Proteomics.* 2012 Aug 6.
55. Chen LC, Wang LJ, Tsang NM, Ojcius DM, Chen CC, Ouyang CN, Hsueh C, Liang Y, Chang KP, Chen CC, Chang YS. Tumour inflammasome-derived IL-1 $\beta$  recruits neutrophils and improves local recurrence-free survival in EBV-induced nasopharyngeal carcinoma. *EMBO Mol Med.* 2012

Dec;4(12):1276-93.

56. Hsueh C, Lin JD, Chang YS, Hsueh S, Chao TC, Yu JS, Jung SM, Tseng NM, Sun JH, Kuo SY, Ueng SH. Prognostic significance of pituitary tumor-transforming gene-binding factor (PBF) expression in papillary thyroid carcinoma. *Clin Endocrinol (Oxf)*. 2013 Feb;78(2):303-9.
57. Hsu CL, Chan SC, Chang KP, Lin TL, Lin CY, Hsieh CH, Huang SF, Tsang NM, Lee LY, Ng SH, Wang HM. Clinical scenario of EBV DNA follow-up in patients of treated localized nasopharyngeal carcinoma. *Oral Oncol*. 2013 Mar 2.
58. Chen CC, Liu HP, Chao M, Liang Y, Tsang NM, Huang HY, Wu CC, Chang YS. NF-κB-mediated transcriptional upregulation of TNFAIP2 by the Epstein-Barr virus oncoprotein, LMP1, promotes cell motility in nasopharyngeal carcinoma. *Oncogene*. 2013 Aug 26.
59. Lei KF, Chen KH, Tsui PH, Tsang NM. Real-Time Electrical Impedimetric Monitoring of Blood Coagulation Process under Temperature and Hematocrit Variations Conducted in a Microfluidic Chip. *PLoS One*. 2013 Oct 7;8(10):e76243.
60. Hsieh CH, Hsu CL, Wang CH, Liaw CC, Chen JS, Chang HK, Yang TS, Chang JW, Lin YC, Liau CT, Tsang NM, Chang JT, Ng SH, Wang HM. Cisplatin, tegafur-uracil and leucovorin plus mitomycin C: an acceptably effective and toxic regimen for patients with recurrent or metastatic nasopharyngeal carcinoma. *Biomed J*. 2013 Sep-Oct;36(5):229-36.
61. Hsin LJ, Fang TJ, Tsang NM, Chin SC, Yen TC, Li HY, Liao CT, Chen IH. Tumor volumetry as a prognostic factor in the management of T4a laryngeal cancer. *Laryngoscope*. 2013 Oct 11.
62. Hsin LJ, Kao HK, Chen IH, Tsang NM, Hsu CL, Liu SC, Chang YS, Chang KP. Serum CXCL9 Levels Are Associated with Tumor Progression and Treatment Outcome in Patients with Nasopharyngeal Carcinoma. *PLoS One*. 2013 Nov 21;8(11):e80052.
63. Huang BS, Tsang NM, Lin SM, Lin DY, Lien JM, Lin CC, Chen WT, Chen WY, Hong JH. High-dose hypofractionated X-ray radiotherapy for hepatocellular

carcinoma: Tumor responses and toxicities. *Oncol Lett.* 2013 Nov;6(5):1514-1520.

64. Su WH, Yao Shugart Y, Chang KP, Tsang NM, Tse KP, Chang YS. How Genome-Wide SNP-SNP Interactions Relate to Nasopharyngeal Carcinoma Susceptibility. *PLoS One.* 2013 Dec 23;8(12):e83034.
65. 曾雁明、范綱行、白冰清、蔡介生、林倩仔、陳臣苑、曾振淦、陳玉萍。(2003) 固定深度治療對直腸肛門癌放射治療的影響。放射治療與腫瘤學雜誌 第十卷第一期第 37-44 頁。
66. 黃意婷、白冰清、曾振淦、洪志宏、曾雁明\*。(2003) 鼻咽癌病患接受體外放射治療-局部治療劑量 4500cGy 以下結果之討論。放射治療與腫瘤學雜誌 第十卷第二期第 63-68 頁。
67. 陳玉萍、曾振淦、湯國政、洪志宏、曾雁明\*。(2003) 放射治療之癌患對食物禁忌的調查。放射治療與腫瘤學雜誌 第十卷第三期第 137-140 頁。
68. 范綱行、曾振淦、白冰清、曾雁明\*、洪志宏。(2003) 小於 40 歲的舌癌患者之治療結果。放射治療與腫瘤學雜誌 第十卷第四期第 219-228 頁。
69. 陳彥超、曾雁明\*、張富迪、洪志宏。(2005) 肛門類上皮癌於單一醫療院所之治療成果。放射治療與腫瘤學雜誌 第十二卷第一期第 17-25 頁。
70. 黃炳勝、洪志宏、白冰清、王俊傑、曾雁明\*。(2008) 未感染 Epstein-Barr 病毒之頭頸部原發部位不明癌症治療結果。放射治療與腫瘤學雜誌 第十五卷第二期第 91-100 頁。
71. 洪宗民、洪志宏、梁為民、林倩仔、詹頂立、曾雁明\*。(2009) 放射線治療對於有肝門侵犯且高膽紅素的晚期肝癌：治療後膽紅素下降有較佳的存活率。放射治療與腫瘤學雜誌 第十六卷第三期第 179-194 頁。
72. 陳臣苑、姚學華、蔡介生、洪志宏、陳彥超、范綱行、林俊彥、曾雁明\*。(2009) 放射治療醫療資訊系統 ARIATM 客製化放射治療治療紀錄單。放射治療與腫瘤學雜誌 第十六卷第三期第 215-226 頁。
73. 劉義誠、劉煥彰、陳柏元、陳臣苑、張安進、程言鼎、曾雁明\*、洪志宏。(2010) 利用影像導引放射治療技術來評估擺位誤差對於計劃靶體積包覆率的影響。

放射治療與腫瘤學雜誌 第十七卷第二期第 215-226 頁。

74. 陳玉萍、曾振淦、洪志宏、曾雁明\*。(2011) 醫院服務品質與顧客價值對於癌患滿意度的關係探討。放射治療與腫瘤學雜誌 第十八卷第四期第 287-297 頁。
75. 林士敏、林信吟、洪志宏、曾雁明\*。(2012) 在直腸癌病患比較兩種術前輔助治療結果：回溯性研究及探討進行標準手術之重要性。放射治療與腫瘤學雜誌 第十九卷第二期第 1-9 頁。
76. 沈奕良、林信吟、洪志宏、白冰清、林倩仔、曾振淦、曾雁明\*。(2012) 放射治療前後體重減輕程度 $\geq 5\%$ 與鼻咽癌病人的整體存活率之間存在正相關性。放射治療與腫瘤學雜誌 第十九卷第三期第 167-179 頁。
77. 張富迪、曾雁明、常佑康、梁為民。(2004) 膽道癌放射線治療後之存活率以及局部控制 放射治療與腫瘤學雜誌 第 11 卷第三期第 133-140 頁.
78. 陳玉萍、曾振淦、陳美伶、洪志宏、曾雁明、李弘暉。(2005) 放射治療之惡性腦瘤患者接受另類療法與食物觀念的調查分析。放射治療與腫瘤學雜誌 第十二卷第一期第 59-65 頁。
79. Hao SP, Tsang NM, Chang KP, Chen CK, Chao WC (2007). Osteoradionecrosis of external auditory canal in nasopharyngeal carcinoma. Chang Gung Med J. 30(2):116-21.
80. 陳玉萍、曾振淦、曾雁明、洪志宏。(2008) 放射腫瘤癌患接受西醫、中醫與另類療法的相關性調查分析。放射治療與腫瘤學雜誌 第十五卷第四期第 289-300 頁。
81. 詹頂立、洪志宏、曾雁明、陳志豪、林信吟。(2009) 對何杰金氏淋巴瘤病人接受放射治療的結果及復發模式之長期回溯性研究：單一醫院的經驗。放射治療與腫瘤學雜誌 第十六卷第二期第 85-97 頁。
82. 郭躍虹、曾雁明、葉啟源、洪志宏。(2009) 木村氏症的放射線治療：三位病人經驗報告及文獻回顧。放射治療與腫瘤學雜誌 第十六卷第二期第 143-150 頁。
83. Hao SP, Tsang NM. (2010) Surgical management of recurrent nasopharyngeal

carcinoma. Chang Gung Med J. 2010 Jul-Aug;33(4):361-9. 優良期刊

84. 高依帆、陳怡婷、張恒鴻、楊賢鴻、吳宜鴻、郭忠禎、喬聖琳、胡倩婷、曾雁明、陳俊良。(2009) 白芷蘆薈凝膠治療急性放射性皮膚炎的療效觀察。上海中醫藥大學學報。第二十三卷第二期第 37-39 頁。
85. 陳柏元、程言鼎、林佳生、林俊彥、張安進、劉義誠、曾雁明、洪志宏。(2010) 利用放射治療影像導引系統評估植入金屬標記攝護腺癌病患之擺位誤差及治療中誤差。中華放射線技術學雜誌第 244-251 頁。
86. 陳怡婷、曾雁明、胡倩婷、陳俊良、楊賢鴻。(2012) 腫瘤患者放射性皮膚炎中藥治療療效評估。中醫藥雜誌。第二十三卷第二期第 141-152 頁。