

* 廖郁芳醫師(教授)

所有發表期刊論文

1. Liao YF, Liou JW, Huang CS. Friction in orthodontics: a review. *Journal of Taiwan Association of Orthodontists*. 1995; 6: 61-67.
2. Liao YF*. A syllabus for "chin-cup therapy": its growth background and long-term result. *Journal of Taiwan Association of Orthodontists*. 1997; 8: 72-80.
(*Corresponding author)
3. Liao YF, Huang CS, Liou JW, Lin WY, Ko WC. Premaxillary size and craniofacial growth in patients with cleft lip and palate. *Biomed J*. 1998; 21:391-396.
4. Chang CN, Liao YF, Hung LM, Tseng CS, Hsu JH, Chen JK. Prefabricated implants or grafts with reverse models of three-dimensional mirror-image templates for reconstruction of craniofacial abnormalities. *Plast Reconstr Surg*. 1999; 104: 1413-1418. (SCI)
5. Cheng CF, Huang WH, Tsai TP, Ko EW, Liao YF. Effects of cancer therapy on dental and maxillofacial development in children: report of case. *ASDC J Dent Child*. 2000; 67: 218-222.
6. Chen SP, Liao YF*, Huang CS, Liou E JW. Comparison of lip repair and palatal repair on craniofacial growth in cleft patients. *Journal of Taiwan Association of Orthodontists*. 2001; 13: 12-16.
7. Huang CS, Liao YF, Liou EJ, Lin WY, Ko EW. Using cranial vault in superimposing lateral cephalogram. *Journal of Taiwan Association of Orthodontists*. 2001; 13: 35-40.
8. Liou EJ, Tsai WC, Lin WY, Ko EW, Liao YF, Huang CS. Premaxillary orthopedic intrusion with distraction devices in bilateral cleft lip and palate patient: a case report. *Journal of Taiwan Association of Orthodontists*. 2001; 13: 48-57.
9. Kane AA, Liao YF, Lo LJ, Huang CS, Huang LM, Chen YR, Noordhoff MS. A cephalometric study of facial growth in Van der Woude syndrome. *Cleft Palate-Craniofac J*. 2002; 39: 219-225. (SCI)
10. Liao YF, Chuang ML, Chen PK, Chen NH, Yun C, Huang CS. Incidence and severity of obstructive sleep apnea following pharyngeal flap surgery in patients with cleft palate. *Cleft Palate-Craniofac J*. 2002; 39: 312-316. (SCI)
11. Liao YF, Huang CS, Noordhoff MS. Comparison of craniofacial morphology in patients with bilateral complete cleft of primary versus secondary palate. *Cleft Palate-Craniofac J*. 2002; 39: 353-356. (SCI)
12. Liao YF, Mars M. Cleft primary surgery and midfacial growth in unilateral cleft lip and palate: a review of the literature. *Journal of Taiwan Association of Orthodontists*. 2003; 15: 5-15.
13. Chen SP, Liao YF, Liou EJ, Huang CS. Single mandibular incisor extraction in

- orthodontics. *Journal of Taiwan Association of Orthodontists*. 2003; 15: 31-34.
14. Hu LJ, Liao YF*, Wang YC. Nonsurgical correction of Class III malocclusion in an adult patient. *Journal of Taiwan Association of Orthodontists*. 2003; 15: 43-49.
15. Ko EW, Liao YF, Huang CS. A high angle skeletal Class II malocclusion treated with orthognathic surgery and canine/incisor substitution. *Journal of Taiwan Association of Orthodontists*. 2003; 15: 44-50.
16. Liao YF*, Huang CS, Chuang ML. The utility of cephalometry with the Muller maneuver in evaluating the upper airway and its surrounding structures in Chinese patients with sleep-disordered breathing. *Laryngoscope*. 2003; 113: 614-619. (SCI)
17. Liao YF*, Yun C, Huang CS, Chen PK, Chen NH, Hung KF, Chuang ML. Longitudinal follow-up of obstructive sleep apnea following Furlow palatoplasty in children with cleft palate: a preliminary report. *Cleft Palate-Craniofac J*. 2003; 40: 269-273. (SCI)
18. Lin IF, Chuang ML, Liao YF, Chen NH, Li HY. Predicting effective continuous positive airway pressure in Taiwanese patients with obstructive sleep apnea syndrome. *J Formos Med Assoc*. 2003; 102: 215-221. (SCI)
19. Liao YF, Noordhoff MS, Huang CS, Chen PK, Chen NH, Yun C, Chuang ML. Comparison of obstructive sleep apnea syndrome in children with cleft palate following Furlow palatoplasty or pharyngeal flap for velopharyngeal insufficiency. *Cleft Palate-Craniofac J*. 2004; 41: 152-156. (SCI)
20. Liao YF, Chuang ML, Huang CS, Tsai YY. Upper airway and its surrounding structures in obese and nonobese patients with sleep-disordered breathing. *Laryngoscope*. 2004; 114: 1052-1059. (SCI)
21. Liao YF*, Huang CS, Tsai YY, Noordhoff MS. Craniofacial morphology in children with complete bilateral cleft lip and palate: does infantile size of the premaxilla predetermine outcome? *Cleft Palate-Craniofac J*. 2004; 41: 410-415. (SCI)
22. Li HY, Li KK, Chen NH, Wang CJ, Liao YF, Wang PC. Three-dimensional computed tomography and polysomnography findings after extended uvulopalatal flap surgery for obstructive sleep apnea. *Am J Otolaryngol*. 2005; 26: 7-11. (SCI)
23. Liao YF, Mars M. Long-term effects of lip repair on dentofacial morphology in patients with unilateral cleft lip and palate. *Cleft Palate-Craniofac J*. 2005; 42: 526-532. (SCI)
24. Liao YF, Mars M. Long-term effects of palate repair on craniofacial morphology in patients with unilateral cleft lip and palate. *Cleft Palate-Craniofac J*. 2005; 42: 594-600. (SCI)
25. Liao YF, Mars M. Long-term effects of clefts on craniofacial morphology in patients with unilateral cleft lip and palate. *Cleft Palate-Craniofac J*. 2005; 42: 601-609. (SCI)

26. Liao YF. Timing of hard palate repair and facial growth in patients with unilateral cleft lip and palate. PhD Thesis, University of London, London, UK.
27. Lan CC, Hung KF, Liao YF, Lin SW, Chen NH. Melnick-needles syndrome with obstructive sleep apnea successfully treated with nasal continuous positive airway pressure ventilation. *J Formos Med Assoc.* 2006; 105: 77-79. (SCI)
28. Liao YF, Mars M. Hard palate repair timing and facial morphology in unilateral cleft lip and palate: Before versus after pubertal peak velocity age. *Cleft Palate-Craniofac J.* 2006; 43: 259-265. (SCI)
29. Liao YF*, Cole TJ, Mars M. Hard palate repair timing and facial growth in unilateral cleft lip and palate: a longitudinal study. *Cleft Palate-Craniofac J.* 2006; 43: 547-556. (SCI)
30. Wang PC, Li HY, Shih TS, Gliklich RE, Chen NH, Liao YF. Generic and specific quality-of-life measures in Taiwanese adults with sleep-disordered breathing. *Otolaryngol Head Neck Surg.* 2006; 135: 421-426. (SCI)
31. Liao YF*, Mars M. Hard palate repair timing and facial growth in cleft lip and palate: a systematic review. *Cleft Palate-Craniofac J.* 2006; 43: 563-570. (SCI)
32. Huang CS, Harikrishnan P, Liao YF, Ko EW, Liou EJ, Chen PK. Long term follow-up after maxillary distraction osteogenesis in growing children with cleft lip and palate. *Cleft Palate-Craniofac J.* 2007; 44: 274-277. (SCI)
33. Chuang ML, Lin IF, Vintch JRE, Liao YF. Predicting continuous positive airway pressure from a modified split-night protocol in moderate to severe obstructive sleep apnea-hypopnea syndrome. *Intern Med.* 2008; 47: 1585-1592. (SCI)
34. Chuang LP, Chen NH, Li HY, Lin SW, Chou YT, Wang CJ, Liao YF, Tsai YH. Dynamic upper airway changes during sleep in patients with obstructive sleep apnea syndrome. *Acta Otolaryngol.* 2009; 129: 1474-1479. (SCI)
35. Liao YF*, Huang CS, Lin IF. Intraoral photographs for rating dental arch relationships in unilateral cleft lip and palate. *Cleft Palate-Craniofac J.* 2009; 46: 415-419. (SCI)
36. Hsu SS, Liao YF, Hsieh HY, Teng GY, Chiang YT, Chen SH. Correction of unexpected post-surgical anterior open bite with miniscrew orthodontics – case report. *Journal of Taiwan Association of Orthodontists.* 2009; 21: 51-63.
37. Hsu SS, Huang CS, Liou EJ, Ko EW, Liao YF, Hsieh HY, Lin CC, Chen YR. Correction of skeletal Class III with surgery-first orthognathic approach – case report. *Journal of Taiwan Association of Orthodontists.* 2009; 21: 37-47.
38. Chen MC, Chan CP, Tu YK, Liao YF, Ku YC, Kwong LK, Pan WL, Ju YR. Factors influencing the length of the interproximal dental papilla between maxillary anterior teeth. *J Dent Sci.* 2009; 4: 103-109. (SCI)
39. Liao YF*, Lin IF. Dental arch relationships after two-flap palatoplasty in

- Taiwanese patients with unilateral cleft lip and palate. *Int J Oral Maxillofac Surg.* 2009; 38: 1133-1136. (SCI)
40. Chen MC, Liao YF, Chan CP, Ku YC, Pan WL, Tu YK. Factors influencing the presence of interproximal dental papillae between maxillary anterior teeth. *J Periodontol.* 2010; 81: 318-324. (SCI)
41. Hsieh HY, Hsu SS, Huang CS, Liou EJW, Ko EWC, Liao YF, Lin CC, Chen YR. Correction of facial asymmetry with surgery-first orthognathic approach – case report. *Journal of Taiwan Association of Orthodontists.* 2010; 21: 30-39.
42. Liao YF*, Yang IY, Wang R, Yun C, Huang CS. Two-stage palate repair with delayed hard palate closure is related to favorable maxillary growth in unilateral cleft lip and palate. *Plast Reconstr Surg.* 2010; 125: 1503-1510. (SCI)
43. Hsu SS, Lin CC, Hsieh HY, YJ Hsieh, Huang CS, Liou EJ, Ko EW, Liao YF, Chen YR. Interdisciplinary approach to correct mandibular prognathism with missing central incisor – case report. *Journal of Taiwan Association of Orthodontists.* 2010; 22: 47-58.
44. Liao YF*, Prasad NKK, Chiu YT, Yun C, Chen PK. Cleft size at the time of palate repair in complete unilateral cleft lip and palate as an indicator of maxillary growth. *Int J Oral Maxillofac Surg.* 2010; 39: 956-961. (SCI)
45. Yang IY, Liao YF*. The effect of 1-stage versus 2-stage palate repair on facial growth in patients with cleft lip and palate: a review. *Int J Oral Maxillofac Surg.* 2010; 39: 945-950. (SCI)
46. Liao YF*, Chiu YT, Huang CS, Ko EW, Chen YR. Presurgical orthodontics versus no presurgical orthodontics: treatment outcome of surgical-orthodontic correction for skeletal Class III open bite. *Plast Reconstr Surg.* 2010;126:2074-2083. (SCI)
47. Lin CH, Liao YF, Chen NH, Lo LJ, Chen YR. Three-dimensional computed tomography in obstructive sleep apneics treated by maxillomandibular advancement. *Laryngoscope.* 2011;121:1336-1347. (SCI)
48. Liao YF*, Numhom S, Lo LJ, Noordhoff MS. Craniofacial and dental dysmorphology in patients with median facial dysplasia: long-term follow-up. *Int J Oral Maxillofac Surg.* 2011;40:672–678. (SCI)
49. Ho KH, Liao YF*. Predictors of surgical-orthodontic treatment duration of unilateral impacted maxillary central incisors. *Orthod Craniofac Res.* 2011;14:175-180. (SCI)
50. Chiu YT, Liao YF*, Chen PK. Initial cleft severity and maxillary growth in patients with complete unilateral cleft lip and palate. *Am J Orthod Dentofacial Orthop.* 2011;140:189-195. (SCI)
51. Shin H, Hsieh YJ, Liao YF, Lo LJ, Jo MS. Bony stability and soft tissue changes after orthognathic surgery on patients with cleft. *Arch Craniofac Surg.*

2012;13:4-9.

52. Wang YC, Liao YF*, Li HY, Chen YR. Genial tubercle position and dimensions by cone-beam computed tomography in a Taiwanese sample. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2012;113:e46-50. (SCI)
53. Ho KH, Liao YF*. Pre-treatment radiographic features predict root resorption of treated impacted maxillary central incisors. *Orthod Craniofac Res.* 2012;15:198-205. (SCI)
54. Hsieh YJ, Liao YF*, Shetty A. Predictors of poor dental arch relationship in young children with unilateral cleft lip and palate. *Clin Oral Investig.* 2012;16:1261-1266. (SCI)
55. Chiu YT, Liao YF*. Is cleft severity related to maxillary growth in patients with unilateral cleft lip and palate? *Cleft Palate-Craniofac J.* 2012;49:535-540. (SCI)
56. Shen HL, Wen YW, Chen NH, Liao YF*. Craniofacial morphologic predictors of oral appliance outcomes in patients with obstructive sleep apnea. *J Am Dent Assoc.* 2012;143:1209-1217. (SCI)
57. Liao YF*, Hsieh YJ, Chen IJ, Ko WC, Chen PK. Comparative outcomes of two nasoalveolar molding techniques on unilateral cleft nose deformity. *Plast Reconstr Surg.* 2012;130:1289-1295. (SCI)
58. Ho KH, Liao YF*. Periodontal outcomes of impacted maxillary central incisors in 80 patients treated with a combined surgical-orthodontic approach. *Journal of Taiwan Association of Orthodontists.* 2012;24:14-23.
59. Hsieh YJ, Ko EW, Liao YF, Huang CS. Correction of severe Class II Division 1 malocclusion with miniscrew anchorage – a case report. *Journal of Taiwan Association of Orthodontists.* 2013;25:31-45.
60. Wang YC, Liao YF*, Chen PK. Outcome of gingivoperiosteoplasty for the treatment of alveolar clefts in patients with unilateral cleft lip and palate. *Br J Oral Maxillofac Surg.* 2013;51:650-655. (SCI)
61. Hsieh YJ, Liao YF*. Effects of maxillomandibular advancement on upper airway and surrounding structures in patients with obstructive sleep apnoea: a systematic review. *Br J Oral Maxillofac Surg.* 2013;51:834-840. (SCI)
62. Lee YH, Liao YF*. Hard palate-repair technique and facial growth in patients with cleft lip and palate: a systematic review. *Br J Oral Maxillofac Surg.* 2013;51: 851-857. (SCI)
63. Liao YF*, Wang YC, Chen IJ, Pai CJ, Ko WC, Wang YC. Comparative outcomes of two nasoalveolar molding techniques for bilateral cleft nose deformity. *Plast Reconstr Surg.* 2014;133:103-110. (SCI)
64. Liao YF*, Lee YH, Wang R, Huang CS, Chen PKT, Lo LJ, Chen YR. Vomer flap for hard palate repair is related to favorable maxillary growth in unilateral cleft lip and

- palate. *Clin Oral Investig*. 2014;18:1269-1276. (SCI)
65. Hsieh YJ, Liao YF*, Chen NH, Chen YR. Changes in the calibre of the upper airway and the surrounding structures after maxillomandibular advancement for obstructive sleep apnoea. *Br J Oral Maxillofac Surg*. 2014;52:445-451. (SCI)
66. Chang CS, Wallace CG, Pai CJ, Chiu YT, Hsieh YJ, Chen IJ, Liao YF, Liou JW, Chen KT. Comparison of two nasoalveolar molding techniques in unilateral complete cleft lip patients: a randomized prospective single-blinded trial to compare nasal outcomes. *Plast Reconstr Surg*. 2014;134:275-282. (SCI)
67. Chang CS, Liao YF, Wallace CG, Chan FC, Liou EJ, Chen PK, Noordhoff MS. Long-term comparison of the results of four techniques used for bilateral cleft nose repair: a single surgeon's experience. *Plast Reconstr Surg*. 2014;134:926e-936e. (SCI)
68. Liao YF*, Chiu YT, Lin CH, Chen YA, Chen NH, Chen YR. Modified maxillomandibular advancement for obstructive sleep apnoea: towards a better outcome for Asians. *Int J Oral Maxillofac Surg*. 2015;44:189-194. (SCI)
69. Hsieh YJ, Chen YC, Chen YA, Liao YF*, Chen YR. Effect of bimaxillary rotational setback surgery on upper airway structure in skeletal Class III deformities. *Plast Reconstr Surg*. 2015;135:361e-369e. (SCI)
70. Liao YF*, Huang CS. Presurgical and postsurgical orthodontics are associated with superior secondary alveolar bone grafting outcomes. *J Craniomaxillofac Surg*. 2015;43:717-723. (SCI)
71. Chen YF, Liao YF*. A modified nasoalveolar molding technique for correction of unilateral cleft nose deformity. *J Craniomaxillofac Surg*. 2015;43:2100-2105. (SCI)
72. Wang YC, Liao YF*, Chen PK. Comparative outcomes of primary gingivoperiosteoplasty and secondary alveolar bone grafting in patients with unilateral cleft lip and palate. *Plast Reconstr Surg*. 2016;137:218-227. (SCI)
73. Hsieh YJ, Darvann TA, Hermann NV, Larsen P, Liao YF, Bjoern-Joergensen J, Kreiborg S. Facial morphology in children and adolescents with juvenile idiopathic arthritis and moderate to severe temporomandibular joint involvement. *Am J Orthod Dentofacial Orthop*. 2016;149:182-191. (SCI)
74. Chang CS, Wallace CG, Hsiao YC, Chiu YT, Pai BC, Chen IJ, Liao YF, Liou EJ, Chen PK, Chen JP, Noordhoff MS. Difference in the surgical outcome of unilateral cleft lip and palate patients with and without pre-alveolar bone graft orthodontic treatment. *Sci Rep*. 2016;6:23597. (SCI)
75. Huang CY, Liao YF*. Anatomical position of the mandibular canal in relation to the buccal cortical bone in Chinese patients with different dentofacial relationships. *J Formos Med Assoc*. 2016;115:981-990. (SCI)
76. Huang YC, Wallace CG, Pai BC, Chen HL, Lee YT, Hsiao YC, Chang CS, Liao YF, Chen PK, Chen YR. Orthognathic surgery with simultaneous autologous fat

transfer for correction of facial asymmetry. *Plast Reconstr Surg.* (Accepted) (SCI)