

\*陳嘉祥醫師

所有發表期刊論文

1. Hsiao KJ, Chen CH, Chiu PC, Huang SC, Wuu KD. Chinese family with phenylketonuria and maternal phenylketonuria detected by family screening. Eur J Pediatrics 1986;145:409-12.
2. Wuu KD, Hsiao KJ, Chen CH, Hsiao TS, Chang CY, Chu YK. Screening for inherited metabolic diseases and congenital hypothyroidism in 4,744 mentally retarded school children in Taiwan. Jinrui Idengaku Zasshi 1988;33:33-40.
3. Hsiao KJ, Chen CH, Liu TT, Wu SJ, Plettner C, Clemens P. Screening of congenital hypothyroidism, phenylketonuria, homocystinuria, and maple syrup urine disease in moderate to severe mentally retarded children in Taiwan. J Formosan Med Assoc 1989;88:18-22. (SCI)
4. Chen CH, Hsiao KJ. A Chinese classic phenylketonuria manifested as autism. Br J Psychiatry 1989;155:251-53.
5. Chen CH\*. Cutis verticis gyrata associated with chronic schizophrenia in Chinese. Biol Psychiatry 1989;25:636-8.
6. Chen CH, Chen SHH. Involvement of postsynaptic alpha2-adrenoceptors and guanine nucleotide-binding protein in guanabenz-induced cardiovascular suppressant effects in the rat. Neurosci Lett 1989;105:183-8.
7. Horng CJ, Hsiao KJ, Chen CH, Tsai SR, Sim CB. Urinary neopterin and biopterin in patients with depression. Chinese Psychiatry 1991;5:20-8.
8. Yoo HW, Warner CA, Chen CH, Desnick RJ. Hydroxymethylbilane synthase: Complete genomic sequence and amplifiable polymorphisms in the human gene. Genomics 1993;15:21-9.
9. Lin SK, Chen CH, Chang WH. Comparison of haloperidol plasma concentration between twice-a-day and once-a-day dosing in Chinese schizophrenic patients. J Formosan Med Assoc 1993;92:832-4.
10. Chen CH, Lin K-S, Chan SHH. Further elucidation of a pertussis toxin-sensitive transmembrane signaling mechanism involved in central alpha2-adrenoceptor activation in the rat. J Biomed Sci 1994;1:13-8.

11. **Chen CH**\*. Seroprevalence of human immunodeficiency virus infection among Chinese psychiatric patients in Taiwan. *Acta Psychiatr Scand* 1994;89:441-2.
12. **Chen CH**, Astrin KH, Lee G, Anderson KE, Desnick RJ. Acute intermittent porphyria: Identification and expression of exonic mutations in the hydroxymethylbilane synthase gene-An initiation codon missense mutation in the housekeeping transcript causes "variant AIP" with normal expression of erythroid-specific enzyme. *J Clin Invest* 1994;94:1927-37.
13. Niu DM, Hsiao KJ, Wang NH, Chin L-S, **Chen CH**\*. Chinese achondroplasia is also defined by recurrent G380R mutations of FGFR3. *Hum Genet* 1996;98:65-8. (SCI)
14. **Chen CH**, Chien SH, Hwu HG. No association of the dopamine D2 receptor molecular variant Cys311 and schizophrenia in Chinese patients. *Am J Med Genet Part B* 1996;67:418-20.
15. **Chen CH**, Chien SH, Hwu HG. Lack of association between TaqI A1 allele of dopamine D2 receptor gene and alcohol use disorders in Atayal natives of Taiwan. *Am J Med Genet Part B* 1996;67:488-90.
16. **Chen CH**\*, Lee YR, Liu MY, Wei FC, Koong FJ, Hwu HG, Hsiao KJ. Identification of a BglII polymorphism of catechol-O-methyltransferase (COMT) gene and association study with schizophrenia. *Am J Med Genet Part B* 1996;67:556-9.
17. **Chen CH**\*, Wei FC, Koong FJ, Hsiao KJ. Association of TaqI A polymorphism of dopamine D2 receptor gene and tardive dyskinesia in schizophrenia. *Biol Psychiatry* 1996;41:827-9.
18. **Chen CH**\*, Liu MY, Wei FC, Koong FJ, Hwu HG, Hsiao KJ. Further evidence of no association between Ser9Gly polymorphism of dopamine D3 receptor gene and schizophrenia. *Am J Med Genet Part B* 1997;74:40-3.
19. **Chen CH**\*, Lee YR, Wei FC, Koong FJ, Hwu HG, Hsiao KJ. Lack of allelic association between 102T/C polymorphism of serotonin receptor type 2A gene and schizophrenia in Chinese. *Psychiatric Genet* 1997;7:35-8.
20. **Chen CH**\*, Lee YR, Wei FC, Koong FJ, Hwu HG, Hsiao KJ. Association study of NlaIII and MspI genetic polymorphisms of catechol-O-methyltransferase gene and susceptibility to schizophrenia. *Biol Psychiatry* 1997;41:985-7.

21. Lo HS, **Chen CH**, Hogan EL, Kao KP, Wang V, Yan SH. Genetic polymorphism and Parkinson's disease in Taiwan: study of debrisoquine 4-hydroxylase (CYP2D6). *J Neurol Sci* 1998;158:38-42.
22. **Chen CH**, Shyu PW, Wu SJ, Sheu SS, Desnick RJ, Hsiao KJ. Identification of a novel point mutation (S65T) in alpha-galactosidase A gene in Chinese patients with Fabry disease. *Hum Mutat* 1998;11:328-30.
23. **Chen CH**, Shih HH, Wang-Wuu S, Tai JJ, Wuu KD. Chromosomal fragile site expression in lymphocytes from patients with schizophrenia. *Hum Genet* 1998;103:702-6.
24. **Chen CH**, Chiu YL, Wei FC, Koong FJ, Liu HC, Shaw CK, Hwu HG, Hsiao KJ. High seroprevalence of Borna virus infection in schizophrenic patients, family members and mental health workers in Taiwan. *Mol Psychiatry* 1999;4:33-8.
25. Tsai MT, Shaw CK, Hsiao KJ, **Chen CH**. Genetic association study of a polymorphic CAG repeats array of calcium-activated potassium channel (KCNN3) gene and schizophrenia among the Chinese population from Taiwan. *Mol Psychiatry* 1999;4:271-3.
26. **Chen CH**, Lee YR, Chung MY, Wei FC, Koong FJ, Shaw CK, Yeh JI, Hsiao KJ. Systematic mutation analysis of the catechol O-methyltransferase gene as a candidate gene for schizophrenia. *Am J Psychiatry* 1999;156:1273-5.
27. **Chen CH**, Chiu YL, Shaw CK, Tsai MT, Hwang AL, Hsiao KJ. Detection of Borna disease virus RNA from peripheral blood cells in schizophrenic patients and mental health workers. *Mol Psychiatry* 1999;4:566-71.
28. Hwu HG, **Chen CH**. Association of 5HT2A receptor gene polymorphism and alcohol abuse with behavior problems. *Am J Med Genet Part B* 2000;96:797-800.
29. Tsai MT, Su YC, Chen YH, **Chen CH**. Lack of evidence to support the association of human prion gene with schizophrenia. *Mol Psychiatry* 2001;6:74-8.
30. Hung CC, Chen YH, Tsai MT, **Chen CH**. Systematic search for mutations in the human tissue inhibitor of metalloproteinases-3 (TIMP-3) gene on chromosome 22 and association study with schizophrenia. *Am J Med Genet Part B* 2001;105:275-8.

31. **Chen CH**\*, Hung CC, Wei FC, Koong FJ. Debrisoquine 4-hydroxylase (CYP2D6) genetic polymorphisms and susceptibility to schizophrenia in Chinese patients from Taiwan. *Psychiatr Genet* 2001;11:153-5.
32. Chen WJ, **Chen CH**, Huang J, Hsu YPP, Seow SV, Chen CC, Cheng ATA. Genetic polymorphisms of the promoter region of dopamine D2 receptor and dopamine transporter genes and alcoholism among four aboriginal groups and Han Chinese in Taiwan. *Psychiatr Genet* 2001;11:187-95.
33. **Chen CH**\*. Recent progress in molecular genetic study of schizophrenia. *Tzu Chi Med J* 2001;13:197-202.
34. Chen YH, Tsai MT, Shaw CK, **Chen CH**\*. Mutation analysis of the human NR4A2 gene, an essential gene for midbrain dopaminergic neurogenesis in schizophrenic patients. *Am J Med Genet Part B* 2001;105:753-7.
35. Tsai MT, Hung CC, Tsai CY, Liu MY, Su YC, Chen YH, Hsiao KJ, **Chen CH**\*. Mutation analysis of synapsin III gene in schizophrenia. *Am J Med Genet Part B* 2002;114:79-83.
36. Chen ML, Chen HY, Huang CH, **Chen CH**\*. Identification of a single nucleotide polymorphism at the 5' promoter region of human reelin gene and association study with schizophrenia. *Mol Psychiatry* 2002;7:447-8.
37. **Chen CH**, Chen WY, Liu HL, Tsou AP, Lin CY, Chao T, Qi Y, Hsiao KJ. Identification of mutations in vasopressin 2 receptor gene causing nephrogenic diabetes insipidus in Chinese patients. *J Hum Genet* 2002;47:66-73.
38. Hung CC, Chen HY, **Chen CH**\*. Systematic mutation analysis of the human glutamate receptor, ionotropic, N-methyl-D-aspartate 1 gene (GRIN1) in schizophrenic patients. *Psychiatr Genet* 2002;12:225-30.
39. Hung CC, Yeh JI, Fang JS, **Chen CH**\*. No association of a dodecamer duplication in the human opposite paired (*HOPA*) gene with mental retardation and schizophrenia in Chinese patients from Taiwan. *Psychiatr Res* 2003;119:163-6.
40. Liao HM, **Chen CH**\*. Mutation analysis of the human dystrobrevin-binding protein 1 gene in schizophrenic patients. *Schizophr Res* 2004;71:185-9.
41. Li CH, Liao HM, **Chen CH**\*. Identification of molecular variants at the promoter region of the human alpha7 neuronal nicotinic acetylcholine

- receptor subunit gene but lack of association with schizophrenia. *Neurosci Lett* 2004;372:1-5.
42. Huang CH, Chen ML, Tsai YL, Tsai MT, **Chen CH\***. Elevated adrenomedullin mRNA in lymphoblastoid cells from schizophrenic patients. *Neuroreport* 2004;15:1443-6.
43. Chen HY, Yeh JI, Liao HM, Li MY, **Chen CH\***. Association of ARVCF gene on chromosome 22q11 with schizophrenia. *Schizophr Res* 2005;72:275-7.
44. Chen ML, **Chen CH\***. Microarray analysis of differentially expressed genes in rat frontal cortex after chronic risperidone treatment. *Neuropsychopharmacology* 2005;30:268-77.
45. Chang YH, Su WH, Lee TC, Sun HF, **Chen CH**, Pan WH, Tsai SF, Jou YS. TPMD: a database and resources of microsatellite marker genotyped in Taiwanese populations. *Nucleic Acids Res* 2005;33 Database Issue:D174-7.
46. Huang CH, **Chen CH\***. Absence of association of a polymorphic GGC repeat at the 5' untranslated region of the reelin gene with schizophrenia. *Psychiatr Res* 2006;142:89-92.
47. Shifman S, Levit A, Chen ML, **Chen CH**, Bronstein M, Weizman A, Yakir B, Navon R, Darvasi A. A complete genetic association scan of the 22q11 deletion region and functional evidence reveal an association between DGCR2 and schizophrenia. *Hum Genet* 2006;120:160-70.
48. Li CH, Liao HM, Hung TW, **Chen CH\***. Mutation analysis of DARPP-32 as a candidate gene for schizophrenia. *Schizophr Res* 2006; 87:1-5.
49. Chen ML, **Chen CH\***. Chronic antipsychotics treatment regulates MAOA, MAOB and COMT gene expression in rat frontal cortex. *J Psychiatr Res* 2007;41:57-62.
50. Chen ML, **Chen CH\***. Comparative proteome analysis revealed up-regulation of transthyretin in rat brain under chronic clozapine treatment. *J Psychiatr Res* 2007; 41:63-8.
51. Chen SF, Chen JY, Wang YC, Lai IC, Liou YJ, Liao DL, **Chen CH\***. Support for association of the A277C single nucleotide polymorphism in human vesicular monoamine transporter 1 gene with schizophrenia. *Schizophr Res* 2007;90:363-5.

52. Cheng MC, **Chen CH**\*. Identification of rare mutations of synaptogyrin 1 gene in patients with schizophrenia. *J Psychiatr Res* 2007;41:1027-31.
53. Shen YC, Chen SJ, Lin CC, **Chen CH**. Concomitant use of lamotrigine and aripiprazole increases risk of Stevens-Johnson syndrome? *Int Clin Psychopharmacol* 2007;22:247-8.
54. Shen YC, Haw-Ming L, Lin CC, **Chen CH**. Psychosis in a patient with Fabry's disease and treatment with aripiprazole. *Prog Neuropsychopharmacol Biol Psychiatry* 2007;31:779-80.
55. Shen YC, Lee MY, Lin CC, **Chen CH**. Orally disintegrating olanzapine for the treatment of a manic patient with esophageal stricture plus chronic pharyngitis. *Prog Neuropsychopharmacol Biol Psychiatry* 2007;31:541-2.
56. Fang JS, **Chen CH**\*. Chromosomal abnormalities and gene discovery in schizophrenia. *Taiwanese J Psychiatry* 2007;21:242-53.
57. Luu SU, Liao HM, Hung TW, Liu BY, Cheng MC, Liao DL, Chen SJ, **Chen CH**\*. Adenosine A2a receptor gene and dopamine D2 receptor gene in schizophrenia. *Psychiatr Genet* 2008;18:43.
58. Cheng MC, Liao DL, Hsiung CA, Chen CY, Liao YC, **Chen CH**\*. Chronic treatment with aripiprazole induces differential gene expression in rat frontal cortex. *Int J Neuropsychopharmacol* 2008;11:207-16.
59. Wang LH, Chen JY, Wang YC, Lai IC, Liou YJ, Liao DL, Chen SF, **Chen CH**\*. Association of missense variants of the PRKC, apoptosis, WT1, regulator (PAWR) gene with schizophrenia. *Prog Neuropsychopharmacol Biol Psychiatry* 2008;32:870-5.
60. Fang JS, Lee KF, Huang CT, Syu CL, Yang KJ, Wang LH, Liao DL, **Chen CH**\*. Cytogenetic and molecular characterization of a three-generation family with chromosome 5p terminal deletion. *Clin Genet* 2008;73:585-90.
61. Wu YY, Chien WH, Huang YS, Gau SSF, **Chen CH**\*. Lack of evidence to support the glyoxalase 1 gene (GLO1) as a risk gene of autism in Han Chinese patients from Taiwan. *Prog Neuropsychopharmacol Biol Psychiatry* 2008;32:1740-4.
62. Wang YC, Chen JY, Chen ML, **Chen CH**, Lai IC, Chen TT, Hong CJ, Tsai SJ, Liou YJ. Neuregulin 3 (*NRG3*) genetic variations and susceptibility to schizophrenia in a Chinese population. *Biol Psychiatry* 2008;64:1093-6.

63. Chao YL, Shen YC, Liao DL, Chen JY, Liou YJ, Wang YC, Lai I-C, **Chen CH**\*. Association study of HLA-A gene and schizophrenia in Han Chinese from Taiwan. *Prog Neuropsychopharmacol Biol Psychiatry* 2008;32:1834-7.
64. Huang CT, **Chen CH**\*. Identification of gene transcripts in rat frontal cortex that are regulated by repeated electroconvulsive seizure treatment. *Neuropsychobiology* 2008;58:171-7.
65. Shen YC, Chen SF, **Chen CH**, Lin CCH, Chen SJ, Chen YJ, Luu SU. Effects of DRD2/ANKK1 gene variations and clinical factors on aripiprazole efficacy in schizophrenic patients. *J Psychiatr Res* 2009;43:600-6.
66. Tsai LP, Liao HM, Chen YJ, Fang JS, **Chen CH**\*. A novel microdeletion at chromosome 2q31.1-31.2 in a three-generation family presenting duplication of great toes with clinodactyly. *Clin Genet* 2009;75:449-58.
67. Chen SF, Shen YC, **Chen CH**. Effects of the DRD3 Ser9Gly polymorphism on aripiprazole efficacy in schizophrenic patients as modified by clinical factors. *Prog Neuropsychopharmacol Biol Psychiatry* 2009;33:470-4.
68. Chen SF, Shen YC, **Chen CH**. HTR2A A-1438G / T102C polymorphisms predict negative symptoms performance upon aripiprazole treatment in schizophrenic patients. *Psychopharmacology (Berl)*. 2009;205:285-92.
69. **Chen CH**\*. Paradigm shift in recent molecular genetic study of major psychiatric disorders: from common variant hypothesis to rare mutation hypothesis. *Taiwanese J Psychiatry* 2009;23:87-9.
70. Shen YC, Liao DL, Chen JY, Wang YC, Lai IC, Liou YJ, Chen YJ, Luu SU, **Chen CH**\*. Exomic sequencing of the glutamate receptor, ionotropic, N-methyl-D-aspartate 3A gene (GRIN3A) reveals no association with schizophrenia. *Schizophr Res* 2009;114:25-32.
71. Shen YC, Liao DL, Chen JY, Wang YC, Lai IC, Liou YJ, Chen YJ, Luu SU, **Chen CH**\*. Resequencing and association study of vesicular glutamate transporter 1 gene (VGLUT1) with schizophrenia. *Schizophr Res* 2009;115:254-60.
72. Chao YL, Chien WH, Liao HM, Fang JS, **Chen CH**\*. Copy number variations and psychiatric disorders. *Tzu-Chi Med J* 2009;21:197-203.

73. Chien WH, Wu YY, Gau SSS\*, Huang YS, Soong WT, Chiu YN, **Chen CH\***. Association study of the SLC25A12 gene and autism in Han Chinese from Taiwan. *Prog Neuropsychopharmacol Biol Psychiatry* 2010;34:189-92.
74. Shen YC, Liao DL, Lu CL, Chen JY, Liou YJ, Chen TT, **Chen CH\***. Resequencing of the vesicular glutamate transporter 2 gene (VGLUT2) reveals some rare genetic variants that may increase the genetic burden in schizophrenia. *Schizophr Res* 2010;121:179-86.
75. Chien WH, Gau SS, Wu YY, Huang YS, Fang JS, Chen YJ, Liao DL, Soong WT, Chiu YN, **Chen CH\***. Detection of two novel chromosomal deletions associated with autism using array-based comparative genomic hybridization. *Clin Genet* 2010;78:449-56.
76. Cheng MC, Lu CL, Luu SU, Tsai HM, Hsu SH, Chen TT, **Chen CH\***. Genetic and functional analysis of the DLG4 gene encoding the post-synaptic density protein 95 in schizophrenia. *PLoS One* 2010;5:e15107.
77. Liao HM, Niu DM, Chen YJ, Fang JS, Chen SJ, **Chen CH\***. Identification of a microdeletion at Xp22.13 in a Taiwanese family presenting with Nance-Horan syndrome. *J Hum Genet* 2011;56:8-11.
78. Cheng MC, Hsu SH, **Chen CH\***. Repetitive administration of aripiprazole enhances locomotor response to methamphetamine challenge in mice. *Behav Brain Res* 2011;216:621-5.
79. Shie FS, Chen YH, **Chen CH**, Ho IK. Neuroimmune pharmacology of neurodegenerative and mental diseases. *J Neuroimmune Pharm* 2011;6:28-40.
80. Gau SS, **Chen CH\***. Response to nucaro et al. *Clin Genet* 2011;79:396.
81. Liao HM, Fang JS, Chen YJ, Cheng MC, Liao DL, **Chen CH\***. Association of increased ALX1 expression with microcephaly, language delay, and severe psychomotor retardation in a family segregating with a translocation t(1;12)(p32.1;q21.3). *BMC Med Genet* 2011;12:70.
82. Sun C, Cheng MC, Qin R, Liao DL, Chen TT, Koong FJ, Chen G, **Chen CH\***. Identification and functional characterization of rare mutations of the neuroligin-2 gene (*NLGN2*) associated with schizophrenia. *Hum Mol Genet* 2011 Aug 1;20(15):3042-51.

83. Chien YL, Wu YY, Chiu YN, Liu SK, Tsai WC, Lin PI, **Chen CH**, Gau SS, Chien WH. Association study of the CNS patterning genes and autism in Han Chinese in Taiwan. *Prog Neuropsychopharmacol Biol Psychiatry* 2011 Aug 1;35(6):1512-7.
84. Chien YL, Wu YY, **Chen CH**, Gau SSF, Huang YS, Chien WH, Hu FC, Chao YL. Association of HLA-DRB1 alleles and neuropsychological function in autism. *Psychiatr Genet* 2012 Feb;22(1):46-9.
85. Chen SJ, Chao YL, Chen CY, Chang CM, Wu CHE, CS Wu, Yeh HH, **Chen CH**, Tsai HJ. Prevalence of autoimmune diseases in hospitalized schizophrenic patients: a nationwide population-based study. *Br J Psychiatry* 2012 May;200:374-80.
86. Shen YC, Tsai HM, Cheng MC, Hsu SH, Chen SF, **Chen CH**\*. Genetic and functional analysis of the gene encoding GAP-43 in schizophrenia. *Schizophr Res* 2012;134:239-245.
87. Lin PI, Chien YL, Wu YY, **Chen CH**, Gau SS, Huang YS, Liu SK, Tsai WC, Chiu YN. The WNT2 gene polymorphism associated with speech delay inherent to autism. *Res Dev Disabil* 2012 Apr 19;33(5):1533-1540.
88. Shen YC, Tsai HM, Cheng MC, Hsu SH, Chen SF, **Chen CH**\*. Genetic and functional analysis of the gene encoding neurogranin in schizophrenia. *Schizophr Res* 2012;137:7-13.
89. Shen YC, Tsai HM, Ruan JW, Liao YC, Chen SF, **Chen CH**\*. Genetic and functional analysis of the gene encoding synaptophysin in schizophrenia. *Schizophr Res* 2012;137:14-19.
90. Liou YJ, Wang HH, Lee MT, Wang SC, Chiang HL, Chen CC, Lin CH, Chung MS, Kuo CC, Liao DL, Wu CK, Liu CM, Liu YL, Hwu HG, Lai IC, Tsai SJ, **Chen CH**, Liu HF, Chou YC, Chen CH, Chen YT, Hong CJ, Wu JY. Genome-wide association study of treatment refractory schizophrenia in Han Chinese. *PLoS One*. 2012;7(3):e33598.
91. Chao YL, Chen HH, **Chen CH**. Effects of repeated electroconvulsive shock on methamphetamine-induced behavioral abnormalities in mice. *Brain Stimul* 2012 Jul;5(3):393-401.
92. Gau SSF, Liao, HM, Hung CC, Chien WH, **Chen CH**\*. Identification of two inherited copy number variants in a male with autism supports two-hit and

- compound heterozygosity models of autism. Am J Med Genet B Neuropsychiatr Genet. 2012 Sep;159B(6):710-717.
93. Cheng MC, Chuang YA, Lu CL, Chen YJ, Luu SU, Li JM, Hsu SH, **Chen CH\***. Genetic and functional analysis of EGR family genes in schizophrenia. Prog Neuropsychopharmacol Biol Psychiatry 2012 Oct 39(1):149-155.
94. Liao HM, Chao YL, Huang AL, Cheng MC, Chen YJ, Lee KF, Fang JS, Hsu CH, **Chen CH\***. Identification and characterization of three inherited genomic copy number variations associated with familial schizophrenia. Schizophr Res 2012;139:229-236.
95. Huang CC, **Chen CH\***. The role of GABAergic signaling and the GABA<sub>A</sub> receptor subunit gene cluster at 15q11-q13 in autism spectrum disorders, schizophrenia, and heroin addiction. Tzu Chi Med J 2012;24:35-38.
96. Liao CY, Chen YJ, Lee JF, Lu CL, **Chen CH**. Cigarettes and the developing brain: Picturing nicotine as a neuroteratogen using clinical and preclinical studies Tzu Chi Med J 2012;24:157-61.
97. Shen YC, **Chen CH**. Schizophrenia as a neuronal synaptic disorder related to multiple rare genetic mutations. Tzu Chi Med J 2012;24:39-42.
98. Chen YH, Wu KL, **Chen CH\***. Methamphetamine reduces human influenza A virus replication. PLoS One 2012, 7(11):e48335.
99. Chen YH, **Chen CH\***. Neuronal auto-antibodies and psychiatric disorders. Taiwanese J Psychiatry 2012; Dec. 26(4):260-70.
100. Li JM, Lu CL, Cheng MC, Luu SU, Hsu SH, **Chen CH\***. Genetic analysis of the *DLGAP1* gene as a candidate gene for schizophrenia. Psychiatr Res 2013 Jan 30;205(1-2):13-7.
101. Lee CP, Chu CL, Liu CY, **Chen CH\***. Neuropsychiatric complications in a patient with Marfan syndrome. Acta Neuropsychiatrica 2013; 25 (4):243-247.
102. Chen YH, **Chen CH\***. The development of antibody-based immunotherapy for methamphetamine abuse: immunization, and virus-mediated gene transfer approaches. Curr Gene Ther 2013; Feb;13:39-50.
103. Chen YH, Liao DL, Cheng MC, Lai CH, **Chen CH\***. Genetic and expressive analyses of *AUTS2* as a susceptibility gene of heroin dependence. Drug Alcohol Depend 2013;128:238-42.

104. Li JM, Lu CL, Cheng MC, Luu SU, Hsu SH, Chen CH\*. Exonic resequencing of the *DLGAP3* gene as a candidate gene for schizophrenia. Psychiatr Res 2013; 208(1):84-7.
105. Chao YL, Chen CH. An introduction to microRNAs and their dysregulation in psychiatric disorders. Tzu Chi Med J 2013;25:1-7.
106. Lin PI, Kuo PS, Chen CH, Wu JY, Gau SSF, Wu YY, Liu SK. Runs of homozygosity associated with speech delay in autism in a Taiwanese Han population: evidence for the recessive model. PLoS One 2013, 8(8):e72056.
107. Liao HM, Gau SSS, Tsai WC, Fang JS, Su YC, Chou MC, Liu SK, Chou WJ, Wu YY, Chen CH\*. Chromosomal abnormalities in patients with autism spectrum disorders from Taiwan. Am J Med Genet B Neuropsychiatr Genet 2013 Oct;162(7):734-41.
108. Chien WH, Gau SSF, Lai CH, Chen CH, Tsai WH, Wu YY, Chen PH, Shang CY, Chen CH\*. Increased gene expression of *FOPX1* is associated with autism spectrum disorders. Mol Autism 2013 Jul 1;4(1):23.
109. Chien WH, Gau SSS, Tsai WC, Wu YY, Chiu YN, Liu SK, Lai CH, Chen CH\*. Deep exonic resequencing of *DLGAP2* as a candidate gene of autism. Mol Autism 2013 Aug 1;4(1):26.
110. Chen YH, Huang YS, Chen CH\*. Increased plasma level of tumor necrosis factor-alpha (TNF- $\alpha$ ) in patients with narcolepsy in Taiwan. Sleep Med 2013 Dec;14(12):1272-6.
111. Chen YH, Huang YS, Chien WH, Chen CH\*. Association analysis of HLA-DQB1 gene with narcolepsy in Han Chinese patients from Taiwan. Sleep Med 2013 Dec;14(12):1393-7.
112. Liao DL, Chen PC, Chen CH, Hsieh CJ, Huang YF, Shih WI, Cheng JJS. Higher methadone doses are associated with lower mortality in patients of opioid dependence in Taiwan. J Psychiatr Res 2013 Oct;47(10):1530-4.
113. Wu KY, Chang CM, Liang HY, Wu CS, Chia-Hsuan Wu E, Chen CH, Chau YL, Tsai HJ. Increased risk of developing dementia in patients with bipolar disorder: a nested matched case-control study. Bipolar Disord 2013 Nov;15(7):787-94.
114. Liao DL, Cheng MC, Hsu SH, Lai CH, Tsai HJ, Chen CH\*. Comparative gene expression profiling analysis of lymphoblastoid cells reveals

- neuron-specific enolase gene (*ENO2*) as a susceptibility gene of heroin dependence. *Addict Biol* 2014 Jan 19(1):102-10.
115. Huang YS, Guilleminault C, **Chen CH**, Lai PC, Hwang FM. Narcolepsy-cataplexy and schizophrenia in adolescents. *Sleep Med* 2014 Jan;15(1):15-22.
116. Li JM, Lu CL, Cheng MC, Luu SU, Shu SH, Hu TM, Tsia HY, **Chen CH\***. Role of the *DLGAP2* gene encoding the SAP90/PSD-95-associated protein 2 in schizophrenia. *PLoS One* 2014 Jan 8;9(1):e85373.
117. Huang CC, Cheng MC, Tsai HM, Lai CH, **Chen CH\***. Genetic analysis of GABRB3 at 15q12 as a candidate gene of schizophrenia. *Psychiatr Genet* 2014 Aug;24(4):151-7.
118. Wu KY, Hsiao IT, Chen CS, **Chen CH**, Hsieh CJ, Wai YY, Chang CJ, Tseng HJ, Yen TC, Liu CY, Lin KJ. Increased brain amyloid deposition in patients with a lifetime history of major depression: evidenced on <sup>18</sup>F-florbetapir (AV-45/Amyvid) positron emission tomography. *Eur J Nucl Med Mol Imaging* 2014; 41:714-722.
119. Jiang-Xie LF, Liao HM, **Chen CH**, Chen YT, Ho SY, Lu DH, Lee LJ, Liou HH, Fu WM, Gau SSF, Lu DH. Autism-associated gene Dlgap2 mutant mice demonstrate exacerbated aggressive behaviors and orbitofrontal cortex deficits. *Mol Autism* 2014; 5:32. (Co-first author)
120. **Chen CH**, Huang CC, Cheng MC, Chiu YN, Tsai WC, Liu SK, Wu YY, Tsai HM, Gau SSS\*. Genetic analysis of GABRB3 as a candidate gene of autism spectrum disorders. *Mol Autism* 2014 Jun 25;5:36.
121. **Chen CH\***, Huang CC, Liao DL. Association of *GABRB3* promoter variants with heroin dependence. *PLoS One* 2014 Jul 15;9(7):e102227.