

\*黃祥富醫師

所有發表期刊論文

1. Wu YH, Wang HM, Chen HHW, Lin CY, Chen EYC, Fan KH, Huang SF, Chen IH, Liao CT, Cheng AJ, Chang JTC. Hypothyroidism after radiotherapy for nasopharyngeal cancer patients. *Int J Radiat Oncol Biol Phys.* 2010; 76(4):1133-1139. (SCI)
2. Huang SF, Chen IH, Lee KF, Chen WC, Liao CT. Ductal carcinoma of submandibular gland – case report. *J of Taiwan Otolaryngol Head Neck Surg.* 2009; 44(5):160-164..
3. Huang SF, Liao CT, Chin SC, Chen IH. Transoral approach for plunging ranula –ten year experience. *Laryngoscope* 2010; 120: 53-57. (SCI)
4. Chen HH, Lee LY, Chin SC, Chen IH, Liao CT, Huang SF\*. Carcinoma ex pleomorphic adenoma of soft palate causing cavernous sinus thrombosis. *World J Surg Oncol* 2010; 30; 8(1):24. (SCI)
5. Lin WN, Huang HC, Wu CC, Liao CT, Chen IH, Kan CJ, Huang SF\*. Retrospective analysis of acinic cell carcinoma of the parotid gland – twenty years' experience. *Acta Oto-laryngica* 2010; 130 (12): 1406–1410. (SCI, correspondence author).
6. Lin CY, Wang HM, Kang CJ, Lee LY, Huang SF, Fan KH, Chen EYC, Chen IH, Liao CT, Chang JTC. Primary Tumor site as a predictor of treatment outcome for definitive radiotherapy of advanced-stage oral cavity cancers. *Int J Radiat Oncol Biol Phys.* 2010; 78(4):1011-1019. (SCI)
7. Liao CT, Wang HM, Chang JTC, Lin CY, Ng SH, Huang SF, Chen IH, Hsueh C, Lee LY, Lin CH, Cheng AJ, Yen TC. Influence of pathological nodal status and maximal standardized uptake value of the primary tumor and regional lymph nodes on treatment plans in patients with advanced oral cavity squamous cell carcinoma. *Int J Radiat Oncol Biol Phys.* 2010; 77(2): 421-429. (SCI)
8. Fan KH, Wang HM, Kang CJ, Lee LY, Huang SF, Lin CY, Chen EYC, Chen IH, Liao CT, Chang JTC. Treatment results of postoperative radiotherapy on squamous cell carcinoma of the oral cavity: coexistence of multiple minor risk factors results in higher recurrence rates. *Int J Radiat Oncol Biol Phys.* 2010, 77(4): 1024-1029. (SCI)
9. Chou CF, Chin SC, Lee LY, Chen IH, Liao CT, Huang SF\*. A dumbbell shaped mucosal melanoma connected by nasolacrimal duct in a patient with multiple co-morbidities – a treatment dilemma. *World J Oncol.* 2010;1(4):182-185.
10. Chan KC, Huang SF, Su JL, Wu CM. Cartilage inlay myringoplasty for outpatients. *Journal of Taiwan Otolaryngological Society.* 2010;

45(4):103-108.

11. Liao CT, **Huang SF**, Chen IH, Kang CJ, Lin CY, Fan KH, Wang HM, Ng SH, Hsueh C, Lee LY, Lin CH, Yen TC. Tongue and buccal mucosa carcinoma: is there a difference in outcome? *Ann Surg Oncol*. 2010; 17(11):2984-2991. **(SCI)**
12. **Huang SF\***, Lee TJ, Lee YS, Chen CC, Chin SC, Wang NC. Acute rhinosinusitis related orbital infection in pediatric patients – a retrospective analysis. *Annals of Otology, Rhinology & Laryngology* 2011; 120(3):185-190. **(SCI, correspondence author)**
13. **Huang SF\***, Chuang WY, Cheng SD, Hsin LJ, Lee LY, Kao HK. A colliding maxillary sinus cancer of adenosquamous carcinoma and small cell neuroendocrine carcinoma - a case report with EGFR copy number analysis. *World J Surg Oncol*: 2010; 8:92. **(SCI, correspondence author)**
14. Liao CT, Lee LY, **Huang SF**, Chen IH, Kang CJ, Lin CY, Fan KH, Wang HM, Ng SH, Yen TC. Outcome analysis of patients with oral cavity cancer and extracapsular spread in neck lymph nodes. *Int J Radiat Oncol Biol Phys*. 2011; 15;81(4):930-7. **(SCI)**
15. Chang MF, Wang HM, Kang CJ, **Huang SF**, Lin CY, Fang KH, Chen EY, Chen IH, Liao CT, Chang JT. Treatment results for hypopharyngeal cancer by different treatment strategies and its secondary primary - an experience in Taiwan. *Radiat Oncol*. 2010; 5:91. **(SCI)**
16. Liao CT, Wang HM, **Huang SF**, Chen IH, Kang CJ, Lin CY, Fan KH, Ng SH, Hsueh C, Lee LY, Lin CH, Yen TC. PET and PET/CT of the Neck Lymph Nodes Improves Risk Prediction in Patients with Squamous Cell Carcinoma of the Oral Cavity. *J Nucl Med*. 2011; 52(2):180-187. **(SCI)**
17. Liao CT, Lin CY, Fan KH, Wang HM, Ng SH, Lee LY, Hsueh C, Chen IH, **Huang SF**, Kang CJ, Yen TC. Identification of a high-risk group among patients with oral cavity squamous cell carcinoma and pT1-2N0 disease. *Int J Radiat Oncol Biol Phys*. 2012; 82(1):284-90. **(SCI)**
18. Chen HH, Chen IH, Liao CT, Wei FC, Lee LY, **Huang SF\***. Preoperative circulating c-reactive protein levels predict pathological aggressiveness in oral squamous cell carcinoma. *Clin Otolaryngol*. 2011; 36(2):147-153. **(SCI, correspondence author)**
19. Tsai YT, Yeh CJ, Chen YA, Chen YW, **Huang SF\***. Bilateral parotid abscesses as the initial presentation of strongyloidiasis in the immunocompetent host. *Head Neck*. 2012; 34(7):1051-1054. **(SCI, correspondence author)**
20. Lin WH, Chen IH, Wei FC, Huang JJ, Kang CJ, Hsieh LL, Wang HM, **Huang SF\***. Clinical significance of preoperative squamous cell carcinoma antigen in

oral-cavity squamous cell carcinoma. *Laryngoscope*. 2011; 121(5):971–977. (SCI) (Co-first author)

21. Chien HT, Liao CT, **Huang SF**, Chen IH, Liu TY, Jou YS, Wang HM, Hsieh LL. Clinical significance of genome-wide minimally deleted regions in oral squamous cell carcinomas. *Genes, Chromosomes and Cancer*. 2011; 50(5):358-369. (SCI)
22. Liao CT, Lin CY, Fan KH, **Huang SF**, Chen IH, Kang CJ, Wang HM, Ng SH, Hsueh C, Lee LY, Lin CH, Yen TC. Identification of a high-risk subgroup of patients with resected pT3 oral cavity cancer in need of postoperative adjuvant therapy. *Ann Surg Oncol*. 2011; 18(9):2569-78. (SCI)
23. Liao CT, Wang HM, **Huang SF**, Chen IH, Kang CJ, Lin CY, Fan KH, Ng SH, Hsueh C, Lee LY, Lin CH, Yen TC. PET and PET/CT of the neck lymph nodes improves risk prediction in patients with squamous cell carcinoma of the oral cavity. *J Nucl Med*. 2011; 52(2):180-7.
24. Abd El-Hafez YG, Chen CC, Ng SH, Lin CY, Wang HM, Chan SC, Chen IH, **Huang SF**, Kang CJ, Lee LY, Lin CH, Liao CT, Yen TC. Comparison of PET/CT and MRI for the detection of bone marrow invasion in patients with squamous cell carcinoma of the oral cavity. *Oral Oncol*. 2011; 47(4):288-95. (SCI)
25. Kang CJ, Lin CY, Wang HM, Fan KH, Ng SH, Lee LY, Chen IH, **Huang SF**, Liao CT, Yen TC. The number of pathologically positive lymph nodes and pathological tumor depth predicts prognosis in patients with poorly differentiated squamous cell carcinoma of the oral cavity. *Int J Radiat Oncol Biol Phys*. 2011; 81(4):e223-30. (SCI)
26. **Huang SF**, Cheng SD, Chien HT, Liao CT, Chen IH, Wang HM, Chuang WY, Hsieh LL. Epidermal growth factor receptor (EGFR) in oral cavity squamous cell carcinoma: a comparative study between protein overexpression and gene amplification. *Oral Oncology*. 2012; 48: 67–72. (SCI)
27. Wu JH, Chang KC, Liao CT, Chen IH, Kang CJ, **Huang SF\***. Preoperative Squamous Cell Carcinoma Antigen in Buccal Squamous Cell Carcinoma - a New Prognostic Factor? *J Taiwan Otolaryngol Head Neck Surg*. 2011; 46: 310-317. (Non-SCI)
28. Lin CY, Lin TY, Wang HM, **Huang SF**, Fan KH, Liao CT, Chen IH, Lee LY, Li YL, Chen YJ, Cheng AJ, Chang JTC. GP96 is over-expressed in oral cavity cancer and is a poor prognostic indicator for patients receiving radiotherapy. *Radiat Oncol*. 2011; 6: 136. (SCI)
29. **Huang SF**, Cheng SD, Chuang WY, Chen IH, Liao CT, Wang HM, Hsieh LL. Cyclin D1 overexpression and poor clinical outcomes in Taiwanese oral cavity squamous cell carcinoma. *World J Surg Oncol*. 2012; Feb 16;10:40. (SCI)

30. Lu YC, Chen YJ, Wang HM, Tsai CY, Chen WH, Huang YC, Fan KH, Tsai CN, **Huang SF**, Kang CJ, Chang JTC, Cheng AJ. Oncogenic function and early detection potential of mirna-10b in oral cancer as identified by microRNA profiling. *Cancer Prev Res*; 2012; 5(00); 1–10. (SCI)
31. Kang CJ, Liao CT, Hsueh C, Lee LY, Lin CY, Fan KH, Wang HM, **Huang SF**, Chen IH, Ng SH, Tsao CK, Huang YC, Yen TC. Outcome analysis of patients with well-differentiated oral cavity squamous cell carcinoma. *Oral Oncol.* 2011;47(11):1085-91. (SCI)
32. Liao CT, Hsueh C, Lee LY, Lin CY, Fan KH, Wang HM, **Huang SF**, Chen IH, Kang CJ, Ng SH, Tsao CK, Huang YC, Yen TC. Neck dissection field and lymph node density predict prognosis in patients with oral cavity cancer and pathological node metastases treated with adjuvant therapy. *Oral Oncol.* 2012; 48(4):329-36. (SCI)
33. **Huang SF\***, Wei FC, Liao CT, Wang HM, Lin CY, Lo S, Huang JJ, Chen IH, Kang CJ, Chien HT, Chen HH. Risk stratification in oral cavity squamous cell carcinoma by pre-operative CRP and SCC antigen levels. *Ann Surg Oncol.* 2012; 19(12): 3856-64.
34. Chang KC, Lee LY, Wu JH, Liao CT, Chen IH, Kang CJ, **Huang SF\***. Primary Malignant Oral Cavity Mucosal Melanoma – a Series of 16 New Cases in Taiwan *J Taiwan Otolaryngol Head Neck Surg.* 2012; 47(4):304-11. (Non-SCI)
35. Fang HY, **Huang SF\***, Chin SC, Wang YC, Shie SS. Radiology quiz: carotid artery mycotic pseudoaneurysm caused by *Salmonella enterica* serogroup D infection. *JAMA Otolaryngology - Head & Neck Surgery* 2013; 139(3): 307. doi:10.1001/jamaoto. 2013.19.. (SCI)
36. Su FH, Chang SN, Chen PC, Sung FC, **Huang SF**, Chiou HY, Su CT, Lin CC, Yeh CC. Positive Association Between Hepatitis C Infection and Oral Cavity Cancer: A Nationwide Population-Based Cohort Study in Taiwan. *PLoS ONE.* 2012; 7(10): e48109.
37. **Huang SF**, Li HF, Liao CT, Wang HM, Chen IH, Chang JC, Chen YJ, Cheng AJ. Association of HPV infections with second primary tumors in early-staged oral cavity cancer. *Oral Dis.* 2012;18(8):809-15.
38. Lu YC, Chen YJ, Wang HM, Tsai CY, Chen WH, Huang YC, Fan KH, Tsai CN, **Huang SF**, Kang CJ, Chang JT, Cheng AJ. Oncogenic function and early detection potential of miRNA-10b in oral cancer as identified by microRNA profiling. *Cancer Prev Res (Phila).* 2012 ; 5(4):665-74.
39. Lee LA, Huang CG, Liao CT, Lee LY, Hsueh C, Chen TC, Lin CY, Fan KH, Wang HM, **Huang SF**, Chen IH, Kang CJ, Ng SH, Yang SL, Tsao KC, Chang YL, Yen TC. Human papillomavirus-16 infection in advanced oral cavity cancer patients is

- related to an increased risk of distant metastases and poor survival. *PLoS ONE*. 2012;7(7):e40767.
40. Liao CT, Lin CY, Fan KH, Hsueh C, Lee LY, Wang HM, **Huang SF**, Chen IH, Kang CJ, Ng SH, Lin CH, Huang YC, Yen TC. Outcome Analyses of Unusual Site Neck Recurrence in Oral Cavity Cancer. *Ann Surg Oncol*. 2013;20(1): 257-66. doi: 10.1245/s10434-012-2580-3.
  41. Liao CT, Fan KH, Lin CY, Wang HM, **Huang SF**, Chen IH, Kang CJ, Ng SH, Hsueh C, Lee LY, Lin CH, Yen TC. Impact of a second FDG PET scan before adjuvant therapy for the early detection of residual/relapsing tumours in high-risk patients with oral cavity cancer and pathological extracapsular spread. *Eur J Nucl Med Mol Imaging*. 2012; 39(6): 944-55.
  42. Lai CH, **Huang SF**, Chen IH, Liao CT, Wang HM, Hsieh LL. The mitochondrial DNA northeast asia CZD haplogroup is associated with good disease-free survival among male oral squamous cell carcinoma patients. *PLoS ONE*. 2012; 7(11): e49684.
  43. Chen HH, Wang HM, Fan KH, Lin CY, Yen TC, Liao CT, Chen IH, Kang CJ, **Huang SF\***. Pre-treatment levels of C-reactive protein and squamous cell carcinoma antigen for predicting the aggressiveness of pharyngolaryngeal carcinoma. *PLoS ONE*. 2013; 8(1): e55327.
  44. Tsan DL, Lin CY, Kang CJ, **Huang SF**, Fan KH, Liao CT, Chen IH, Lee LY, Wang HM, Chang JT. The comparison between weekly and three-weekly cisplatin delivered concurrently with radiotherapy for patients with postoperative high-risk squamous cell carcinoma of the oral cavity. *Radiat Oncol*. 2012 Dec 18;7:215.
  45. Hung TM, Wang HM, Kang CJ, **Huang SF**, Liao CT, Chan SC, Ng SH, Chen IH, Lin CY, Fan KH, Chang JT. Pretreatment (18)F-FDG PET standardized uptake value of primary tumor and neck lymph nodes as a predictor of distant metastasis for patients with nasopharyngeal carcinoma. *Oral Oncol*. 2013; 49(2):169-74.
  46. Liao CT, Lee LY, Hsueh C, Lin CY, Fan KH, Wang HM, Ng SH, Lin CH, Tsao CK, Chen IH, Chang KP, **Huang SF**, Kang CJ, Fang KH, Wang YC, Chang YL, Huang YC, Tsai CY, Yen TC. Comparative outcomes in oral cavity cancer with resected pT4a and pT4b. *Oral Oncol*. 2013; 49(3):230-6.
  47. Fang HY, Huang XY, Chien HT, Chang JTC, Liao CT, Huang JJ, Wei FC, Wang HM, Chen IH, Kang CJ, **Huang SF\***. Refining the role of pre-operative C-reactive protein (CRP) by neutrophil/lymphocyte ratio (NLR) in oral cavity squamous cell carcinoma. *Laryngoscope* 2013; 123(11):2690-2699.
  48. Lai CH, **Huang SF**, Liao CT, Chen IH, Wang HM, Hsieh LL. Clinical

- significance in oral cavity squamous cell carcinoma of pathogenic somatic mitochondrial mutations. *PLoS ONE*. 2013, 8(6): e65578.  
doi:10.1371/journal.pone.0065578.
49. Ng SH, Lin CY, Chan SC, Yen TC, Liao CT, Chang JTC, Ko SF, Wang HM, Huang SF, Lin YC, Wang JJ. Dynamic Contrast-Enhanced MR Imaging Predicts Local Control in Oropharyngeal or Hypopharyngeal Squamous Cell Carcinoma Treated with Chemoradiotherapy. *PLoS ONE*. 2013, 8(8): e72230.  
doi:10.1371/journal.pone.0072230.