

Published:

Part A: First Author

1. **Wu JC**, Hsu WW, Shih CH: Lateral patellar retinacular release for patellar malalignment syndrome - a preliminary report. *Chang Gung Med J* **11** (1): 8-13, 1988.
2. **Wu CC**, Shih CH; Chen YJ: Adult femoral shaft fracture treated with an intramedullary nail. *Chang Gung Med J* **12** (3): 141-7, 1989.
3. **Wu CC**, Shih CH: Tibial fracture with or without fibular fracture – clinical studies. *Chang Gung Med J* **13** (3): 191-8, 1990.
4. **Wu CC**, Shih CH, Chen LH: Complex femoral fracture treated with interlocking nailing. *J Surg Assoc ROC* **23** (4): 306-14, 1990.
5. **Wu CC**, Shih CH: Aseptic nonunion of femoral shaft treated with interlocking nailing. *J Surg Assoc ROC* **23** (6): 467-72, 1990.
6. **Wu CC**, Shih CH, Lee ZL: Subtrochanteric fractures treated with interlocking nailing. *J Trauma* **31** (3): 326-33, 1991.
7. **Wu CC**, Shih CH: The role of an interlocking nail in the treatment of an unstable comminuted tibial shaft fracture. *J Orthop Surg ROC* **8** (1): 29-38, 1991.
8. **Wu CC**, Shih CH: Interlocking nailing of distal femoral fractures – 28 patients followed for 1-2 years. *Acta Orthop Scand* **62** (4): 342-5, 1991.
9. **Wu CC**, Shih CH: Ipsilateral femoral neck and shaft fractures –retrospective study of 33 cases. *Acta Orthop Scand* **62** (4): 346-51, 1991.
10. **Wu CC**, Shih CH: Clinical usage of a tibial interlocking nail. *J Surg Assoc ROC* **24** (2): 615-22, 1991.
11. **Wu CC**, Shih CH, Ueng WN: Treatment of an open femoral shaft fracture. *J Orthop Surg ROC* **8** (2): 85-95, 1991.
12. **Wu CC**, Shih CH: The preferable proximal femoral inlet in performing closed reamed intramedullary nailing. *J Orthop Surg ROC* **8** (2): 53-61, 1991.
13. **Wu CC**, Shih CH: Distal femoral nonunion treated with interlocking nailing. *J Trauma* **31** (12): 1659-62, 1991.
14. **Wu CC**, Shih CH: Biomechanical analysis of the dynamic hip screw in the treatment of intertrochanteric fractures. *Arch Orthop Trauma Surg* **110** (6): 307-10, 1991.
15. **Wu CC**, Shih CH: Treatment of open femoral and tibial shaft fractures – preliminary report on external fixation and secondary intramedullary nailing. *J Formos Med Assoc* **90** (12):1179-85, 1991.
16. **Wu CC**, Shih CH: Treatment of 84 cases of femoral nonunion. *Acta Orthop Scand* **63** (1): 57-60, 1992.
17. **Wu CC**, Shih CH: Simultaneous bilateral femoral shaft fractures. *J Trauma* **32** (3): 289-93, 1992.
18. **Wu CC**, Shih CH: Comminuted fractures of the femoral shaft treated by static interlocking nail. *J Surg Assoc ROC* **25** (1): 1017-23, 1992.
19. **Wu CC**, Shih CH, Lee ZL: A simpler surgical technique to treat aseptic nonunion : associated femoral length discrepancy. *Arch Orthop Trauma Surg* **111** (3): 160-4, 1992.
20. **Wu CC**, Shih CH, Chen YJ, Shih PY: Conservative treatment of humeral shaft fractures : emphasis on the value of functional brace treatment. *J Orthop Surg ROC* **9** (1): 61-70, 1992.

- 21.**Wu CC, Shih CH: Treatment of femoral supracondylar unstable comminuted fractures : comparisons between plating and Grosse-Kempf interlocking nailing techniques. *Arch Orthop Trauma Surg* **111** (4): 232-6, 1992.
- 22.**Wu CC, Shih CH: Treatment of type III open femoral shaft fractures: comparison between primary and secondary reamed intramedullary nailing. *J West Pacif Orthop Assoc* **29** (1): 31-6, 1992.
- 23.**Wu CC, Shih CH: Biomechanical analysis of the mechanism of interlocking nail failure. *Arch Orthop Trauma Surg* **111** (5): 268-72, 1992.
- 24.**Wu CC, Shih CH, Lee ZL: Treatment of tibial shaft nonunion with dynamic compression plate. *J Orthop Surg ROC* **9** (3): 153-60, 1992.
- 25.**Wu CC, Shih CH: A better technique for preventing cortical splitting of distal fragment in performing closed femoral Küntscher nailing. *J Orthop Surg Tech* **7** (1): 5-9, 1992.
- 26.**Wu CC, Shih CH: Simultaneous ipsilateral femoral and tibial shaft fractures : emphasis on the principles of tibial shaft treatment. *J Surg Assoc ROC* **25** (6): 1438-45, 1992.
- 27.**Wu CC, Shih CH: Treatment for nonunion of the shaft of the humerus: comparison of plates and Seidel interlocking nails. *Can J Surg* **35** (6): 661-5, 1992.
- 28.**Wu CC, Shih CH: Multiple pinning for femoral neck fractures : around an inserted interlocking nail. *J West Pacif Orthop Assoc* **29** (2): 1-6, 1992.
- 29.**Wu CC, Shih CH: A small effect of weight bearing in promoting fracture healing. *Arch Orthop Trauma Surg* **112** (1): 28-32, 1992.
- 30.**Wu CC, Shih CH, Ueng WN, Chen YJ: Treatment of segmental femoral shaft fractures. *Clin Orthop Relat Res* **287**: 224-30, 1993.
- 31.**Wu CC, Shih CH, Chen LH: Femoral shaft fractures complicated with fracture-dislocations of ipsilateral hip joints. *J Trauma* **34** (1): 70-5, 1993.
- 32.**Wu CC, Shih CH: Femoral shaft fractures associated with unstable pelvic fractures. *J Trauma* **34** (1): 76-81, 1993.
- 33.**Wu CC, Shih CH: A comparison of intertrochanteric fractures in elderly and younger patients. *Orthopaedics* **1** (3): 216-20, 1993.
- 34.**Wu CC, Shih CH: Complicated open fractures of the distal tibia treated by secondary interlocking nailing. *J Trauma* **34** (6): 792-6, 1993.
- 35.**Wu CC, Shih CH: The effect of dynamization of a static interlocking nail to promote fracture healing. *Can J Surg* **36** (4): 302-6, 1993.
- 36.**Wu CC, Shih CH: Segmental tibial shaft fractures treated with interlocking nailing. *J Orthop Trauma* **7** (5): 468-72, 1993.
- 37.**Wu CC, Shih CH: A simpler surgical technique to treat external snapping hip syndrome. *J Orthop Surg Tech* **8** (2): 271-4, 1993.
- 38.**Wu CC, Shih CH: A better technique to prevent tibial rotational malalignment. *J Orthop Surg Tech* **8** (2): 275-7, 1993.
- 39.**Wu CC, Shih CH: Comparison of dynamic compression plating and reamed intramedullary nailing in the treatment of aseptic tibial shaft nonunion. *Contemp Orthop* **28** (1): 28-34, 1994.
- 40.**Wu CC, Shih CH: Refracture after removal of a static-locked femoral nail. *Acta Orthop Scand* **66** (3): 296-8, 1995.
- 41.**Wu CC: Hip pyarthrosis introduced by infected reamed femoral intramedullary nailing. *J Orthop Surg (Hong Kong)* **3** (2): 79-84, 1995.
- 42.**Wu CC, Shih CH: Distal tibial nonunion treated by intramedullary reaming with external immobilization. *J Orthop Trauma* **10** (1): 45-9, 1996.
- 43.**Wu CC: Humeral shaft nonunion treated by a Seidel interlocking nail with a

- supplementary staple. *Clin Orthop Relat Res* **326**: 203-8, 1996.
44. **Wu CC**, Shih CH: A femoral fracture with an extruded 14-cm fragment treated by secondary locked nailing. *Acta Orthop Scand* **67** (3): 295-6, 1996.
45. **Wu CC**, Shih CH, Lee MY, Tai CL: Biomechanical analysis of location of lag screw of a dynamic hip screw in treatment of unstable intertrochanteric fracture. *J Trauma* **41** (4): 699-702, 1996. (NSC 83-0420-B182A-004-M08)
46. **Wu CC**, Shih CH: A malunited intertrochanteric fracture mimicking a gluteus maximus contracture. *J Orthop Surg (Hong Kong)* **4** (2): 111-3, 1996.
47. **Wu CC**, Chen WJ: Treatment of femoral shaft aseptic nonunions: comparison between closed and open bone- grafting techniques. *J Trauma* **43** (1): 112-6, 1997.
48. **Wu CC**: The effect of dynamization on slowing the healing of femur shaft fractures after interlocking nailing. *J Trauma* **43** (2): 263-7, 1997.
49. **Wu CC**: Biomechanical considerations in fracture treatment. *Chang Gung Med J* **20** (4): 251-7, 1997.
50. **Wu CC**, Chen WJ: Healing of 56 segmental femoral shaft fractures after locked nailing: poor results of dynamization. *Acta Orthop Scand* **68** (6): 537- 40, 1997.
51. **Wu CC**, Shih CH, Chen WJ, Tai CL: Quiescent infected nonunion of a tibia treated by intramedullary reaming with external fixation. *J Orthop Surg (Hong Kong)* **5** (2): 57- 64, 1997.
52. **Wu CC**, Shih CH, Chen WJ, Tai CL: Treatment of cutout of a lag screw of a dynamic hip screw in an intertrochanteric fracture. *Arch Orthop Trauma Surg* **117** (4/ 5): 193- 6, 1998.
53. **Wu CC**: Femoral interlocking nailing: a review of the experience at Chang Gung Memorial Hospital. *Chang Gung Med J* **21** (2): 125- 32, 1998.
54. **Wu CC**, Shih CH: Cementless ceramic total hip arthroplasty: a 5 to 16 year follow-up. *Chang Gung Med J* **21** (3): 300-5, 1998.
55. **Wu CC**, Shih CH, Chen WJ, Tai CL: Treatment of clavicular aseptic nonunion: comparison of plating and intramedullary nailing techniques. *J Trauma* **45** (3): 512- 6, 1998.
56. **Wu CC**, Shih CH, Chen WJ, Tai CL: Staple augmentation to treat a humeral nonunion after failed Seidel locked nailing. *Arch Orthop Trauma Surg* **118** (1): 42-4, 1998.
57. **Wu CC**, Shih CH, Chen WJ, Tai CL: High success rate with exchange nailing to treat a tibial shaft aseptic nonunion. *J Orthop Trauma* **13** (1): 33-8, 1999.
58. **Wu CC**, Shih CH, Chen WJ, Tai CL: Treatment of femoral neck nonunions with a sliding compression screw: comparison with and without subtrochanteric valgus osteotomy. *J Trauma* **46** (2): 312-7, 1999.
59. **Wu CC**, Shih CH, Chen WJ: Nonunion and shortening after femoral fracture treated with one- stage lengthening using locked nailing technique. *Acta Orthop Scand* **70** (1): 33-6, 1999.
60. **Wu CC**, Shih CH, Chen WJ, Tai CL: Effect of reaming bone grafting on treating femoral shaft aseptic nonunion after plating. *Arch Orthop Trauma Surg* **119** (5/6): 303-7, 1999.
61. **Wu CC**, Shih CH, Chen WJ, Tai CL: Treatment of ununited femoral shaft fractures associated with locked nail breakage: comparison between closed and open revision techniques. *J Orthop Trauma* **13** (7): 494-500, 1999.
62. **Wu CC**, Chen WJ, Shih CH: Tibial shaft malunion treated with reamed intramedullary nailing: a revised technique. *Arch Orthop Trauma Surg* **120** (3/4): 152- 6, 2000.
63. **Wu CC**: Bone grafting techniques in treating fracture nonunion. *Chang Gung Med J* **23** (6): 319-30, 2000.

- 64. Wu CC**, Tai CL, Shih CH: Biomechanical comparison for different configurations of tension band wiring techniques in treating an olecranon fracture. *J Trauma* **48** (6): 1063-7, 2000. (**NSC 87-2314-B-182A-012**)
- 65. Wu CC**, Chen WJ: A revised protocol for more clearly classifying a nonunion. *J Orthop Surg (Hong Kong)* **8** (1): 45-52, 2000.
- 66. Wu CC**, Tai CL, Chen WJ: Patellar tension band wiring: a revised technique. *Arch Orthop Trauma Surg* **121** (1/2): 12-6, 2001.
- 67. Wu CC**, Shih CH, Chen WJ, Tai CL: Tension band technique for ankle fusion. *Orthopedics* **24** (1): 37-40, 2001.
- 68. Wu CC**: An improved surgical technique to treat femoral shaft malunion: revised reamed intramedullary nailing technique. *Arch Orthop Trauma Surg* **121** (5): 265-70, 2001.
- 69. Wu CC**: Treatment of femoral shaft aseptic nonunion associated with plating failure: emphasis on the situation of screw breakage. *J Trauma* **51** (4): 710-3, 2001.
- 70. Wu CC**: Femoral reconstruction. *Chang Gung Med J* **24** (12): 756-67, 2001.
- 71. Wu CC**, Chen WJ: Exchange nailing for aseptic nonunion of the femoral shaft. *Int Orthop* **26** (2): 80-4, 2002.
- 72. Wu CC**: Reaming bone grafting to treat tibial shaft aseptic nonunion after plating. *J Orthop Surg (Hong Kong)* **11** (1): 16-21, 2003.
- 73. Wu CC**, Chen WJ: Tibial lengthening: technique for speedy lengthening by external fixation and secondary internal fixation. *J Trauma* **54** (6): 1159-65, 2003.
- 74. Wu CC**, Chen WJ: One-stage revision surgery to treat hip infected nonunion after stabilization with a sliding compression screw. *Arch Orthop Trauma Surg* **123** (8): 383-7, 2003.
- 75. Wu CC**: Posttraumatic contracture of elbow treated with intraarticular technique. *Arch Orthop Trauma Surg* **123** (9): 494-500, 2003.
- 76. Wu CC**, Chen WJ: Minimally displaced intracapsular femoral neck fractures in the elderly --- comparison of multiple threaded pins and sliding compression screw surgical techniques. *J Orthop Surg (Hong Kong)* **11** (2): 129-36, 2003.
- 77. Wu CC**, Peng KT: Metastatic proximal femoral fractures treated by segmental allograft replacement. *Int Orthop* electronic publication online (E 042), **27** (6): 387, 2003.
- 78. Wu CC**, Lee ZL: One-stage lengthening using a locked nailing technique for distal femoral shaft nonunions associated with shortening. *J Orthop Trauma* **18** (2): 75-80, 2004.
- 79. Wu CC**, Shih CH: The influence of iliotibial tract on patellar tracking. *Orthopedics* **27** (2): 199-203, 2004. (**NSC 88- 2314-B-182A-062**)
- 80. Wu CC**: Ununited ipsilateral femoral neck and shaft fractures: treatment of 16 cases. *Arch Orthop Trauma Surg* **124** (3): 173-8, 2004.
- 81. Wu CC**, Lee ZL: Low success rate of non-intervention after breakage of interlocking nails. *Int Orthop* **29** (2): 105-8, 2005.
- 82. Wu CC**, Lee ZL: Treatment of femoral shaft aseptic nonunion associated with broken distal locked screws and shortening. *J Trauma* **58** (4): 837-40, 2005.
- 83. Wu CC**: Salvage of proximal tibial malunion or nonunion with the use of angled blade plate. *Arch Orthop Trauma Surg* **126** (2): 82-7, 2006.
- 84. Wu CC**, Tai CL: A biomechanical comparison for the superiority of unlocked or locked reamed intramedullary nails in the treatment of mid-third simple transverse femoral shaft fractures. *Chang Gung Med J* **29** (3): 275-82, 2006. (**NSC 89-2320-B-182A-023**)
- 85. Wu CC**: Treatment of long-bone fractures, malunions, and nonunions: experience at Chang Gung Memorial Hospital, Taoyuan, Taiwan. *Chang Gung Med J* **29** (4): 347-57,

- 2006.
86. **Wu CC**, Lee MY, Lin PY: Dynamic reaction force of feet after unilateral total knee arthroplasty. *Formos J Surg* **39** (6): 293-9, 2006. (**NSC 89-2314-B-182A-190**)
87. **Wu CC**, Tai CL: Plating treatment for tibial plateau fractures: a biomechanical comparison of buttress and tension band positions. *Arch Orthop Trauma Surg* **127**(1): 19-24, 2007. (**NSC 92-2314-B-182A-094**)
88. **Wu CC**: Femoral supracondylar malunions with varus medial condyle and shortening. *Clin Orthop Relat Res* **456**: 226-32, 2007.
89. **Wu CC**: Exchange nailing for aseptic nonunion of femoral shaft: a retrospective cohort study for effect of reaming size. *J Trauma* **63** (4): 859-65, 2007.
90. **Wu CC**, Lee ZL: Speeded gradual lengthening and secondary angled blade plate stabilization for proximal tibial shaft nonunions with shortening. *Int Orthop* **32** (5): 693-6, 2008.
91. **Wu CC**: Locked nailing for shortened subtrochanteric nonunions: a one-stage treatment. *Clin Orthop Relat Res* **467** (1): 254-9, 2009.
92. **Wu CC**: Retrograde dynamic locked nailing for femoral supracondylar nonunions after plating. *J Trauma* **66** (1): 195-9, 2009.
93. **Wu CC**, Chou SW, Hong WH: Effectiveness of goosestep training or its modification on treating patellar malalignment syndrome: Clinical, radiographic, and electromyographic studies. *Arch Orthop Trauma Surg* **129** (3): 333-41, 2009. (**NSC 93-2314-B-182A-033**)
94. **Wu CC**, Tai CL: Reconstruction interlocking nails for ipsilateral femoral neck and shaft fractures: biomechanical analysis of effect of supplementary cannulated screw on intracapsular femoral neck fracture. *Clin Biomech* **24** (8): 642-7, 2009. (**NSC 95-2314-B-182A-086**)
95. **Wu CC**, Wang CJ, Shyu YIL: More aggravated osteoporosis in lateral trochanter compared to femoral neck with age: contributing age difference between intertrochanteric and femoral neck fractures in elderly patients. *Injury* **40** (10): 1093-7, 2009.
96. **Wu CC**: Using biomechanics to improve the surgical technique for internal fixation of intracapsular femoral neck fractures. *Chang Gung Med J* **33** (3): 241-51, 2010.
97. **Wu CC**, Tai CL: Effect of lag-screw positions on modes of fixation failure in elderly patients with unstable intertrochanteric fractures of the femur. *J Orthop Surg (Hong Kong)* **18** (2): 158-65, 2010.
98. **Wu CC**: Combined lateral retinacular release with drilling chondroplasty for treatment of patellofemoral osteoarthritis associated with patellar malalignment in elderly patients. *Knee* **18** (1): 24-9, 2011.
99. **Wu CC**: Single-stage surgical treatment of infected nonunion of the distal tibia. *J Orthop Trauma* **25** (3): 156-61, 2011.
100. **Wu CC**: Retrograde dynamic locked nailing for aseptic nonunion of femoral supracondyle after antegrade locked nailing. *Arch Orthop Trauma Surg* **131** (4): 513-7, 2011.
101. **Wu CC**: Modified retrograde-locked nailing for aseptic femoral supracondylar nonunion with severe osteoporosis in elderly patients. *J Trauma* **71** (2): E26-30, 2011.
102. **Wu CC**, Wang CJ, Shyu YIL: Variations in bone mineral density of proximal femora of elderly people with hip fractures: a case-control analysis. *J Trauma* **71** (6): 1720-5, 2011. (**NSC 97-2314-B-182A-002**)
103. **Wu CC**, Tai CL: Retrograde nailing of a femoral supracondyle. *Orthopedics* **35** (4): e491-6, 2012. (**NSC 98-2314-B-182A-011**)
104. **Wu CC**: Retrograde dynamic locked nailing for valgus knee correction: a revised

- technique. *Int Orthop* **36** (6): 1191-7, 2012.
- 105. Wu CC:** Retrograde traditional femoral or tibial locked intramedullary nails for distal femoral injuries. *Formos J Musculoskelet Disord* **3** (3): 77-82, 2012.
- 106. Wu CC:** Tension band wiring versus Knowles pinning for non-union of type-2 distal clavicle fractures. *J Orthop Surg (Hong Kong)* **20** (3): 297-301, 2012.
- 107. Wu CC:** A novel approach for evaluating acceptable intra-operative correction of lower limb alignment in femoral and tibial malunion using the deviation angle of the normal contralateral knee. *Knee* **21** (2): 573-81, 2014.
- 108. Wu CC:** Integrating various common indexes of bony alignment in femoral supracondyle. *Eur J Orthop Surg Traumatol* 2013. (on line)
- 109. Wu CC:** Correction of supracondylar femoral varus malunions after condylar buttress plating by using retrograde locked intramedullary nailing. *Acta Orthop Traumatol Turc* 2014. (In press)

Part B: Co-author

1. Huang TJ, Chen LH, **Wu CC**, et al: Utilizing Hoffmann external fixator to stabilize unstable pelvic fractures. *J Orthop Surg ROC* **6** (4): 161-8, 1989.
2. Chen LH, Shih CH, Hsu WW, Chen WJ, **Wu CC**, et al: Anterior internal fixation of the disrupted sacroiliac joint – a preliminary report. *J Surg Assoc ROC* **26** (3): 1796-804, 1993.
3. Huang YC, **Wu CC**, Shih CH, Tsan YY: Monteggia fractures in adults. *Chang Gung Med J* **16** (2): 81-7, 1993.
4. Hsu KY, **Wu CC**, Wang KC, Shih CH: Simultaneous dislocation of the five carpometacarpal joints with concomitant fractures of the tuberosity of the trapezium and the hook of the hamate: case report. *J Trauma* **35** (3): 479-83, 1993.
5. Fan GF, **Wu CC**, Shih CH: Olecranon fractures treated with tension band wiring techniques – comparisons among three different configurations. *Chang Gung Med J* **16** (4): 231-8, 1993.
6. Shih CH, Niu CC, Lee ZL, Yang WE, **Wu CC**: Femoral osteolysis in cementless total hip arthroplasty. *J Orthop Surg ROC* **10** (4): 415-21, 1993.
7. Shih CH, Du YK, Lin YH, **Wu CC**: Muscular recovery around the hip joint after total hip arthroplasty. *Clin Orthop Relat Res* **302**:115-20, 1994.
8. Shih CH, **Wu CC**, Lee ZL, Yang WE: Localized femoral osteolysis in cementless ceramic total hip arthroplasty. *Orthop Rev* **23** (4): 325-8, 1994.
9. Chen YJ, **Wu CC**, Hsu WW, Shih CH: The intra-articular migration of the broken wire: a rare complication of circumferential wiring in patellar fractures. *Chang Gung Med J* **17** (3): 276-8, 1994.
10. Chen WJ, **Wu CC**, Shih CH: Surgical treatment for deltoid contracture in adults. *Am J Orthop* **24** (6): 488-91, 1995.
11. Chen WJ, **Wu CC**, Chen LH, Niu CC, Shih CH: Distal release for deltoid contracture in adults. *J Orthop Surg (Hong Kong)* **3** (1): 31-4, 1995.
12. Chen WJ, **Wu CC**, Shih CH: Unusual penetrating spinal injury with falling from height: a case report. *J Orthop Surg (Hong Kong)* **3** (2): 111-5, 1995.
13. Shih CH, Chen WP, Tai CL, Kuo RF, **Wu CC**, Chen CH: New concepts- biomechanical studies of a newly designed femoral prosthesis (cervicotrochanter prosthesis). *Clin Biomech* **12** (7/8): 482-90, 1997.

14. Chen WJ, Chen LH, Niu CC, Shih CH, Chen CH, Wu CC, et al: Early prediction of the fate of conservative treatment in lumbar intervertebral disc herniation: a clinical and radiographic study. *Laureate Dragon* **1**: 73-8, 1998.
15. Chen CH, Chen WJ, Wu CC, Shih CH: Arthroscopic anterior cruciate ligament reconstruction with quadruple semitendinosus and gracilis tendon autograft: surgical technique and clinical results. *J Orthop Surg (Hong Kong)* **6** (2): 61-70, 1998.
16. Chen CH, Chen WJ, Chen LH, Wu CC, Shih CH: Popliteal cyst associated with prosthesis wearing of total knee replacement. *Formos J Surg* **32** (3): 139-42, 1999.
17. Parvizi J, Wu CC, Lewallen DG, Greenleaf JF, Bolander ME: Low-intensity ultrasound stimulates proteoglycan synthesis in rat chondrocytes by increasing aggrecan gene expression. *J Orthop Res* **17** (4): 488-94, 1999.
18. Chen WJ, Wu CC, Lin YH, Shih CH: Treatment of deltoid contracture in adults by distal release of the deltoid. *Clin Orthop Relat Res* **378**: 136-42, 2000.
19. Lee MY, Chen CC, Chen CT, Wu CC: Assessment of human ambulatory dynamic postural stability: analysis and comparison of butterfly curve. *Chin J Med Biol Eng* **20** (3): 167-76, 2000.
20. Yang SY, Maa SH, Hsu KH, Wu CC: Development of outcome measurement instrument for quantifying the effectiveness of medical care of knee osteoarthritis. *J Nurs ROC* **48** (3): 44-54, 2001.
21. Chen WJ, Wu CC, Jung CH, Chen LH, Niu CC, Lai PL: Combined anterior and posterior surgeries in the treatment of spinal tuberculous spondylitis. *Clin Orthop Relat Res* **398**: 50-9, 2002.
22. Tsai HH, Shyu LYI, Lu RJF, Wu CC: The influence of environment on the hip fractured elderly's quality of life post-discharge. *Chang Gung Nurs* **13** (1): 11-20, 2002.
23. Yu CW, Wu CC, Chen WJ: Aseptic nonunion of a femoral shaft treated using exchange nailing. *Chang Gung Med J* **25** (9): 591-8, 2002.
24. Shyu YI, Chen MC, Liang J, Lu JF, Wu CC, Su JY: Changes in quality of life among elderly patients with hip fracture in Taiwan. *Osteoporos Int* **15** (2): 95-102, 2004.
25. Shyu YI, Chen MC, Liang J, Wu CC, Su JY: Predictors of functional recovery for hip fractured elders during 12 months following hospital discharge: a prospective study on a Taiwanese sample. *Osteoporos Int* **15** (6): 475-82, 2004.
26. Shyu YIL, Liang J, Lu JFR, Wu CC: Environmental barriers and mobility in Taiwan: Is the Roy adaptation model applicable? *Nurs Sci Quart* **17** (2): 165-70, 2004.
27. Shyu YI, Liang J, Wu CC, Su JY, Cheng HS, Chou SW, Yang CT: A pilot investigation of the short-term effects of an interdisciplinary intervention program on elderly patients with hip fracture in Taiwan. *J Am Geriatr Soc* **53** (5): 811-8, 2005.
28. Peng KT, Wu CC, Hsu RWW: Intracapsular femoral neck nonunions treated by subtrochanteric valgus osteotomies and dynamic hip screw fixations. *J Orthop Surg (ROC)* **22** (2): 67-73, 2005.
29. Kao HK, Wu CC, Lee PC, Su CY, Fan KF, Tseng IC: Ipsilateral femoral neck and shaft fractures treated with Russell-Taylor reconstruction intramedullary nails. *Chang Gung Med J* **29** (1): 79-85, 2006.
30. Lin WC, Wu CC, Su CY, Fan KF, Tseng IC, Chiu YL: Surgical treatment of acute complete acromioclavicular dislocation: comparison of coracoclavicular screw fixation supplemented with tension band wiring or ligament transfer. *Chang Gung Med J* **29** (2): 182-9, 2006.
31. Hsu YT, Wu CC, Su CY, Fan KF, Tseng IC, Cheou YL: Indirect reduction with sliding compression screw stabilization for subtrochanteric fractures. *Chang Gung Med J* **29** (2):

- 190-7, 2006.
32. Hsiao CW, Wu CC, Su CY, Fan KF, Tseng IC, Lee PC: Exchange nailing for aseptic tibial shaft nonunion: emphasis on the influence of a concomitant fibulotomy. *Chang Gung Med J* **29** (3): 283-90, 2006.
33. Dai MH, Wu CC, Liu HT, Wang IC, Yu CM, Wang KC, et al: Treatment of volar Barton's fractures: comparison between two common surgical techniques. *Chang Gung Med J* **29** (4): 388-94, 2006.--- *Corresponding author.*
34. Huang JW, Chen WJ, Liao SK, Yang CY, Lin SS, Wu CC: Osteoblastic differentiation of rabbit mesenchymal stem cells loaded in a carrier system of pluronic F127 and interpore. *Chang Gung Med J* **29** (4): 363-72, 2006.
35. Huang YC, Wu CC: Modified Thompson quadricepsplasty to treat extension contracture of the knee after surgical treatment of patellar fractures. *Chang Gung Med J* **30** (3): 263-9, 2007 ---- *Corresponding author.*
36. Hsu YH, Wu CC, Fan KF, Tseng IC, Lee PC, Chou YC: Surgical outcomes and quality of life between intracapsular femoral neck and intertrochanteric fractures in elderly patients. *J Orthop Surg (Taiwan)* **24** (4): 111-20, 2007 ---- *Corresponding author.*
37. Lee PC, Hsieh PH, Yu SW, Shiao CW, Kao HK, Wu CC: Biologic plating versus intramedullary nailing for comminuted subtrochanteric fractures in young adults: A prospective, randomized study of 66 cases. *J Trauma* **63** (6): 1283-91, 2007.
38. Shyu YIL, Liang J, Wu CC, Su JY, Cheng HS, Chou SW, et al: Interdisciplinary intervention for hip fracture in older Taiwanese: Benefits last for one year. *J Gerontol A Biol Sci Med Sci* **63** (1): 92-7, 2008.
39. Maa SH, Sun MF, Wu CC: The Effectiveness of acupuncture on pain and mobility in patients with osteoarthritis of the knee: a pilot study. *J Nurs Res* **16** (2): 140-8, 2008.
40. Shyu YI, Chen MC, Cheng HS, Deng HC, Liang J, Wu CC, Tsai WC: Severity of depression risk predicts health outcomes and recovery following surgery for hip-fractured elders. *Osteoporos Int* **19** (11): 1541-7, 2008.
41. Lou SF, Wu CC, Fang RY, Kuo CF, Yang CM: Involvement of MAPKs and NF-[kappa] B in TNF-[alpha]- induced VCAM-1 expression in human rheumatoid arthritis synovial fibroblasts: P3C-01. *Int J Rheum Dis* **11** (Suppl.1): A388, 2008.
42. Shyu YIL, Chen ML, Chen MC, Wu CC, Su JY: Postoperative pain and its impact on quality of life for hip-fractured older people over 12 months after hospital discharge. *J Clin Nurs* **18** (5): 755-64, 2009.
43. Chiang CW, Wu CC, Fan GF, Tseng IC, Lee PC, Chou YC: Operative treatment of distal tibial shaft fractures: comparison of locked intramedullary nailing and plating techniques. *J Orthop Surg (Taiwan)* **26** (2): 57-64, 2009 ---- *Corresponding author.*
44. Tsai MC, Wu CC, Hsiao CW, Huang JW, Kao HK, Hsu YT: Reconstruction intramedullary nailing for ipsilateral femoral neck and shaft fractures: Main factors determining prognosis. *Chang Gung Med J* **32** (5): 563-73, 2009 --- *Corresponding author.*
45. Shyu YI, Cheng HS, Teng HC, Chen MC, Wu CC, Tsai WC: Older people with hip fracture: depression in the postoperative first year. *J Adv Nurs* **65** (12): 2314-22, 2009.
46. Chiu CH, Wu CC, Fan KF, Tseng IC, Lee PC, Chou YC: Optimal location of lag screw of dynamic hip screw in femoral head during treating unstable intertrochanteric fractures in elderly patients. *J Orthop Surg (Taiwan)* **26** (4): 162-9, 2009 --- *Corresponding author.*
47. Chou YC, Wu CC, Chan YS, Chang CH, Hsu YH, Huang YC: Medial gastrocnemius muscle flap for treating wound complications after double-plate fixation via two-incision approach for complex tibial plateau fractures. *J Trauma* **68** (1): 138-45, 2010.

48. Huang TW, **Wu CC**, Fan KF, Tseng IC, Lee PC, Chou YC: Tension band wiring for olecranon fractures: relative stability of Kirschner wires in various configurations. *J Trauma* **68** (1): 173-6, 2010 --- **Corresponding author.**
49. Luo SF, Fang RY, Hsieh HL, Chi PL, Lin CC, Hsiao LD, **Wu CC**, et al: Involvement of MAPKs and NF-kappaB in tumor necrosis factor alpha-induced vascular cell adhesion molecule 1 expression in human rheumatoid arthritis synovial fibroblasts. *Arthritis Rheum* **62** (1): 105-16, 2010.
50. Lee PC, Hsieh PH, Chou YC, **Wu CC**, Chen WJ: Dynamic hip screws for unstable intertrochanteric fractures in elderly patients--encouraging results with a cement augmentation technique. *J Trauma* **68** (4): 954-64, 2010.
51. Shyu YIL, Liang J, **Wu CC**, Su JY, et al: Two-year effects of interdisciplinary intervention for hip fracture in older Taiwanese. *J Am Geriatr Soc* **58** (6): 1081-9, 2010.
52. Chen CL, Hsu YH, **Wu CC**, Fan KF, Tseng IC, Lee PC. Surgical treatment of metastatic lesions with or without pathologic fractures in proximal femurs. *J Orthop Surg (Taiwan)* **27** (2): 55-62, 2010.
53. Yang CM, Luo SF, Hsieh HL, Chi PL, Lin CC, **Wu CC**, et al: Interleukin-1beta induces ICAM-1 expression enhancing leukocyte adhesion in human rheumatoid arthritis synovial fibroblasts: Involvement of ERK, JNK, AP-1, and NF-kappa B. *J Cell Physiol* **224** (2): 516-26, 2010.
54. Shyu YI, Chen MC, **Wu CC**, Cheng HS: Family caregivers' needs predict functional recovery of older care recipients after hip fracture. *J Adv Nurs* **66** (11): 2450-9, 2010.
55. Shyu YI, Liang J, **Wu CC**, Cheng HS, Chen MC: An interdisciplinary intervention for older Taiwanese patients after surgery for hip fracture improves health-related quality of life. *BMC Musculoskelet Disord* **29** (11): 225, 2010.
56. Yu CW, **Wu CC**: Revision surgery for femoral shaft aseptic nonunion associated with broken distal locked screws. *Formos J Musculoskelet Disord* **2** (1): 2-6, 2011.
57. Hsu YT, Wu CC, Lee WC, Fan KF, Tseng IC, Lee PC: Surgical treatment of syndesmotic diastasis: emphasis on effect of syndesmotic screw on ankle function. *Int Orthop* **35** (3): 359-64, 2011 --- **Corresponding author.**
58. Chou YC, Chen AC, Chen CY, Hsu YH, **Wu CC**: Dorsal and volar 2.4-mm titanium locking plate fixation for AO Type C3 dorsally comminuted distal radius fractures. *J Hand Surg Am* **36** (6): 974-81, 2011.
59. Huang JW, Lin SS, Chen LH, Liu ST, Niu CC, Yuan LJ, **Wu CC**, Chen WJ: The use of fluorescence-labeled mesenchymal stem cells in poly (lactide-co-glycolide) / hydroxyapatite / collagen hybrid graft as a bone substitute for posterolateral spinal fusion. *J Trauma* **70** (6): 1495-502, 2011.
60. Yu YH, Tseng IC, Su CY, Huang JW, **Wu CC**: Modified technique of percutaneous posterior columnar screw insertion and neutralization plate for complex acetabular fractures. *J Trauma* **71** (1): 198-203, 2011.
61. Chou YC, Hsu YH, Cheng CY, **Wu CC**: Percutaneous screw and axial Kirschner wire fixation for acute transscaphoid perilunate fracture dislocation. *J Hand Surg Am* **37** (4): 715-20, 2012.
62. Shyu YIL, Tsai WC, Chen MC, Liang J, Cheng HS, **Wu CC**, et al: Two-year effects of an interdisciplinary intervention on recovery following hip fracture in older Taiwanese with cognitive impairment. *Int J Geriatr Psychiatry* **27** (5): 529-38, 2012.
63. Weng CJ, **Wu CC**, Feng KF, Tseng IC, Lee PC, Huang YC: High incidence of varus deformity with condylar buttress plates to treat supra-intercondylar fracture of the femur. *Formos J Musculoskelet Disord* **3** (2):50-5, 2012.

64. Chen PH, Wu CC, Tseng IC, Fan KF, Lee PC, Chen WJ: Comparison of the elderly patients with and without intertrochanteric fractures and the factors affecting the severity of the fractures. *Formos J Musculoskelet Disord* **3** (2): 61-5, 2012 --- **Corresponding author.**
65. Wu MH, Lee PC, Peng KT, Wu CC, Huang TJ, Hsu RWW: Complications of cement-augmented dynamic hip screws in unstable type intertrochanteric fractures- a case series study. *Chang Gung Med J* **35** (4): 345-53, 2012.
66. Huang YF, Shyu YI, Liang J, Chen MC, Cheng HS, Wu CC: Diabetes and health outcomes among older Taiwanese with hip fracture. *Rejuvenation Res* **15** (5): 476-82, 2012.
67. Shyu YIL, Liang J, Tseng MY, Li HJ, Wu CC, et al: Comprehensive care improves health outcomes among elderly Taiwanese patients with hip fracture. *J Gerontol A Biol Sci Med Sci* **68** (2): 188-97, 2013.
68. Wu CL, Tseng IC, Huang JW, Yu YH, Su CY, Wu CC: Unstable pelvic fractures associated with femoral shaft fractures- a retrograde analysis. *Biomed J* **36** (2): 77-83, 2013.
69. Li HJ, Cheng HS, Liang J, Wu CC, Shyu YI: Functional recovery of older people with hip fracture: does malnutrition make a difference? *J Adv Nurs* **69** (8): 1691-703, 2013.
70. Shyu YI, Liang J, Tseng MY, Li HJ, Wu CC, et al.: Comprehensive and subacute care interventions improve health-related quality of life for older patients after surgery for hip fracture: A randomised controlled trial. *Int J Nurs Stud* **50** (8): 1013-24, 2013.
71. Chou YC, Tseng IC, Chiang CW, Wu CC: Shoulder hemiarthroplasty for proximal humeral fractures: comparisons between the deltopectoral and anterolateral deltoid-splitting approaches. *J Shoulder Elbow Surg* **22** (8): e1-7, 2013.
72. Shyu YI, Tseng MY, Liang J, Tsai WC, Wu CC, Cheng HS: Interdisciplinary intervention decreases cognitive impairment for older Taiwanese with hip fracture: 2-year follow-up. *Int J Geriatr Psychiatry* **28** (12): 1222-31, 2013.
73. Chang CW, Wu CC, Chou YC, Fan KF, Tseng IC, Lee PC: Closed reduction with external fixation for extra-articular distal radius fractures: comparison of three immobilization periods. *Formos J Musculoskelet Disord* 2013. (In press).
74. Liu HY, Tseng MY, Li HJ, Wu CC, Cheng HS, Yang CT, Chou SW, Chen CY, Shyu YIL: Comprehensive care improves physical recovery of hip-fractured elderly Taiwanese patients with poor nutritional status. *J Am Med Dir Assoc* 2014. (on line).