

*林俊良醫師

所有發表期刊論文

1. Chih-Wei Yang, Ming-Jeng Pan, Mai-Szu Wu, Yu-Ming Chen, Yu-Tang Tsen, **Chun-Liang Lin**, Cheng-Hung Wu, Chiu-Ching Huang. Leptospirosis: An ingored Cause of Acute Renal Failure in Taiwan. *Am J Kidney Dis* 1997; 30:840-845 ◦
2. **Chun-Liang Lin**, Mai-Szu Wu, Chih-Wei Yang and Chiu-Ching Huang. Leptospirosis associated with hypokalaemia and thick ascending limb dysfunction. *Nephrol Dial Transplant* 1999; 14:193-195 ◦
3. Huang CC, **Lin CL**, Lien JM, High prevalence of GB virus-C infection in haemodialysis patients. *Nephrol Dial Transplant* 1999 Jul; 14(7): 1802-3 ◦
4. **Chun-Liang Lin**, Chiu-Ching Huang, Ching-Tung Chang, Mai-Szu Wu, Cheng-Chieh Hung, Chu-Chun Chien, Chih-Wei Yang Clinical Improvement by Increased Frequency of On-Line Hemodialfiltration, *Renal Failure*, 23 (2), 193-206, 2001 ◦
5. **Lin CL**. Yang CW. Chiang CC. Chang CT. Huang CC. Long-term on-line hemodiafiltration reduces predialysis beta-2-microglobulin levels in chronic hemodialysis patients. *Blood Purification*. 19(3):301-7, 2001 ◦
6. Hsu HH, **Lin CL**, Chen YC, Fang JT, Huang CC: An enormous abdominal mass associated with acute renal failure, *Renal Failure*, Volume 23(5), 721-725, 2001 ◦
7. **Lin CL**, Huang CC, Yu CC, Wu CC, Chang CT, Hsu HH, Yang CW IMPROVED IRON UTILIZATION AND REDUCED ERYTHROPOIETIN RESISTANCE BY ON-LINE HEMODIALFILTRATION **Blood Purification**, 2002;20(4):349-56 ◦
8. Yap HJ, **Lin CL***, Huang CC. Atypical initial manifestation of acute pyelonephritis in continuous image study: renal cystic feature. *Ren Fail* 2002 Jul; 24(4): 477-84 (**Corresponding Author**) ◦
9. Chen JK, Wu MS, Yang CW, Huang JY, Hsu PY, **Lin CL***, Huang CC. Guillain-barre syndrome associated with minimal change glomerulopathy and tubular dysfunction - related to acetone-based organic solvent? *Am J Nephrol* 2002 Sep-Dec; 22(5-6): 560-5 (**Corresponding Author**) ◦
10. Mai-Szu Wu, **Chun-Liang Lin**, Chiz-Tzung Chang, Ching-Herng Wu, Jeng-Yi Huang, Chih-Wei Yang. Improvement of Clinical Outcome by Early Nephrology Referral in Type 2 Diabetics on Maintenance Peritoneal Dialysis. *Perit Dial Int*. 2003 Jan-Feb; 23(1): 39-45 ◦
11. **Chun-Liang Lin**, Po-Yaur Hsu, Cheng-Ta Yang, Huan-Yu Yang, Teng-Yao Yang,

- Wen-Hung Huang, Chiu-Ching Huang. LV mass index significantly impacts on patient and renal outcomes in patients with coronary artery bypass grafting and poor left-ventricular function *Ren Fail.* 2003 Mar;25(2):287-95 ◦
12. Hung-Yu Chang, Feng-Rong Chuang, Huey-Liang Kuo, I-Kuan Wang, **Chun-Liang Lin**, Chiu-Ching Huang¹ Low dose intravenous ascorbic acid for erythropoietin-hyporesponsive anemia in hemodialysis patients with iron overload. *Acta Nephrologica.* 2002 Sep;16(3):108-13. **(Corresponding Author)**
 13. Huey-Liang Kuo, **Chun-Liang Lin***, Chiu-Ching Huang. Reversible thick ascending limb dysfunction and aseptic meningitis syndrome: early manifestation in two leptospirosis cases. *Ren Fail.* 25(4): 639-646. **(Corresponding Author)** ◦
 14. Yang CT, You L, Lin YC, **Lin CL**, McCormick F, Jablons DM. A comparison analysis of anti-tumor efficacy of adenoviral gene replacement therapy (p14ARF and p16INK4A) in human mesothelioma cells. *Anticancer Res* 2003 Jan-Feb;23(1A):33-8 ◦
 15. **Chun-Liang Lin**, Po-Yaur Hsu, Huan-Yu Yang, Chiu-Ching Huang. Low dose intravenous ascorbic acid for erythropoietin-hyporesponsive anemia in diabetic hemodialysis patients with iron overload. *Ren Fail.* 2003; 25(3): 445-53 ◦
 16. **Chun-Liang Lin**, Mai-Szu Wu, Chih-Wei Yang, Ching-Herng Wu, Chiu-Ching Huang. Improvement of Clinical Outcome by Early Nephrology Referral in Type II Diabetics on Hemodialysis. *Ren Fail.* 2003 ;25(3):455-64 ◦
 17. Po-Yaur Hsu , Huan-Yu Yang, Chun-Chie Lin, Ming-Chung Kuo , **Chun-Liang Lin***, and Chiu-Ching Huang "Refractory hypertension and anemia in end-stage renal disease: an unusual manifestation of kimura's disease" *Ren Fail.* 2003; 25(3): 499-507. (Corresponding Author) ◦
 18. Huey-Liang Kuo, **Chun-Liang Lin**, and Chiu-Ching Huang. Reversible Thick Ascending Limb Dysfunction and Aseptic Meningitis Syndrome: Early Manifestation in Two Leptospirosis Patients. *Ren Fail.* Vol. 25(4): 639-646 (Corresponding Author) ◦
 19. Chuang FR, Fang JT, Chen JB, **Lin CL**, Chen HY, Lee CN, Wang PH, Lee CH. Hyperhomocysteinemia and the prevalence of symptomatic atherosclerotic vascular disease in Taiwanese chronic hemodialysis patients: a retrospective study. *Ren Fail.* 2003 Sep;25(5):765-74 ◦

20. Chun-Liang Lin, Chiu-Ching Huang, Chun-Chen Yu, Huan-Yu Yang, Feng-Rong Chuang, Chih-Wei Yang Reduction of Advanced Glycation End Products Levels by On-Line Hemodiafiltration in Long-Term Hemodialysis Patients. *Am J Kidney Dis.* 2003 Sep; 42(3): 524-531 .
21. Wang IK, Chang FR, Yang BY, Lin CL*, Huang CC. The use of ultrasonography in evaluating adults with febrile urinary tract infection. *Ren Fail.* 2003 Nov;25(6):981-7. (Corresponding Author) .
22. Peng CH, Lin CL, Yang CW, Shueh S, Huang CC. Vascular endothelial growth factor may provide additional values to C-reactive protein and anti-myeloperoxidase titer as a parameter for evaluating disease activity in anti-myeloperoxidase associated vasculitis. *Ren Fail.* 2003 Nov; 25(6): 1057-66. (Corresponding Author) .
23. Lin CL, Hung CC, Yang CT, Huang CC. Improved anemia and reduced erythropoietin need by medical or surgical intervention of secondary hyperparathyroidism in hemodialysis patients. *Ren Fail.* 2004 May;26(3):289-95 .
24. Lee CH, Chang HW, Wang IK, Lin CL, Chen TC, Wang PH, Chang HY, Chen JB, Hsu KT, Chuang FR. Diabetes mellitus, hyperhomocystinemia and atherosclerotic vascular disease in Taiwanese chronic hemodialysis patients: a retrospective study. *Ren Fail.* 2004 May; 26(3): 317-23 .
25. Wang IK, Shen TY, Lee KF, Chang HY, Lin CL, Chuang FR. Hypercalcemia and elevated serum 1.25-dihydroxyvitamin D in an end-stage renal disease patient with pulmonary cryptococcosis. *Ren Fail.* 2004 May;26(3):333-8 .
26. Lin CL, Pan KY, Hsu PY, Yang HY, Guo HL, Huang CC. Preoperative 24-hour urine amount as an independent predictor of renal outcome in poor cardiac function patients after coronary artery bypass grafting. *J Crit Care.* 2004 Jun;19(2):92-8. .
27. Lin CL, Yang CT, Pan KY, Huang CC. Most common intoxication in nephrology ward organophosphate poisoning. *Ren Fail.* 2004 Jul; 26(4): 349-54 .
28. Lin CL, Chuang FR, Wu CF, Yang CT. Early referral as an independent predictor of clinical outcome in end-stage renal disease on hemodialysis and continuous ambulatory peritoneal dialysis. *Ren Fail.* 2004 Sep; 26(5): 531-7 .
29. Hsu PY, Lin CL, Yu CC, Chien CC, Hsiao TG, Sun TH, Huang LM, Yang CW. Ultrapure dialysate improves iron utilization and erythropoietin

- response in chronic hemodialysis patients - a prospective cross-over study. *J Nephrol.* 2004 Sep-Oct;17(5):693-700 ◦
30. Wu CF, Shee JJ, Lin WY, Lin CL, Chen CS. Comparison between extracorporeal shock wave lithotripsy and semirigid ureterorenoscope with holmium:YAG laser lithotripsy for treating large proximal ureteral stones. *J Urol.* 2004 Nov; 172(5 Pt 1): 1899-902 ◦
 31. Wu CF, Chen CS, Lin WY, Shee JJ, Lin CL, Chen YU, Huang WS. Therapeutic options for proximal ureter stone: extracorporeal shock wave lithotripsy versus semirigid ureterorenoscope with holmium: yttrium-aluminum-garnet laser lithotripsy. *Adult Urology.* 2005 ;65(6):1075-1079.
 32. Chuang FR, Chen TC, Yang CC, Cheng YF, Hsu KT, Lee CH, Lin CL, Wang IK, Chang HW, Wang PH. IgM-anticardiolipin antibody and vascular access thrombosis in chronic hemodialysis patients. *Ren Fail.* 2005;27(1):25-30 ◦
 33. Wang FS, Lin CL, Chen YJ, Wang CJ, Yang KD, Huang YT, Sun YC, Huang HC. Secreted Frizzled-related Protein 1 (SFRP1) Modulates Glucocorticoid Attenuation of Osteogenic Activities and Bone Mass. *Endocrinology.* 2005 ◦
 34. Lee PH, Lin CL, Lai PC, Yang CW. Octreotide therapy for chylous ascites in a chronic dialysis patient. *Nephrology (Carlton).* 2005 Aug;10(4):344-7 ◦
 35. Wang IK, Chuang FR, Lee KF, Lin CL, Chang HY, Huang CK. Tuberculous peritonitis in a haemodialysis patient with elevated serum CA 125 and hypercalcaemia. *Int J Clin Pract Suppl.* 2005 Apr;(147):56-9 ◦
 36. Wang IK, Kuo HL, Chen YM, Lin CL, Chang HY, Chuang FR, Lee MH. Extraintestinal manifestations of Edwardsiella tarda infection. *Int J Clin Pract.* 2005 Aug;59(8):917-21 ◦
 37. Chuang FR, Chang HW, Lin CL, Wang IK, Chang HY, Wang PH, Yang CC, Chen TC, Wu CS, Lee CH. Anticardiolipin antibody and Taiwanese chronic haemodialysis patients with recurrent vascular access thrombosis. : *Int J Clin Pract.* 2005 Jul;59(7):785-90. ◦
 38. Wang IK, Lee CH, Yang BY, Chang HY, Lin CL, Chuang FR. Low-molecular-weight heparin successfully treating a nephrotic patient complicated by renal and ovarian vein thrombosis and pulmonary embolism. *Int J Clin Pract Suppl.* 2005 Apr;(147):72-5 ◦

39. [Yang CT](#), [Lin YC](#), [Lin CL](#), [Lu J](#), [Bu X](#), [Tsai YH](#), [Jia WW](#). Oncolytic herpesvirus with secretable angiostatic proteins in the treatment of human lung cancer cells. *Anticancer Res.* 2005 May-Jun;25(3B):2049-54 ◦
40. [Wang IK](#), [Ho DR](#), [Chang HY](#), [Lin CL](#), [Chuang FR](#). Purple urine bag syndrome in a hemodialysis patient. *Intern Med.* 2005 Aug;44(8):859-61 ◦
41. [Lin CL](#), [Wang FS](#), [Kuo YR](#), [Huang YT](#), [Huang HC](#), [Sun YC](#); [Kuo YH](#).. Ras Modulation of Superoxide Activates ERK-dependent Fibronectin Expression in Diabetes-induced Renal Injuries. *Kidney Int.* 2006 May;69(9):1593-600 ◦
42. [Wang IK](#), [Chuang FR](#), [Chang HY](#), [Lin CL](#), [Yang CT](#). Acute pyelonephritis associated with transudative pleural effusion in a middle-aged woman without urinary tract obstruction. *Med Princ Pract.* 2006;15(4):309-11 ◦
43. [Wang IK](#), [Wang ST](#), [Lin CL](#), [Chen TC](#), [Chang HY](#), [Kuo HL](#), [Chuang FR](#). Early prognostic factors in patients with acute renal failure requiring dialysis. *Ren Fail.* 2006;28(1):43-9 ◦
44. [Yang HY](#), [Lin JL](#), [Chen KH](#), [Yu CC](#), [Hsu PY](#), [Lin CL](#)*. Aristolochic acid-related nephropathy associated with the popular Chinese herb Xi Xin. *J Nephrol.* 2006 Jan-Feb;19(1):111-4. (Corresponding Author) ◦
45. [Wang IK](#), [Wang ST](#), [Chang HY](#), [Lin CL](#), [Kuo HL](#), [Chen TC](#), [Lee CH](#), [Chuang FR](#). Prognostic value of acute physiology and chronic health evaluation II and organ system failure in patients with acute renal failure requiring dialysis. *Ren Fail.* 2005; 27(6): 663-9 ◦
46. [Lin CL](#). Response to 'Do advanced glycation end products and glucose induce similar signaling events in mesangial cells?' *Kidney Int.* 2006 Oct; 70(8): 1523- 4 ◦
47. [Lin CL](#), [Wang JY](#), [Huang YT](#), [Kuo YH](#), [Surendran K](#), [Wang FS](#). Wnt/beta-Catenin Signaling Modulates Survival of High Glucose-Stressed Mesangial Cells. *J Am Soc Nephrol.* 2006 Oct;17(10):2812-20 ◦
48. [Wang FS](#), [Lin CL](#)*, [Chen YJ](#), [Wang CJ](#), [Yang KD](#), [Huang YT](#), [Sun YC](#), [Huang HC](#). Secreted frizzled-related protein 1 modulates glucocorticoid attenuation of osteogenic activities and bone mass. *Endocrinology.* 2005 May; 146(5): 2415-23 ◦
49. [Wang FS](#), [Ko JY](#), [Lin CL](#), [Wu HL](#), [Ke HJ](#), [Tai PJ](#). Knocking down dickkopf-1 alleviates estrogen deficiency induction of bone loss. *A*

- histomorphological study in ovariectomized rats. *Bone*. 2007 Feb;40(2):485-92 ◦
50. Huang WJ, Huang CH, Wu CL, Lin JK, Chen YW, Lin CL, Chuang SE, Huang CY, Chen CN. Propolin G, a Prenylflavanone, Isolated from Taiwanese Propolis, Unduces Caspase-Dependent Apoptosis in Brain Cancer Cells. *J Agric Food Chem*. 2007 Sep 5;55(18):7366-7376 ◦
51. Ho C, Lee PH, Huang WJ, Hsu YC, Lin CL*, Wang JY. Methylglyoxal-induced fibronectin gene expression through Ras-mediated NADPH oxidase activation in renal mesangial cells. *Nephrology (Carlton)*. 2007 Aug; 12(4):348-56. (Corresponding Author) ◦
52. Wei-Jan Huang, Chun-Wu Tung, Cheng Ho , Jen-Tsung Yang, Pey-Jium Chang, Jeng-Yi Wang, Yen-Chen Hsu, Pei-Hsien Lee, Chun-Liang Lin*. Ras activation modulates methylglyoxal-induced mesangial cell apoptosis through superoxide production. *Ren Fail*. 2007;29(7):911-21. (Corresponding Author) ◦
53. Chun-Liang Lin, Ho Cheng, Chun-Wu Tung ,Wei-Jan Huang, Pey-Jium Chang , Jen-Tsung Yang, Jeng-Yi Wang Simvastatin reverses high glucose-induced apoptosis of mesangial cells via modulation of Wnt signaling pathway. *Am J Nephrol*. 2008;28(2):290-7 ◦
54. Lin CL, Wang JY, Ko JY, Surendran K, Huang YT, Kuo YH, Wang FS. Superoxide Destabilization of {beta}-catenin Augments Apoptosis of High Glucose-stressed Mesangial Cells *Endocrinology*. 2008 Jun;149(6):2934-42 ◦
55. Hsu YC, Tung CW, Lee PH, Chang HY, Ho, Cheng, Lin CL*. Pharmacological intervention by exogenous superoxide dismutase attenuates diabetes-induced oxidative and nitrosative stress mediated renal damage. *Acta Nephrologica*. 2008 March; 20(1):20-31.(Corresponding Author)
56. Lee PH, Chang HY, Tung CW, Hsu YC, Lei CC, Chan HHg, Yang HF , Lu LC , Jong MC, Chen CY, Fang KY, Chao YS, Shih YH, Lin CL*. Hypertriglyceridemia: An independent risk factor of chronic kidney disease in Taiwanese adults. *The American Journal of the Medical Sciences*. 2009 Sept; 338(3):185-189 ◦
57. Pei-Hsien Lee, Hung-Yu Chang, Chun-Wu Tung, Yung-Chien Hsu, Chen- Chou Lei, Hsun-Hao Chang, Ya-Hsueh Shih, Chun-Liang Lin*. Microalbuminuria, A Sign Usually Ignored. *J Intern Med Taiwan* 2009; 20: 275-284.

58. **CL Lin, JY Wang, JY Ko, YT Huang, YH, Kuo, FS Wang. Dickkopf-1 Regulates High Glucose-Induced Mesangial Matrix Accumulation and Renal Dysfunction. *J Am Soc Nephrol* 2010; 21:124-135**
59. **Chun-Wu Tung, Chun-Liang Lin*. Twenty Four Hour-Dietray Recall and Hadngrip Strength Provide Reliable Assessment of Nutritional Status in Maintenance Dilaysis Patients. *Acta Nephrological*. 2009 Sep; 23(3); 136-137. (Editorial Comments)**
60. **Chen-Chou Lei, Hsueh-Fang Yang, Long-chuan Lu, Hung-Yu Chang, Pei-Hsien Lee, Yung-Chien Hsu, Chun-Wu Tung, Hsun-Hao Chang, Ming-Chung Jong, chiu-Yueh Chen, Kuei-Ying Fang, Yu-Shiu Chao, Ya-Hsueh Shih, Chun-Liang Lin*. Regional Variations In The Middle-Aged And Elderly Population With Late-Stage Chronic Kidney Disease: A Community-Based Population Survey In Chiayi County, Taiwan. *Acta Nephrologica*. 2009 June; 23(2):103-109.(Corresponding Author)**
61. **Lin CL, Wang FS, Hsu YC, Chen CN, Tseng MJ, Saleem MA, Chang PJ, Wang JY. Modulation of Notch-1 signaling alleviates VEGF-mediated diabetic nephropathy. *Diabetes*. Aug. 2010; 59(8): 1915-1925.**
62. **Chang HY , Tung CW, Lee PH, Lei CC , Hsu YC, Chan HHg, Yang HF , Lu LC , Jong MC, Chen CY, Fang KY, Chao YS, Shih YH, Lin CL*. Hyperuricemia as an independent risk factor of chronic kidney disease in middle-aged and elderly population. *The American Journal of the Medical Sciences*. 2010 June; 339(6):509-515.**
63. **Pei-Hsien Lee, Hsun-Hao Chang, Chun-Wu Tung, Hung-Yu Chang, Yung-Chien Hsu, Chen-Chou Lei, Chun-Liang Lin*. Control of redox signaling by NAC in renal tissue as an alternative for attenuating diabetes induction of renal dysfunction. *Acta Nephrologica*. 2010 March; 21(1):16-23(Corresponding Author)**
64. **Hsun Yang, Chun-Wu Tung, Chen-Chou Lei, Yung-Chien Hsu, Pei-Hsien Lee, Hung-Yu Chang, Chun-Liang Lin* Dialyzer membrane characteristics as an independent predictor of clinical outcomes in hemodialysis patients. *Acta Nephrologica* 25(3);105-112,2011**
65. **Pei-Hsien Lee, Ho C , Yung-Chien Hsu , Wang FS, Huang YT, Lin CL* Sustained wnt/b-catenin signaling rescues high glucose induction of transforming growth factor-b1-mediated renal fibrosis. *The American Journal of the Medical Sciences*. 2012 .**

66. Lin Su-ju, Lee Pei-Hsien, Chang Hung-Yu, Shih YH, Lin CL* Metabolic syndrome as an independent risk factor of chronic kidney disease in southern Taiwan. *Acta Nephrologica* 26;82-88.2012
67. Yue-Ren Chen, Yu Yang, Shu-Chuan Wang, Ping-Fang Chiu, Wen—Yu Chou, Ching-Yuang Lin, Jer-Ming Chang, Tzen-Wen Chen, Shyang-Hwa Ferng, Chun-Liang Lin. Effectiveness of multidisciplinary care for chronic kidney disease in Taiwan; a 3-year prospective cohort study. *Nephrology Dialysis Transplantation*. Mar 2013; 28(3):671-682
68. Feng-Sheng Wang, Chung Pei-Chin, Chung-Liang Lin, Ming-Wen Chen, Huei-Jin Ke, Yu-Hsuan Chang, Yu-Shan Chen, Shin-Ling Wu, Jih-Yang Ko. MicroRNA miR-29a protects from glucocorticoid-induced bone loss and fragility by orchestrating bone acquisition and resorption. *Arthritis & Rheumatism* Mar. 2013
69. Hung-Yu Chang, Pei-Hsien Lee, Chen-Chou Lei, Chun-Wu Tung, Yung-Chien hsu, Tung-Jung Huang, Long-Chuan Lu, Chun-Liang Lin* Hyperuricemia is an independent risk factor for new onset micro-albuminuria in a middle-aged and elderly population: a prospective cohort study in Taiwan. *PLOS ONE*. April 2013; 8 (4)
70. Chen-Chou Lei, Pei-Hsien Lee, Yung-Chien Hsu, Hung-Yu Chang, Chun-Wu Tung, Ya-Hsueh Shih and Chun-Liang Lin*. Educational Intervention in CKD Retards Disease Progression and Reduces Medical Costs for Patients with Stage 5 CKD. *Renal failure*. 2013;35(1):9-16
71. Kuo-Li Pan, Jing-Chi Lin, Chun-Liang Lin, Mien-Cheng Chen, Pey-Jium Chang, Ju-Feng Hsiao, Shih-Tai Chang and Chang-Min Chung. The effects of gout on left atrial volume remodelling: a prospective echocardiographic study. *RHEUMATOLOGY*. Jan, 2014. doi:10.1093/rheumatology/ket444
72. Hung-Chun Kao, Pei-Hsien Lee, Su-Ju Lin, Ya-Hsueh Shih, and Chun-Liang Lin*. Relationship between hepatitis C and chronic kidney disease in southern Taiwan: results from community complex health screening. *Acta Nephrologica* 27(4): 183-189, 2013
73. Chun-Liang Lin, Pei-Hsien Lee, Yung-Chien Hsu, Chen-Chou Lei, Jih-Yang Ko, Pei-Chin Chuang, Yu-Ting Huang, Shao-Yu Wang, Shin-Long Wu, Yu-Shan Chen, Wen-Chih Chiang, Jochen Reiser, Feng-Sheng Wang. MicroRNA-29a Promotion of Nephrin Acetylation Ameliorates Hyperglycemia-Induced Podocyte Dysfunction. *J Am Soc Nephrol* 25: 2014. doi: 10.1681/ASN.2013050527
74. Kuo LT1, Lin SJ, Hsu WH, Peng KT, Lin CL, Hsu RW. The effect of renal function on surgical outcomes of intracapsular hip fractures with

- osteosynthesis. Arch Orthop Trauma Surg. 2014 Jan;134(1):39-45
75. Yung-Chien Hsu, Pei-Hsien Lee, Chen-Chou Lei, Ya-Hsueh Shih, **Chun-Liang Lin***. Analgesic use, parents' clan, and coffee intake are three independent risk factors of chronic kidney disease in middle and elderly-aged population: a community-based study. Renal failure. 2014
76. Lin CL, Hsu YC, Lee PH, Lei CC, Wang JY, Huang YT, Wang SY, Wang FS. Cannabinoid receptor 1 disturbance of PPAR γ 2 augments hyperglycemia induction of mesangial inflammation and fibrosis in renal glomeruli. J Mol Med (Berl). 2014 Apr 11. [Epub ahead of print]