

*洪明銳醫師

所有發表期刊論文

1. **Hung MJ**, Lin FC, Chang HJ, Chern MS, Wu D*. Myocardial infarction and sinus node dysfunction as late complications of Coronary Arteriovenous Fistula. *Acta Cardiol Sin.* 1997;13(4):199-203.
2. Wang CH, Cherng WJ*, **Hung MJ**. Modification of left ventricular isovolumic relaxation time during dobutamine echocardiography as a diagnostic method for ischemic heart disease. *Chang Gung Med J.* 1997;20(3):163-173.
3. Wang CH, Cherng WJ*, **Hung MJ**. Effect of dobutamine-induced myocardial ischemia on Doppler echocardiography after myocardial infarction. *Am Heart J.* 1997;134(6):1058-1065.
4. **Hung MJ**, Wang CH, Cherng WJ*. Spontaneous echo contrast in purulent pericardial effusion due to non-gas-forming organisms. *Echocardiography.* 1998;15(5):489-492.
5. **Hung MJ***, Hsieh IC, Chang HJ, Cherng WJ Percutaneous transluminal coronary angioplasty of an anomalous infarct-related left circumflex coronary artery-A case report. *Acta Cardiol Sin.* 1998;14(1):42-45.
6. **Hung MJ***, Wang CH, Cherng WJ. Unruptured left ventricular pseudoaneurysm following myocardial infarction. *Heart.* 1998;80(1):94-97.
7. Wang CH, Cherng WJ*, Hua CC, **Hung MJ**. Prognostic value of dobutamine echocardiography in patients after Q-wave or non-Q-wave acute myocardial infarction. *Am J Cardiol.* 1998;82(1):38-42.
8. Cherng WJ*, Wang CH, **Hung MJ**. Dobutamine stress echocardiography in the prediction of acute or chronic myocardial infarction. *Am Heart J.* 1998;136(6):1021-1029.
9. Cherng WJ*, Wang CH, **Hung MJ**. Changes of endothelin-1 and atrial natriuretic peptide during dobutamine stress echocardiography. *J Formos*

Med Assoc. 1998;97(12):812-818.

10. Wang CH, Cherng WJ*, **Hung MJ**. Diagnostic value of dobutamine echocardiography in patients with angina-like symptoms preceding syncope. *Int J Cardiol.* 1998;67(2):147-153.
11. Wang CH, Cherng WJ*, **Hung MJ**. Diagnosis of coronary artery disease by Doppler Echocardiography during dobutamine stress. *J Cardiovasc Diagn Proced.* 1998;15(1):21-29.
12. **Hung MJ**, Chang HJ, Cherng WJ*. Diagnosis and ultrasound-guided compression of iatrogenic inferior epigastric arteriovenous fistula. *J Med Ultrasound.* 1999;7(1):48-51.
13. **Hung MJ**, Lin FC, Cherng WJ, Wang CH, Hung KC, Hsieh IC, Wen MS, Wu D*. Comparison of antihypertensive efficacy and tolerability of losartan and extended-release felodipine in patients with mild to moderate hypertension. *J Formos Med Assoc.* 1999;98(6):403-409.
14. **Hung MJ**, Wang CH, Cherng WJ*. Left ventricular thrombus after seat-belt-related chest trauma. *J Trauma.* 1999;47(3):599-601.
15. **Hung MJ**, Wang CH, Cherng WJ*. Can dobutamine stress echocardiography predict cardiac events in nonrevascularized diabetic patients following acute myocardial infarction? *Chest.* 1999;116(5):1224-1232.
16. **Hung MJ**, Wang CH, Cherng WJ. Delayed recovery of diastolic function in patients with clinically suspected acute myocarditis. *Echocardiography.* 1999;16(8):827-831.
17. Wang CH, Cherng WJ*, **Hung MJ**. Dobutamine-induced hypotension is an independent predictor for mortality in patients with left ventricular dysfunction following myocardial infarction. *Int J Cardiol.* 1999;68(3):297-302.
18. Wang CH, Cherng WJ*, **Hung MJ**. Diagnostic value of dobutamine echocardiography in patients with acute or old myocardial infarction. *J*

Med Ultrasound. 1999;7(1):23-28.

19. Cherng WJ, Wang CH*, Chen SF, **Hung MJ**. Myocardial effects of beta-agonist stimulation in rats with chronic left ventricular dysfunction treated with an angiotensin-converting enzyme inhibitor. *Chang Gung Med J*. 1999;22(4):546-555.
20. Wang CH, Tsai MF, Cherng WJ*, **Hung MJ**. Value of different myocardial response patterns to dobutamine stress in detecting coronary artery disease in patients with severe left ventricular dysfunction. *J Med Ultrasound*. 1999;7(4):205-211.
21. **Hung MJ**, Wang CH, Kuo LT, Cherng WJ*. Intravenous atropine relieves coronary arterial spasm and hemodynamic decompensation during recovery after exercise. *Tex Heart Inst J*. 2000;27(2):212-214.
22. Kuo LT, **Hung MJ***, Wang CH, Cherng WJ. Malignant lymphoma presenting as right heart failure. *Echocardiography*. 2000;17(1):49-51.
23. **Hung MJ**, Wang CH, Cherng WJ*. Large right atrial thrombus with pulmonary embolism. *Echocardiography*. 2000;17(4):329-334.
24. Wang CH*, Yen TC, Ng KK, Lee CM, **Hung MJ**, Cherng WJ. Pedal ^{99m}Tc-sulfur colloid lymphoscintigraphy in primary isolated chylopericardium. *Chest*. 2000;117(2):598-601.
25. Wang CH*, **Hung MJ**, Kuo LT, Cherng WJ. Cardiopulmonary resuscitation during coronary vasospasm induced by tilt table test. *Pacing Clin Electrophysiol*. 2000;23(12):2138-2140.
26. **Hung MJ**, Cherng WJ*, Wang CH, Kou LT. Effects of verapamil in normal elderly individuals with left ventricular diastolic dysfunction. *Echocardiography*. 2001;18(2):123-129.
27. **Hung MJ**, Wang CH, Kuo LT, Cherng WJ*. Coronary artery spasm induced paroxysmal atrial fibrillation—A case report. *Angiology*. 2001;52(8):559-562.

28. **Hung MJ**, Kuo LT, Wang CH, Cherng WJ*. Spontaneous coronary artery spasm during coronary angiography in a patient with exercise-induced ST-segment elevation. *Int J Clin Prac.* 2001;55(10):720-721.
29. Hung MY, **Hung MJ***, Kuo LT, Wang CH, Cherng WJ. Pulsation, systolic thrill and murmur in femoral veins secondary to severe tricuspid regurgitation. *Cardiology.* 2001;95(3):164-166.
30. Kuo LT, Wang CH*, **Hung MJ**, Cherng WJ. Coronary vasospasm inducing dynamic left ventricular outflow tract obstruction. *Tex Heart Inst J.* 2001;28(3):223-225.
31. Wang CH, Cherng WJ*, **Hung MJ**, Kuo LT. Short- and long-term prognostic value of cardiac troponin I and dobutamine echocardiography in patients with stabilized acute coronary syndrome. *Int J Cardiol.* 2001;80(2-3):193-200.
32. Wang CH, Cherng WJ*, Meng HS, **Hung MJ**, Kuo LT. Relationship between dobutamine echocardiography and the elevation of cardiac troponin I in patients with acute coronary syndromes. *Echocardiography.* 2001;18(2):573-579.
33. **Hung MJ**, Wang CH*, Cherng WJ. Granulocyte colony stimulating factor treatment for delayed recovery of ticlopidine-related neutropenia. *Int J Clin Prac.* 2002;56(1):70-71.
34. **Hung MJ**, Cherng WJ*, Wang CH, Kou LT. Effect of verapamil in elderly patients with left ventricular diastolic dysfunction as the cause of congestive heart failure. *Int J Clin Prac.* 2002;56(1):57-62.
35. **Hung MJ**, Cherng WJ*, Kuo LT, Wang CH, Chern MS. Analysis of left atrial volume change rate with M-mode echocardiography for the differentiation of normal and pseudonormal mitral inflow. *Am J Cardiol.* 2002;89(5):552-556.
36. **Hung MJ**, Kuo LT, Wang CH, Cherng WJ*. Irreversible myocardial damage after coronary air embolism—A case report. *Angiology.* 2002;53(2):213-216.

37. **Hung MJ**, Kuo LT, Wang CH, Cherng WJ*. Reversible left ventricular function after tricuspid valve replacement in a patient with isolated severe tricuspid regurgitation. *Echocardiography*. 2002;19(6):517-520.
38. **Hung MJ**, Kuo LT, Wang CH, Cherng WJ*. Guide-wire induced dissection of right coronary artery and adjacent aortic walls during coronary angioplasty. *Int J Clin Prac*. 2002;56(9): 718-719.
39. Wang CH, Kuo LT*, **Hung MJ**, Cherng WJ. Coronary vasospasm as a possible cause of elevated cardiac troponin I in patients with acute coronary syndrome and insignificant coronary artery disease. *Am Heart J*. 2002;144(2):275-281.
40. Wang CH, Cherng WJ*, **Hung MJ**, Kuo LT. Optimal analysis of intravenous myocardial contrast echocardiography for predicting myocardial functional recovery in patients with acute myocardial infarction. *J Am Soc Echocardiogr*. 2002;15(10 Pt 2):1262-1268.
41. **Hung MJ**, Cherng WJ*, Kuo LT, Wang CH. Acute myocardial infarction in Taiwanese with angiographically normal coronary arteries: role of coronary artery spasm. *Acta Cardiol Sin*. 2003;19(1):31-38.
42. **Hung MJ**, Kuo LT, Cherng WJ*. Amphetamine-related acute myocardial infarction due to coronary artery spasm. *Int J Clin Prac*. 2003;57(1):62-64.
43. **Hung MJ**, Cherng WJ*, Kuo LT, Wang CH. Echocardiographic characteristics of patients surviving non-surgically treated left ventricular pseudoaneurysm after acute myocardial infarction. *Am J Cardiol*. 2003;91(3):328-331.
44. **Hung MJ**, Cherng WJ*. Comparison of White blood cell counts in acute myocardial infarction patients with significant versus insignificant coronary artery disease. *Am J Cardiol*. 2003;91(11): 1339-1342.
45. **Hung MJ**, Kuo LT, Cherng WJ*. Acute pericarditis after percutaneous transluminal coronary intervention—A case report. *Angiology*. 2003;54(4)503-506.

46. Cherng WJ*, Hsieh BT, Wang CH, **Hung MJ**, Cheng KY, Yen TT, Lee N. Vascular responses to endovascular irradiation of 188Re in the rabbit model after angioplasty. *J Radioanal Nucl Chem.* 2003;257:255-260.
47. **Hung MJ**, Cherng WJ*, Cheng CW. Increased volume reduction of late left-atrial emptying for patients with pseudonormal mitral inflow: an analysis for differentiation between normal and pseudonormal mitral inflow. *Echocardiography.* 2003;20(8):703-709.
48. **Hung MJ**, Kuo LT, Cheng CW, Chang CB, Cherng WJ*. Comparison of peripheral monocyte counts with and without coronary spasm and without fixed coronary narrowing. *Am J Cardiol.* 2004;93(5):620-624.
49. **Hung MJ**, Wang CH, Cherng WJ*. Provocation of coronary vasospastic angina using an isoproterenol head-up tilt test. *Angiology.* 2004;55(3):271-280.
50. **Hung MJ***, Cherng WJ. Analysis of left atrial volume change rate for evaluation of left ventricular diastolic function. *Echocardiography.* 2004;21(7):593-601.
51. **Hung MJ***, Cherng WJ, Cheng CW, Yang NI. Effect of anti-spastic agents (calcium antagonists and/or isosorbide dinitrate) on high-sensitivity C-reactive protein in patients with coronary vasospastic angina pectoris and no hemodynamically significant coronary artery disease. *Am J Cardiol.* 2005;95(1):84-87.
52. **Hung MJ**, Cherng WJ*, Yang NI, Cheng CW, Li LF. Relation of high-sensitivity C-reactive protein level in patients with coronary vasospastic angina pectoris without hemodynamically significant coronary artery disease. *Am J Cardiol.* 2005;96(11):1484-1490.
53. Cheng CW, **Hung MJ***, Kuo LT, Cherng WJ. Appearance of collateral circulation in the absence of totally occlusive coronary artery spasm. *Angiology.* 2005;56(3):331-334.
54. **Hung MJ***, Hung MY, Cheng CW, Yang NI, Cherng WJ. Clinical characteristics of patients with exercise-induced ST-segment elevation

without prior myocardial infarction. *Circ J*. 2006;70(3):254-261.

55. Hung MJ*, Cherng WJ, Cheng CW, Li LF. Comparison of serum levels of inflammatory markers in patients with coronary vasospasm without significant fixed coronary artery disease versus patients with stable angina pectoris and acute coronary syndromes with significant fixed coronary artery disease. *Am J Cardiol*. 2006;97(10):1429-1434.
56. Hung MJ*, Cheng CW, Yang NI, Hung MY, Cherng WJ. Coronary vasospasm-induced acute coronary syndrome complicated by life-threatening cardiac arrhythmias in patients without hemodynamically significant coronary artery disease. *Int J Cardiol*. 2007;117(1):37-44.
57. Yang NI, Hung MJ*, Cherng WJ. Coronary artery spasm-related acute coronary syndrome in patients with coexisting spasm of angiographically normal coronary artery and fixed narrowing of the remaining vessels. *Angiology*. 2007;58(2):156-160.
58. Hung MJ*, Hung MY, Cheng CW, Yang NI, Cherng WJ. Comparison of clinical characteristics and prognosis in Taiwanese patients with coronary vasospastic angina pectoris without significant fixed coronary artery disease versus patients with significant fixed coronary artery disease and either stable angina pectoris or acute coronary syndromes. *Am J Med Sci*. 2007;334(3):160-167.
59. Hung MY, Hung MJ*, Cheng CW. Use of ⁶⁷Gallium scintigraphy to differentiate acute myocarditis from acute myocardial infarction. *Tex Heart Inst J*. 2007;34(3):305-9.
60. Hung MY, Hung MJ*, Cheng CW, Yang NI, Cherng WJ. Safety and predictors of a positive result of intracoronary ergonovine testing in patients with ischemic heart disease without hemodynamically significant coronary artery stenosis in Taiwan. *Acta Cardiol Sin*. 2007;23(3):150-159.
61. Cheng CW, Yang NI, Lin KJ, Hung MJ*, Cherng WJ. Role of coronary spasm

for a positive noninvasive stress test result in angina pectoris patients without hemodynamically significant coronary artery disease. *Am J Med Sci.* 2008;335(5):354-362.

62. Kuo LT, Wang CH*, Yang NI, Cheng CW, Liu MH, Chen SY, Wang SY, **Hung MJ**, Cherng WJ. Relation between M235T polymorphism of the angiotensinogen gene and coronary artery disease in Taiwanese: an angiography-controlled study. *Acta Cardiol Sin.* 2008;24(2):75-79.
63. Li LF*, Liao SK, Huang CC, **Hung MJ**, Quinn D. Serine/threonine kinase-proteinase B and extracellular signal regulated kinase regulate ventilator-induced pulmonary fibrosis after bleomycin-induced acute lung injury-a prospective, controlled animal experiment. *Crit Care.* 2008; 12(4):R103.
64. Kuo LT, Yang NI, Cherng WJ, Verma S, **Hung MJ**, Wang SY, Liu MH, Chen SY, Wang CH*. Serum interleukin-6 levels, not genotype, correlate with coronary plaque complexity. *Int Heart J.* 2008;49(4):391-402.
65. Wu IW, **Hung MJ**, Chen YC, Cherng WJ, Wu MZ*. High Body mass index is not associated with coronary artery disease in angina patients with chronic kidney disease: a coronary angiography study. *Am J Med Sci.* 2008;336(4):303-308.
66. **Hung MJ***. Anti-spastic treatment attenuates coronary vasospasm-related left ventricular diastolic dysfunction. *J Taiwan Soc Echocardiogr.* 2008;2(4):163-165.[Editorial Comment]
67. **Hung MJ***. Left atrium is an important cardiac chamber. *J Taiwan Soc Echocardiogr.* 2008;2(4):179-180.[Editorial Comment]
68. **Hung MJ**, Cherng WJ*. Left atrium and left ventricular diastolic function. *J Taiwan Soc Echocardiogr.* 2008;2(4):189-199.
69. Lin CC, **Hung MJ***. Evaluation of left ventricular diastolic function and loading condition: mechanisms and applications by echocardiography. *J Taiwan Soc Echocardiogr.* 2008;2(4):200-213.

70. **Hung MJ***, Cheng CW, Chen SJ, Liu PC, Cherng WJ. Images of idiopathic main pulmonary artery aneurysm: report of a case. *J Taiwan Soc Echocardiogr.* 2008;2(4):221-225.
71. Yang NI, **Hung MJ**, Cherng WJ*, Wang CH, Cheng CW, Kuo LT. [Analysis of left ventricular changes after acute myocardial infarction using transthoracic real-time three-dimensional echocardiography.](#) *Angiology.* 2009;59(6):688-694.
72. Hung MY, Hsu KH, **Hung MJ***, Cheng CW, Kuo LT, Cherng WJ. Interaction between cigarette smoking and high-sensitivity C-reactive protein in the development of coronary vasospasm in patients without hemodynamically significant coronary artery disease. *Am J Med Sci.* 2009;338(6): 440-446.
73. **Hung MJ***. Mitral valve prolapse: refinement of echocardiographic diagnosis techniques. *J Taiwan Soc Echocardiogr.* [editorial comment] 2009; 3(4):232-233.
74. Hung MY, **Hung MJ**, Chiu IJ, Hao WR, Tseng YT, Wu CH, Liu SH, Liu JC*. Diastolic dysfunction in patients with coronary artery fistula without obstructive coronary artery disease. *J Taiwan Soc Echocardiogr.* 2009;3(4):240-247.
75. **Hung MJ***. Role of transthoracic Doppler echocardiography in evaluating coronary flow reserve in the left anterior descending coronary artery. *J Taiwan Soc Echocardiogr.* 2009;3(4):248-257.
76. Hung MY, **Hung MJ***, Hao WR, Tseng YT, Wu CH, Liu SH, Liu JC. Mitral valve prolapse. *J Taiwan Soc Echocardiogr.* 2009;3(4):258-266.
77. Yang NI, Wang CH, **Hung MJ**, Chen YC, Wu IW, Lee CC, Wu MS, Kuo LT, Cheng CW, Cherng WJ*. Real-time three-dimensional echocardiography provides advanced hemodynamic information associated with intra-dialytic hypotension in patients with autonomic dysfunction. *Nephrol Dial Transplant.* 2010;25(1):249-254.

78. **Hung MJ**, Hung MY, Cherng WJ, Li LF*. Increased cardiac microvascular permeability and activation of cardiac endothelial nitric oxide synthase in high tidal volume ventilation-induced lung injury. *Asian Biomed.* 2010;4(1): 27-36.
79. **Hung MJ***. Current advances in the understanding of coronary vasospasm [invited review]. *World J Cardiol.* 2010;2(2): 34-42.
80. Wu IW, **Hung MJ**, Chen YC, Hsu HJ, Cherng, WJ, Chang CJ, Wu MS*. Ventricular function and all-cause mortality in chronic kidney disease patients with angiographic coronary artery disease. *J Nephrol.* 2010;23(2):181-188.
81. Liu PC, Cheng CW, **Hung MJ***, Chen SJ, Yang NI, Kuo LT, Cherng WJ. Variant angina with angiographically normal or near-normal coronary arteries: a 10-year experience. *J Intern Med Taiwan.* 2010;21(2):79-89.
82. **Hung MJ**, Cherng WJ*, Pang JH*. Thesis: Role of inflammation and endothelial nitric oxide synthase in coronary vasospasm. Graduate institute of clinical medical sciences, College of Medicine, Chang Gung University. 2010, April.
83. **Hung MJ**, Cherng WJ, Hung MY, Wu HT, Pang JH*. Interleukin-6 inhibits endothelial nitric oxide synthase activation and increases endothelial nitric oxide synthase binding to stabilized caveolin-1 in human vascular endothelial cells. *J Hypertens.* 2010;28(5):940-951.
84. **Hung MJ***, Yang NI, Wu IW, Cheng CW, Wu MS, Cherng WJ. Echocardiographic assessment of structural and functional cardiac remodeling in patients with predialysis chronic kidney disease. *Echocardiography.* 2010; 27(6):621-629.
85. Chen KS*, Wang CH, Yen TH, Chen JR, **Hung MJ**, Lin CY. Potential role of bone marrow-derived cells in the turnover of mesothelium. *Ren Fail.* 2010;32(9):1081-1087.
86. Hung MY, Hsu KH, **Hung MJ***, Cheng CW, Cherng WJ. Interactions among gender, age, hypertension, and C-reactive protein in coronary vasospasm.

Eur J Clin Invest. 2010; 40(12):1094-1103.

87. Hung MY, Liu JC, Hao WR, Wu CH, **Hung MJ***. Acute right ventricular myocardial injury and sudden cardiac arrest in a patient with persistent spontaneous coronary vasospasm. *Chin Med J (Engl)*. 2011; 124(8):1275-1277.
88. Cheng CW, **Hung MJ***. Coronary spasm-related acute myocardial infarction in a patient with essential thrombocythemia. *World J Cardiol*. 2011; 3(8):278-290.
89. **Hung MJ***. Acute Stanford type A aortic dissection diagnosed by transthoracic echocardiography. *J Med Ultrasound*. 2011;19(3):95-98.
90. Chang PH, **Hung MJ**, Yeh KY, Yang SY, Wang CH*. Oxaliplatin-induced coronary vasospasm manifesting as Kounis syndrome: a case report. *J Clin Oncol*. 2011;29(31):e776-778.
91. **Hung MJ***, Cherng WJ. Clinical applications of transthoracic Doppler echocardiographic coronary flow reserve measurements in left anterior descending coronary artery. *J Med Ultrasound*. 2011;19(4):115-121.
92. Hung MY, Chang NC, **Hung MJ***. Reversible ischemia on treadmill exercise in left main coronary artery vasospasm. *Chin Med J* 2011;124(24):4364-4367.
93. Sun JP*, Lee AP, Grimm RA, **Hung MJ**, Yang XS, Delurgio D, Leon AR, Merlino JD, Yu CM. Optimisation of atrioventricular delay during exercise improves cardiac output in patients stabilised with cardiac resynchronisation therapy. *Heart*. 2012;98(1):54-59.
94. **Hung MJ***, Yang NI, Wu IW, Cheng CW, Liu PC, Chen SJ, Wu MS, Cherng WJ. Three-dimensional echocardiographic assessment of left ventricular remodeling in predialysis chronic kidney disease patients. *J Nephrol*. 2012;25(1):96-106.

95. Chen SJ, Liu PC, Yang NI, Cheng CW, Wu IW, Wu MS, Cherng WJ, **Hung MJ***. Impact of definitions of left ventricular hypertrophy on left ventricular remodeling findings in patients with predialysis chronic kidney disease: an echocardiography study. *Acta Cardiol Sin.* 2012;28(1):42-52.
96. **Hung MJ**, Cherng WJ, Hung MY, Kuo LT, Cheng CW, Wang CH, Yang NI, Liao JK*. Increased leukocyte Rho-associated coiled-coil containing protein kinase activity predicts the presence and severity of coronary vasospastic angina. *Atherosclerosis.* 2012;221(2):521-526.
97. Ko JH, Huang YL*, **Hung MJ**. Dry gangrene after aortic dissection. *Circulation.* 2012;125(11): 1446.
98. Hung MY, **Hung MJ***. How should I treat a retrograde dissection of the aortic sinus of Valsalva during a percutaneous coronary intervention? *EuroIntervention.* 2012;8(4):520-527.
99. Adlbrecht C, Aigner E, Bellón JM, Bouloukaki I, Bouzas-Mosquera A, Carrilho AJ, Chang KC, Chattipakorn N, Chattipakorn SC, Chen YJ, Chung YC, Colah R, Datz C, Frøkjær JB, Fujimori S, Georgiadou P, Grion CM, Hsu CP, Hülsmann M, **Hung MJ**, Hung MY, Iliodromitis EK, Lang IM, Lee TI, März W, Nair SB, Pascual G, Peteiro J, Sakamoto C, Satomura A, Schiza SE, Stärkel P, Stojakovic T, Vesely DL, Walters DL, Yilmaz Y. [Research update for articles published in EJCI in 2010.](#) *Eur J Clin Invest.* 2012;42(11):1149-1164.
100. Mao CT, Li MF, Kao YC, Cherng WJ, **Hung MJ***. Long-term survival of a patient with asymptomatic left ventricular pseudoaneurysm after acute myocardial infarction. *J Intern Med Taiwan.* 2012;23(6):422-448.
101. **Hung MJ***, Cherng WJ. Coronary vasospastic angina: current understanding and role of inflammation. *Acta Cardiol Sin.* 2013;29(1):1-10.
102. Yang NI, Liao CC, **Hung MJ**, Cherng WJ*. Direct renin inhibitor attenuates left ventricular remodeling in post-myocardial infarction heart failure

mice. *Acta Cardiol Sin.* 2013;29(2): 160-167.

103. Hung MY, Hsu KH, Hu WS, Chang NC, Huang CY, **Hung MJ***. Gender-specific prognosis and risk impact of C-reactive protein, hemoglobin and platelet in the development of coronary spasm. *Int J Med Sci.* 2013;10(3):255-264.
104. Wu IW, Hsu KH, Lee CC, Sun CY, Hsu HJ, **Hung MJ**, Wu MS. [Re-evaluating the predictive roles of metabolic complications and clinical outcome according to eGFR levels --- a four-years prospective cohort study in Taiwan.](#) *BMC Nephrol.* 2013;14(1):92.
105. Sun JP, Lee AP, Wu C, Lam YY, **Hung MJ**, Chen L, Hu Z, Fang F, Yang XS, Merlino JD, Yu CM. [Quantification of left ventricular regional myocardial function using two-dimensional speckle tracking echocardiography in healthy volunteers - A multi-center study.](#) *Int J Cardiol.* 2013: 167(2): 495-501.
106. Chan SC, **Hung MJ**, Yang NI, Yen CL. Occurrence of acute hemorrhagic cardiac tamponade during percutaneous radiofrequency ablation of hepatocellular carcinoma. *J Radiol Sci.* 2013; 38(2):93-96.
107. **Hung MJ**, Hsu KH, Hu WS, Chang NC, Hung MY*. [C-reactive protein for predicting prognosis and its gender-specific associations with diabetes mellitus and hypertension in the development of coronary artery spasm.](#) *PLoS One.* 2013;8(10):e77655.
108. Kao YC, Lee MF, Mao CT, Chen WS, Yang NI, Cherng WJ, **Hung MJ***. [Differences of left ventricular systolic deformation in hypertensive patients with and without apical hypertrophic cardiomyopathy.](#) *Cardiovasc Ultrasound.* 2013;11(1):40.
109. Hsu HJ, Yen CH, Hsu KH, Wu IW, Lee CC, **Hung MJ**, Sun CY, Chou CC, Chen YC, Hsieh MF, Chen CY, Hsu CY, Tsai CJ, Wu MS. [Factors associated with chronic musculoskeletal pain in patients with chronic kidney disease.](#) *BMC Nephrol.* 2014;15(1):6.
110. Chen WS, Kao YC, Chen WT, **Hung MJ***. Reversible life-threatening

cardiac arrhythmias and hemodynamic decompensation due to Prinzmetal's angina. *Exp Clin Cardiol.* 2014;20(1):550-559.

111. Hsu HJ, Yen CH, Hsu KH, Wu IW, Lee CC, Sun CY, Chou CC, Chen CY, Yang SY, Tsai CJ, Wu MS, **Hung MJ***. Chronic kidney disease stage is a modulator on the association between high-sensitivity C-reactive protein and coronary vasospastic angina. *SCI World J.* 2014;ID:852507, 9 pages.
112. **Hung MJ**, Hu P, Hung MY*. Coronary artery spasm: review and update. *Int J Med Sci.* 2014;11(11):1161-1171.
113. Mao CT, Tsai ML, Wang CY, Wen MS, Hsieh IC, **Hung MJ**, Wang CH, Chen CC, Chen TH. Outcomes and characteristics of patients undergoing percutaneous angioplasty followed by below-knee or above-knee amputation for peripheral artery disease. *PLoS One.* 2014; in press