

*王耀章醫師

所有發表期刊論文

First Author:

1. **Wang YC***, Yeh CH, Chui YC. Leriche's Syndrome Presenting as Sciatica. *Ann Vasc Surg*. 2009.(submitted)
2. **Wang YC**, Chang CT, Tsu PS, Yeh CH, Chiu WC*. Reduction of the Accumulation of Advanced Glycation End Products by ACE inhibitor in Experimental Diabetic Cardiomyopathy. *Diabetologia* (submitted)
3. **Wang YC***, Tsai FC, Chu JJ, Lin PJ. Midterm Outcomes of Rheumatic Mitral Repair versus Replacment. *Int Heart J*. 2008, *Int Heart J*. 2008; 49:565-576.
4. **Wang YC**, Tsai FC, Chu Y, Yan CY, Deng YH, Lin PJ*. Dietary probucol preserves endothelium-dependent relaxation of arteriovenous fistula in hypercholesterolemic rabbits. *Chang Gung Med J* 2006, 29: 561-7
5. **Wang YC**, Tsai FC, Chu JJ, Lin PJ. Midterm outcomes of rheumatic mitral repair versus replacement. *Int Heart J*. 2008 Sep;49(5):565-76.
6. **Wang YC**, Chiu YS, Yeh CH. Leriche's syndrome presenting as sciatica. *Ann Vasc Surg*. 2010 Jul;24(5):694.e1-3.
7. **Wang YC**, Chang T, Tsue PS, Yeh CH, Chiu WC* .Reduction in advanced glycation end products by ACE inhibitor in diabetic cardiomyopathy model. *Asian Biomedicine* 2013 ; 7 (1); 29-37

Co-author:

8. Yeh CH*, Chen TP, **Wang YC**, Fang SW, Wun TC*. Potent cardioprotection from ischemia-reperfusion injury by a 2-domain fusion protein comprising Annexin V and Kunitz protease inhibitor. *J Thromb Haemost* 2013; 11: 1454-1463. DOI: 10.1111/jth.12314
9. Yeh CH*, Chen TP, **Wang YC**, Lin YM, Fang SW. Carvedilol treatment after myocardial infarct decreases cardiomyocytic apoptosis in the peri-infarct zone during cardioplegia-induced cardiac arrest. *SHOCK* 2013;39(4):343-352.
10. Yeh CH*, Chen TP, **Wang YC**, Lin YM, Fang SW. MicroRNA-27a regulates cardiomyocytic apoptosis during cardioplegia-induced cardiac arrest by targeting interleukin-10 related pathways. *Shock* 2012;38(6): 607-614.
11. Yeh CH*, Chen TP, **Wang YC**, Lin YM, Fang SW. AMP-activated protein kinase activation during cardioplegia-induced hypoxia/reoxygenation injury

attenuates cardiomyocytic apoptosis via reduction of endoplasmic reticulum stress. *Mediat Inflamm* 2010; Article ID 130636, 9 pages,.
doi:10.1155/2010/130636.

12. Yeh CH*, Chen TP, **Wang YC**, Lin YM, Fang SW. Cardiomyocytic apoptosis limited by bradykinin via restoration of nitric oxide after cardioplegic arrest. *J Surg Res* 2010; 163 (1): e1-e9 (September).
13. Yeh CH*, Chen TP, **Wang YC**, Lin YM, Lin PJ. HO-1 Activation Can Attenuate Cardiomyocytic Apoptosis via Inhibition of NF- κ B and AP-1 Translocation Following Cardiac Global Ischemia and Reperfusion. *J SURG RES* 2009;155:147-156.
14. Chiu WC, **Wang YC**, Chien YW, Hou YC, Hu YM, Yeh SL*. Effects of dietary fish oil supplementation on cellular adhesion molecule expression and tissue myeloperoxidase activity in hypercholesterolemic mice with sepsis. *J Nutr Biochem* 2009; 20:254-60.
15. Tsai FC*, **Wang YC**, Huang YK, Tseng CN, Wu MY, Chang YS, Chu JJ, Lin PJ. Extracorporeal life support to terminate refractory ventricular tachycardia. *Crit Care Med* 2007;35:1673-6.
16. Huang YK*, Tsai FC, Tseng CN, **Wang YC**, Chang YS, Chu JJ, Lin PJ. Versatile use of extra-corporeal life support to resuscitate acute respiratory distress patients. *Int J Clin Pract* 2007;61:589-93.
17. Yeh CH*, **Wang YC**, Wu YC, Lin YM, Lin PJ. Ischemic preconditioning or heat shock pretreatment ameliorates neuronal apoptosis following hypothermic circulatory arrest. *J Thorac Cardiovasc Surg* 2004;128:203-10.
18. Yeh CH*, Lin YM, Wu YC, **Wang YC**, Lin PJ. Nitric oxide attenuates cardiomyocytic apoptosis via diminished mitochondrial complex I up-regulation from cardiac ischemia-reperfusion injury under cardiopulmonary bypass. *J Thorac Cardiovasc Surg* 2004;128:180-8.
19. Yeh CH, Pang JH, Wu YC, **Wang YC**, Chu JJ, Lin PJ*. Differential-display polymerase chain reaction identifies nicotinamide adenine dinucleotide-ubiquinone oxidoreductase as an ischemia/reperfusion-regulated gene in cardiomyocytes. *Chest* 2004;125:228-35.
20. Yeh CH, Chen MC, Wu YC, **Wang YC**, Chu JJ, Lin PJ*. Risk factors for descending aortic aneurysm formation in medium-term follow-up of patients with type A aortic dissection. *Chest* 2003;124:989-95.
21. Yeh CH, **Wang YC**, Wu YC, Chu JJ, Lin PJ*. Continuous tepid blood cardioplegia can preserve coronary endothelium and ameliorate the occurrence of cardiomyocyte apoptosis. *Chest* 2003;123:1647-54.

