

**\*葉集孝醫師**

所有發表期刊論文

**Local Publication :**

1. 胸腔鏡手術，第 16 章 微創冠狀動脈繞道術，合記圖書出版社，p141-6
2. **Yeh CH**, Lin PJ, Chu JJ. Collagen as a drug carrier for deep sternal wound infection after open heart surgery. Chang Gung Med J 2001;24(7):451-4 (Jul)
3. **Yeh CH**, Lin PJ, Chu JJ, Tsai KT, Chang YS. Safety and cost-effectiveness of minimal access versus conventional coronary artery bypass grafting in emergent patients. Chang Gung Med J 2002;25(2):89-96. (Feb)
4. **Thesis :** The possible mechanism of cardioplegia-induced cardiomyocytic apoptosis after global cardiac ischemia/reperfusion injury Jan 2004

**International Publication :**

5. **Yeh CH**, Chang CH, Lin PJ\*, Tsai FC, Yang MW, Tan PP. Totally minimal invasive cardiac surgery for coronary artery disease. Eur J Cardio-Thorac Surg 1998;14(Suppl 1): S43-7 (Oct)
6. **Yeh CH**, Chen HM\*, Jan YY, Hwang TL, Jeng LB, Chen MF. Clinical analysis of inflammatory masses of the pancreatic head region. Hepato-Gastroenterology 1998;45(24): 2392-8 (Nov-Dec)
7. Wu YC, Lu MS, **Yeh CH**, Liu YH, Hsieh MJ, Lu HI, Liu HP\*. Justifying video-assisted thoracic surgery for spontaneous hemopneumothorax. Chest 2002;122(5):1844-7(Nov)
8. **Yeh CH\***, Lin PJ. Inhibition of NF $\kappa$ B activation with curcumin attenuates cardiomyocytic apoptosis following cardiac global ischemia and reperfusion. Circulation 2002; 106(19 suppl II):II-344
9. **Yeh CH**, Wang YC, Wu YC, Chu JJ, Lin PJ\*. Continuous tepid blood cardioplegia can preserve coronary endothelium and ameliorate the occurrence of cardiomyocyte apoptosis. Chest 2003;123(5):1647-54. (May)
10. **Yeh CH**, Chen MC, Wu YC, Wang YC, Chu JJ, Lin PJ\* . Risk factors for descending aortic aneurysm formation in long-term follow-up of patients with type A aortic dissection. Chest 2003;124(3): 989-95. (Sep)
11. Wu YC, Chu Y, Liu YH, **Yeh CH**, Chen TP, Liu HP\* . Thoracoscopic ipsilateral approach to contralateral bullous lesion in patients with bilateral spontaneous pneumothorax. Ann Thorac Surg 2003;76(5):1665-7. (Nov)

12. Lu MS, Liu HP, **Yeh CH**, Wu YC\* , Liu YH, Hsieh MJ, Chen TP. The role of surgery in hemoptysis caused by thoracic actinomycosis; a forgotten disease. Eur J Cardiothoracic Surg 2003; 24(5):694-8. (Nov)
13. **Yeh CH**, Pang SJH, Wu YC, Wang YC, Chu JJ, Lin PJ\* . Differential-display polymerase chain reaction identifies NADH: ubiquinone oxidoreductase as an ischemia/reperfusion-regulation gene in cardiomyocytes. Chest 2004;125(1):228-35. (Jan)
14. Chu PH\*, Jung SM, **Yeh CH**, Yeh TS, Wang CL. Mucin gene expression in cardiac myxoma. Int J Clin Pract 2004;58(3): 306–9. (Mar)
15. **Yeh CH**, Lin YM, Wu YC, Wang YC, Lin PJ\*. Nitric oxide attenuates cardiomyocytic apoptosis via diminish mitochondrial complex I upregulation from cardiac ischemia/reperfusion injury under cardiopulmonary bypass. J Thorac Cardiovasc Surg 2004;128(2):180-188. (Aug)
16. **Yeh CH**, Wang YC, Wu YC, Lin YM, Lin PJ. Ischemic preconditioning or heat-shock pre-treatment ameliorates neuronal apoptosis following hypothermic circulatory arrest. J Thorac Cardiovasc Surg 2004;128(2):203-10. (Aug)
17. Yeh YH, Chu PH, **Yeh CH**, Jan Wu YJ, Lee MH, Jung SM, Kuo CT. Haemophilus influenzae pericarditis with tamponade as the initial presentation of systemic lupus erythematosus. Int J Clin Pract 2004;58(11);1045-7. (Nov)
18. **Yeh CH\***, Lin YM, Wu YC, Lin PJ. Inhibition of NF- $\kappa$ B activation can attenuate ischemia/reperfusion induced contractility impairment via decreasing cardiomyocytic proinflammatory gene up-regulation and matrix metalloproteinase expression. J Cardiovasc Phar 2005;45(4):301-309. (April)
19. **Yeh CH\***, Chen TP, Wu YC, Lin YM, Lin PJ. Inhibition of NF $\kappa$ B activation with curcumin attenuates plasma inflammatory cytokines surge and cardiomyocytic apoptosis following cardiac ischemia/reperfusion. J Surg Res 2005;125(1):109-116.(May)
20. Chu PH\*, Jung SM, Lin HC, **Yeh CH**, Wu HH, Shiu TF, Huang SL, Tseng NM, Chu JJ, Lin PJ, Lai CH. Caspase-3-dependent apoptosis in cardiac myxoma: not associated with human papillomavirus or Epstein–Barr virus. Modern Pathology 2005;18 : 822–827.(May)
21. **Yeh CH\***, Chen TP, Lee CH, Lin YM, Lin PJ. [Exogenous nitric oxide prevents the cardiomyocytic inflammatory response after cardioplegia-induced cardiac ischemia/reperfusion under cardiopulmonary bypass via inhibition of Nf- \$\kappa\$ B.](#)

[Circulation](#) 2005; 112(17 Suppl II): II-334

22. Wang CH\*, Verma S, Kuo LT, Hsu CM, Lan YJ, **Yeh CH**, Yang NI, Wang SY, Wu MY, Cheng CW, Hung MJ, Cherng WJ. Stem cell factor attenuates vascular smooth muscle apoptosis and increases intimal hyperplasia after vascular injury. [Circulation](#) 2005; 112(17 Suppl II): II-46
23. **Yeh CH\***, Chen TP, Lee CH, Wu YC, Lin YM, Lin PJ. Inhibition of Poly (ADP-Ribose) polymerase reduces cardiomyocytic apoptosis after global cardiac arrest under cardiopulmonary bypass. *Shock* 2006; 25(2): 168-175.(Feb)
24. Jenq CC\*, Chen YC, Huang JY, Wu CH, Yeh CN, **Yeh CH**, Tseng JH, Hsu PY, Tian YC, Fang JT, Yang CW. Type B aortic dissection with early presentation mimicking acute pyelonephritis. *J Nephrol* 2006; 19(3):341-5 (May-Jun).
25. **Yeh CH\***, Chen TP, Lee CH, Wu YC, Lin YM, Lin PJ. Cardiomyocytic apoptosis following global cardiac ischemia and reperfusion can be attenuated by peroxisome proliferator-activated receptor-alpha but not gamma activators. *Shock* 2006; 26(3):262-270 (Sep)
26. **Yeh CH\***, Chen TP, Lee CH, Wu YC, Lin YM, Lin PJ. Cardioplegia-induced cardiac arrest under cardiopulmonary bypass decreased nitric oxide production which induced cardiomyocytic apoptosis via NF- $\kappa$ B activation. *Shock* 2007;27(4):422-428. (Apr)
27. Chen TP, **Yeh CH**, Wu YC, Liu HP\*. Combined pedicled antropyloplasty and gastric pull-up reconstruction for corrosive esophagogastric stricture. *J Thorac Cardiovasc Surg* 2007;133(6):1669-71. (Jun)
28. Fang BR\*, Ng YT, **Yeh CH**. Intravenous leiomyomatosis with extension to the heart: Echocardiographic features. *Angiology* 2007; 58(3):376-9. (June/July)
29. Wang CH\*, Cherng WJ, Yang NI, Kuo LT, Hsu CM, Yeh HI, Lan YJ, **Yeh CH**, Stanford WL. Late-outgrowth endothelial cells attenuate intimal hyperplasia contributed by mesenchymal stem cells after vascular injury. *Arterioscl Thromb Vas.* 2008(1); 28: 54-60. (Jan)
30. Wang CH\*, Cherng WJ, Yang NI, Hsu CM, **Yeh CH**, Lan YJ, Wang JS, Verma S. Cyclosporine increases ischemia-induced endothelial progenitor cell mobilization through manipulation of the CD26 system. *Am J Physiol Regul Integr Comp Physiol* 2008; 294: R811 - R818.(Mar)
31. Chu PH, Jung SM, **Yeh CH**, Wu HH, Shiu TF, She HC, Tseng NM. Expression of caspase-3-dependent apoptosis in mural thrombi leukocytes. *APMIS* 2008;116:

995-9.

32. **Yeh CH\***, Chen TP, Wang YC, Lin YM, Lin PJ. HO-1 activation can attenuate cardiomyocytic apoptosis via inhibition of NF- $\kappa$ B and AP-1 translocation following cardiac global ischemia and reperfusion. *J Surg Res* 2009; 155: 147-156.
33. Liu KS, Chu JJ, **Yeh CH**, Chen Y\*. Left subclavian artery aneurysm in association with coarctation of aorta, aberrant right subclavian artery, and common origin for bilateral carotid arteries. *Eur J Cardiothorac Surg.* 2010;37(4):950-1.
34. Yen TC, Wey SP, Liao CH, **Yeh CH**, Shen DW, Achilefu S, Wun TC\*. Measurement of the binding parameters of annexin derivatives-erythrocyte membrane interactions. *Anal Biochem* 2010; 406(1) :70-79 (Nov).
35. **Yeh CH\***, Chen TP, Wang YC, Lin YM, Fang SW. AMP-activated protein kinase activation during cardioplegia-induced hypoxia/reoxygenation injury attenuates cardiomyocytic apoptosis via reduction of endoplasmic reticulum stress. *Mediat Inflamm* 2010; Article ID 130636, 9 pages,. doi:10.1155/2010/130636.
36. **Yeh CH\***, Chen TP, Wang YC, Lin YM, Fang SW. Cardiomyocytic apoptosis limited by bradykinin via restoration of nitric oxide after cardioplegic arrest. *J Surg Res* 2010; 163 (1): e1-e9 (September).
37. **Yeh CH\***, Chen TP, Wang YC, Lin YM, Fang SW. MicroRNA-27a regulates cardiomyocytic apoptosis during cardioplegia-induced cardiac arrest under cardiopulmonary bypass by targeting interleukin-10-related pathway. *Circulation.* 2011; 124: A15934
38. Yu HC, Tsai YF\*, Chen MC, **Yeh CH**. Underuse of antithrombotic therapy caused high incidence of ischemic stroke in patients with atrial fibrillation. *Int J Stroke* 2012;7:112-117.
39. Chao YK\*, Liu HP, Hsieh MJ, Wu YC, Liu YH, **Yeh CH**, Chang HK, Tseng CK. Impact of the number of lymph nodes sampled on outcome in ypT0N0 esophageal squamous cell carcinoma patients *J Surg Oncol* 2012;106(4): 436–440.
40. Chao YK\*, Liu HP, Hsieh MJ, Wu YC, Liu YH, **Yeh CH**, Chang HK, Tseng CK. Lymph Node Dissection after Chemoradiation in Esophageal Cancer: A

Subgroup Analysis of Patients With and Without Pathological Response. *Ann Surg Oncol* 2012;19(10):3500-3505.

41. **Yeh CH\***, Chen TP, Wang YC, Lin YM, Fang SW. MicroRNA-27a regulates cardiomyocytic apoptosis during cardioplegia-induced cardiac arrest by targeting interleukin-10 related pathways. *Shock* 2012;38(6): 607-614.
42. Wang CH\*, Lan YJ, **Yeh CH**, Ng YT, Chung PV-H, Hsu CM, Kuo LT, Huang RE, Liu MH, Cherng WJ. Timing of gangrene tissue debridement after autologous bone marrow cell implantation in patients with superficial femoral arterial occlusion: Preliminary experiences. *J Cardiovasc Surg* 2012; 53 (4) : 507-516.
43. Chou CC\*, Wu YY, Lee JW, Huang JC, **Yeh CH**. Mechanical properties of fluorinated DLC and Si interlayer on a Ti biomedical alloy. (SCI/EI; IF=1.890; Materials Science, Coatings & Films, 4/18 Q1) (NSC 100-2221-E019-029, NSC 99-2221-E019-007, CMRPG 290502)  
<http://dx.doi.org/10.1016/j.tsf.2012.06.089>. *Thin Solid Films* 2013; 528:136-142.
44. Wang YC\*, Chang CT, Tsu PS, **Yeh CH**, Chiu WC. Reduction in advanced glycation end products by ACE inhibitor in diabetic cardiomyopathy model. *Asian Biomed* 2013; 7 (1): 1-6.
45. Chou CC\*, Wu YY, Lee JW, **Yeh CH**, Huang JC. Characterization and haemocompatibility of fluorinated DLC and Si interlayer on Ti6Al4V. *Surf Coat Technol.* 2013;231:418-422. doi:10.1016/j.surfcoat.2012.01.020.
46. **Yeh CH\***, Chen TP, Wang YC, Lin YM, Fang SW. Carvedilol treatment after myocardial infarct decreases cardiomyocytic apoptosis in the peri-infarct zone during cardioplegia-induced cardiac arrest. *SHOCK* 2013;39(4):343-352.
47. **Yeh CH\***, Chen TP, Wang YC, Fang SW, Wun TC\*. Potent cardioprotection from ischemia-reperfusion injury by a 2-domain fusion protein comprising Annexin V and Kunitz protease inhibitor. *J Thromb Haemost* 2013; 11: 1454-1463. DOI: 10.1111/jth.12314