

* 何恭之醫師

所有發表期刊論文

1. Fang YD, Su TP, Chang CJ, **Ho KC**, Su M, Yen TC. [Detecting Triple-Vessel Disease with Cadmium Zinc Telluride-Based Single-Photon Emission Computed Tomography Using the Intensity Signal-to-Noise Ratio between Rest and Stress Studies.](#) Contrast Media Mol Imaging. 2017 Oct 15;2017:4945680. doi: 10.1155/2017/4945680. eCollection 2017..
2. Fang YD, Liu YC, **Ho KC**, Kuo FC, Yang CF, Yen TC, Hsieh IC. [Single-scan rest/stress imaging with 99mTc-Sestamibi and cadmium zinc telluride-based SPECT for hyperemic flow quantification: A feasibility study evaluated with cardiac magnetic resonance imaging.](#) PLoS One. 2017 Aug 17;12(8):e0183402. doi: 10.1371/journal.pone.0183402. eCollection 2017.
3. Hsieh CE, **Ho KC**, Hsieh CH, Yen TC, Liao CT, Wang HM, Lin CY. Pretreatment Primary Tumor SUVmax on 18F-FDG PET/CT Images Predicts Outcomes in Patients With Salivary Gland Carcinoma Treated With Definitive Intensity-Modulated Radiation Therapy. Clin Nucl Med. 2017 Sep;42(9):655-662.
4. **Ho KC**, Fang YD, Chung HW, Liu YC, Chang JW, Hou MM, Yang CT, Cheng NM, Su TP, Yen TC. TLG-S criteria are superior to both EORTC and PERCIST for predicting outcomes in patients with metastatic lung adenocarcinoma treated with erlotinib. Eur J Nucl Med Mol Imaging. 2016;43(12):2155-2165.
5. **Ho KC**, Fang YD, Chung HW, Yen TC, Ho TY, Chou HH, Hong JH, Huang YT, Wang CC, Lai CH. A Preliminary Investigation into Textural Features of Intratumoral Metabolic Heterogeneity in 18F-FDG PET for Overall Survival Prognosis in Patients with Bulky Cervical Cancer Treated with Definitive Concurrent Chemoradiotherapy. Am J Nucl Med Mol Imaging. 2016;6(3):166-75.
6. Huang SM, Wu YL, Peng SL, Peng HH, Huang TY, **Ho KC**, Wang FN. Inter-Strain Differences in Default Mode Network: A Resting State fMRI Study on Spontaneously Hypertensive Rat and Wistar Kyoto Rat. Sci Rep.

2016;6:21697

7. Kuo WH, Wu YC, Wu CY, **Ho KC**, Chiu PH, Wang CW, Chang CJ, Yu CT, Yen TC, Lin C. Node/aorta and node/liver SUV ratios from (18)F-FDG PET/CT may improve the detection of occult mediastinal lymph node metastases in patients with non-small cell lung carcinoma. *Acad Radiol* 2012;19(6):685-92.
8. **Ho KC**, Wang CC, Qiu JT, Lai CH, Hong JH, Huang YT, Huang KG, Chao A, Lin G, Yen TC. Identification of prognostic factors in patients with cervical cancer and supraclavicular lymph node recurrence. *Gynecol Oncol*. 2011;123(2):253-6.
9. Huang MJ, Hsieh PH, Ueng SW, **Ho KC**, Yen TC, Lee MS. Use of Positron Emission Tomography to Detect Infection Around Antibiotic-loaded Cement Spacers in Patients With High C-Reactive Protein Levels. *Orthopedics*. 2011;34(10):e605-9.
10. Cheng NM, Yeh TW, **Ho KC**, Ng SH, Hsueh C, Yen TC, Liao CT. False Positive F-18 FDG PET/CT in Neck and Mediastinum Lymph Nodes Due to Anthracosis in a Buccal Cancer Patient. *Clin Nucl Med*. 2011;36(10):963-4.
11. Chen SH, **Ho KC**, Hsieh PH, Lee SS, Yen TC. Potential clinical role of [18F]FDG-PET/CT in detecting hip prosthesis infection: a study in patients undergoing two-stage revision arthroplasty with an interim spacer. *Q J Nucl Med Mol Imag* 2010;54(4):429-35.
12. Lo YF, Cheung YC, Hsueh S, **Ho KC**. Feasibility of sentinel lymph node biopsy in multifocal/multicentric breast cancer. *Chang Gung Med J* 2009;32(1):51-8.
13. Cheng NM, Yu CT, **Ho KC**, Wu YC, Liu YC, Wang CW, Yen TC. Respiration-Averaged CT for Attenuation Correction in Non-Small-Cell Lung Cancer. *Eur J Nucl Med Mol Imaging* 2009;36(4):607-15.
14. Lin G, Ng KK, Chang CJ, Wang JJ, **Ho KC**, Yen TC, Wu TI, Wang CC, Chen YR, Huang YT, Ng SH, Jung SM, Chang TC, Chang CJ, Lai CH. Myometrial Invasion in Endometrial Cancer: Diagnostic Accuracy of Diffusion-weighted MR Imaging: Initial Experience at 3.0 T. *Radiology*

2009;250(3):784-92.

15. **Ho KC**, Lin G, Wang JJ, Lai CH, Chang CJ, Yen TC. Correlation of apparent diffusion coefficients measured by 3T diffusion-weighted MRI and SUV from FDG PET/CT in primary cervical cancer. *Eur J Nucl Med Mol Imaging* 2009;36(2):200-8.
16. Lin G, **Ho KC**, Wang JJ, Ng KK, Wai YY, Chen YT, Chang CJ, Ng SH, Lai CH, Yen TC. Detection of lymph node metastasis in cervical and uterine cancers by diffusion-weighted magnetic resonance imaging at 3 Tesla. *J Magn Reson Imaging* 2008;28(1):128-135.
17. Wu TI, Hsu KH, Huang HJ, Hsueh S, Chou HH, Tsai CS, **Ho KC**, Chao A, Chang TC, Lai CH. Prognostic factors and adjuvant therapy in uterine carcinosarcoma. *Eur J Gynaecol Oncol* 2008;29(5):483-8.
18. Chao A, **Ho KC**, Wang CC, Cheng HH, Lin G, Yen TC, Lai CH. Positron emission tomography in evaluating the feasibility of curative intent in cervical cancer patients with limited distant lymph node metastases. *Gynecol Oncol* 2008;110(2):172-178.
19. **Ho KC**, Lai CH, Wu TI, Ng KK, Yen TC, Lin G, Chang TC, Wang CC, Hsueh S, Huang HJ. 18F-fluorodeoxyglucose Positron Emission Tomography in Uterine Carcinosarcoma. *Eur J Nucl Med Mol Imaging* 2008;35(3):484-492.
20. Tseng MJ, **Ho KC**, Lin G, Yen TC, Tsai CS, Lai CH. Peritoneal metastasis in primary cervical cancer: a case report. *Eur J Gynaecol Oncol* 2007;28(3):225-8.
21. Qiu JT, **Ho KC**, Lai CH, Yen TC, Huang YT, Chao A, Chang TC. Supraclavicular lymph node metastases in cervical cancer. *Eur J Gynaecol Oncol* 2007;28(1):33-8.
22. Lin CT, Yen TC, Chang TC, Ng KK, Tsai CS, **Ho KC**, Lai CH. Role of [18F]fluoro-2-deoxy-D-glucose positron emission tomography in re-recurrent cervical cancer. *Int J Gynecol Cancer* 2006;16(6):1994-2003.
23. Liu FY, Chen JS, Changchien CR, Yeh CY, Liu SH, **Ho KC**, Yen TC. Utility of 2-fluoro-2-deoxy-D-glucose positron emission tomography in managing

- patients of colorectal cancer with unexplained carcinoembryonic antigen elevation at different levels. Dis Colon Rectum 2005;48(10):1900-1912.
24. **Ho KC**, Ng KK, Yen TC, Chou HH.. An ovary in luteal phase mimicking common iliac lymph node metastasis from a primary cutaneous peripheral primitive neuroectodermal tumour as revealed by 18-fluoro-2-deoxyglucose positron emission tomography. Br J Radiol 2005;78(928):343-5.