

\*李進昌醫師

所有發表期刊論文

**Bibliography:**

(I) Paper Publications

1. **Ching-Chang Lee**, Leu ML, Kuo HP, Huang CC\*. Hypereosinophilia in Hemodialysis Patients. Chang Gung Medical Journal, 1995; 18(1): 20-26.
2. Lee WC, Tsai CJ, Huang CC, **Ching-Chang Lee**. Assessment of Dialysis Adequacy Using the Dialysate Urea Monitor: Preliminary Experience of the Dialysate Urea Monitor. Renal Failure, 1997; 19(6): 789-797.
3. Tzung-Fang Chuang, Shih-Chen Kao, Chi-Jen Tsai\*, **Ching-Chang Lee**, Kuo-Su Chen: Spontaneous bacterial peritonitis as the presenting feature in an adult with nephrotic syndrome. Nephrol Dial Transplant 1999;14:181-182
4. Hung-Yu Chang, **Ching-Chang Lee**, Chi-Jen Tsai, Shih-Chen Kao, Kuo-Su Chen, Ming-Tein Chen: Comparison of The Efficacy of Subcutaneous Versus Intravenous Administration of a Low and Fixed Erythropoietin Dose in Chronic Hemodialysis Patients. Acta Nephrologica, 1999;13(1):14-19
5. Hao-His Kao, Kuo-Su Chen\*, Chi-Jen Tsai, **Ching-Chang Lee**, Hung-Yu Chang: Clinical Characteristic of Parenteral Iron supplement in Hemodialysis Patients Receiving Erythropoietin Therapy. Chang Gung Medical Journal, 2000; 23(10):608-613
6. Meng-Hao Chen, Kuo-Su Chen\*, Jia-Woei Hou, **Ching-Chang Lee**, Jen-Seng Huang: Coexistence of Autosomal Dominant Polycystic Kidney Disease and Neurofibromatosis: Report of a Family. American Journal of Nephrology 2002;22:376-380.
7. Sai-Cheong Lee, Kuo-Su Chen, Chi-Jen Tsai, **Ching-Chang Lee**, Hung Yu Chang, Lai-Chu See, Yu-Chin Kao, Shu-Chu Chen, Cheng-Hsu Wang: An Outbreak of Methicillin-Resistant Staphylococcus Aureus Infections Related to Central Venous Catheters for Hemodialysis. Infection control and hospital epidemiology 2004;25:678-684
8. Yung-Chih Chen, Mai-Szu Wu\*, **Ching-Chang Lee**, Yu-Ying Lin, Yu-Hui Chen, Chih-Lang Lin: Dialysate Leakage in Chronic Peritoneal Dialysis Patients. Acta Nephrologica 2004;17:69-75
9. Chiao-Yin Sun, **Chin-Chan Lee**, Ho-Chan Lin, Mai-Szu Wu\*: Prognostic predictor of

acute paraquat Intoxication who survived the initial injury. *Acta Nephrologica* 2006; 20: 98-104

10. Sun C-Y, **Lee C-C**, Chang C-T, Hung C-C, Wu M-S\*. Commercial Cadaveria Renal Transplant : an ethical rather than medical issue. *Clinical Transplantation* 2006,20:340-345,
11. Hung CC, Chang CT, **Lee CC**, Chen KH, Yu CC, Wu CH, Huang JY, Wu MS, Yang CW. Prognostic predictors of technique and patient survival in elderly Southeast Asian patients undergoing continuous ambulatory peritoneal dialysis. *Int J Clin Pract.* 2009 Feb;
12. **Lee CC**, Sun CY, Wu MS: Long-term modality-related mortality analysis in incident dialysis patients. *Perit Dial Int.* 2009, 29:182-190
13. Sun CY, **Lee CC**, Wu MS: Hypoglycemia in Diabetic Patients with Chronic Hemodialysis. *Theraput Aphresis*, 2009 13(2):95-102
14. Wu IW, Wang SY, Hsu KH, **Lee CC**, Sun CY, Tsai CJ, Wu MS\*. Multidisciplinary predialysis education decreases the incidence of dialysis and reduces mortality-A controlled cohort study based on the NKF/DOQI guidelines. *Nephrology dialysis transplantation*, 2009 :1-8
15. Jwo S.C, Chen K.S, **Lee CC**, Chen H.Y. Prospective Randomized study for comparison of open surgery with laparoscopic-assisted placement of tenckhoff peritoneal dialysis catheter-a single center experience and literature review. *J Surg Res.* 2010 Mar;159(1):489-96
16. Yang N. I., Wang, C. H., Hung, M. J., Chen, Y. C., Wu, I. W., **Lee, C. C.**, Wu, M. S., Kuo, L. T., Cheng, C. W., Cherng, W. J. Real-time three-dimensional echocardiography provides advanced haemodynamic information associated with intra-dialytic hypotension in patients with autonomic dysfunction, *Nephrology dialysis transplantation*, 2009, Aug(Epub ahead of print)
17. Hsu, H. J; Chen, C. K.; Wu, I. W.; Sun, C. Y.; Chou, C. C.; **Lee, C. C.**; Tsai, C. R.; Wu, M. S. "Lack of association between plasma Dehydroepiandrosterone Sulfate (DHEA-S) levels and depression in hemodialysis patients: A cross-sectional study." *Exp Gerontol.* 2009 Nov;44(11):733-9.
18. Yu CC, Hsu HJ, Wu IW, **Lee CC**, Tsai CJ, Chou CC, Wu MS. Factors associated with mortality from non-occlusive mesenteric ischemia in dialysis patients. *Ren Fail.* 2009;31(9):802-6.\_

19. **Lee CC**, Sun C.Y, Wu MS\*,. Positive dialysate gram stain predicts outcome of empirical antibiotic therapy for peritoneal dialysis-associated peritonitis. *Therapeutic Apheresis and Dialysis*, 2010, 14(2):201-208
20. Chen, C.Y.; Hsu, H. J.; Wu, I. W.; Sun, C. Y.; Chou, C. C.; **Lee, C. C.**; Wu, M. S.: Mycotic aortic aneurysms in dialysis patients: analysis of cases. *Acta, Nephrologica*, 2010, 24(3):170-175
21. Chen, C. K.; Tsai, Y. C.; Hsu, H. J.; Wu, I. W.; Sun, C. Y.; Chou, C. C.; **Lee, C. C.**; Tsai, C. R.; Wu, M. S.; Wang, L. J. Depression and suicide risk in hemodialysis patients with chronic renal failure. *Psychosomatics*. 2010, 51(6):528-528e6(Epub ahead, SCI)
22. Wu, I. W.; Hsu, K. H.; **Lee, C. C.**; Sun, C. Y.; Hsu, H. J.; Tsai, C. J.; Tzen, C. Y.; Wang, Y. C.; Lin, C. Y.; Wu, M. S. p-Cresyl sulphate and indoxyl sulphate predict progression of chronic kidney disease. *Nephrol Dial Transplant*, 2011, **26**(3): 938-947.
23. Sun, C. Y.; **Lee, C. C.**; Lin, Y. Y.; Wu, M. S. "In Younger Dialysis Patients, Automated Peritoneal Dialysis Is Associated with Better Long-Term Patient and Technique Survival Than Is Continuous Ambulatory Peritoneal Dialysis." *Perit Dial Int*. 2011 May-Jun;31(3):301-7
24. **Lee, C. C.**, Sun, C. Y.; Wu, I. W.; Wang, S. Y.; Wu, M. S., "Metabolic syndrome loses its predictive power in late-stage chronic kidney disease progression - a paradoxical phenomenon." *Clin Nephrol* 2011, **75**(2): 141-149.
25. Chen, S. H., Tsai, Y.F., Sun, C. Y.; Wu, I. W.; **Lee, C. C.**; et al. "The impact of self-management support on the progression of chronic kidney disease--a prospective randomized controlled trial." *Nephrol Dial Transplant*. 2011 Nov;26(11):3560-626.
26. Wu, I. W., K. H. Hsu, **Lee, C. C.**; et al. "p-Cresyl sulphate and indoxyl sulphate predict progression of chronic kidney disease." *Nephrol Dial Transplant* , 2011, **26**(3): 938-947.
27. Hsieh MF, Wu IW, **Lee, C. C.**, Wang SY, Wu MS. Higher serum potassium level associated with late stage chronic kidney disease. *Chang Gung medical journal* 2011;34:418-25.
28. Hsu HJ, Yen CH, Hsu KH, **Lee, C. C.** et al. Association between cold dialysis and cardiovascular survival in hemodialysis patients. *Nephrol Dial Transplant*. 2012 Jun;27(6):2457-64

29. Wu IW, Hsu KH, Hsu HJ, **Lee, C. C.**, et al. Serum free p-cresyl sulfate levels predict cardiovascular and all-cause mortality in elderly hemodialysis patients--a prospective cohort study. *Nephrology, dialysis, transplantation* 2011. . *Nephrol Dial Transplant*. 2012 Mar;27(3):1169-75
30. Chen KS, Chen WS, Chen HY, **Lee, C. C.**, Kao HS, Chen YC, Ting MK. Experience in primary culture of human peritoneal mesothelial cell. *Chin J Physiol*. 2012 Aug 31;55(4):274-83
31. Hsu HJ, Yen CH, Chen CK, Hsu KH, Hsiao CC, **Lee, C. C.**, Wu IW, Sun CY, Chou CC, Hsieh MF, Chen CY, Hsu CY, Tsai CJ, Wu MS. Low plasma DHEA-S increases mortality risk among male hemodialysis patients. *Exp Gerontol*. 2012 Dec;47(12):950-7.
32. Wang LJ, Wu MS, Hsu HJ, Wu IW, Sun CY, Chou CC, **Lee, C. C.**, Tsai CR, Tsai YC, Chen CK. The relationship between psychological factors, inflammation, and nutrition in patients with chronic renal failure undergoing hemodialysis. *Int J Psychiatry Med*. 2012;44(2):105-18.
33. Chou KM, **Lee, C. C.**, Chen CH, Sun CY. Clinical value of NGAL, L-FABP and albuminuria in predicting GFR decline in type 2 diabetes mellitus patients. *PLoS One*. 2013;8(1):e54863
34. Hsu HJ, Yen CH, Chen CK, Wu IW, **Lee, C. C.** Sun CY, Chang SJ, Chou CC, Hsieh MF, Chen CY, Hsu CY, Tsai CJ, Wu MS. Association between uremic toxins and depression in patients with chronic kidney disease undergoing maintenance hemodialysis. *Gen Hosp Psychiatry*. 2013 Jan-Feb;35(1):23-7.
35. Wu IW, Hsu KH, **Lee, C. C.**, Sun CY, Hsu HJ, Hung MJ, Wu MS. Re-evaluating the predictive roles of metabolic complications and clinical outcome according to eGFR levels--a four-years prospective cohort study in Taiwan. *BMC Nephrol*. 2013 Apr 22;14:92
36. Hsu HJ, Yen CH, Hsu KH, Wu IW, **Lee CC.** Hung MJ, Sun CY, Chou CC, Chen YC, Hsieh MF, Chen CY, Hsu CY, Tsai CJ, Wu MS. Factors associated with chronic musculoskeletal pain in patients with chronic kidney disease. *BMC Nephrol*. 2014 Jan 8;15:6
37. Hsu HJ, Yen CH, Hsu KH, Wu IW, **Lee CC.** Sun CY, Chou CC, Chen CY, Yang SY, Tsai CJ, Wu MS, Hung MJ. Chronic kidney disease stage is a modulator on the association between high-sensitivity C-reactive protein and coronary vasospastic angina. *ScientificWorldJournal*. 2014 Mar 5;2014:852507

38. Wang LJ, Chen CK, Hsu HJ, Wu IW, Sun CY, **Lee CC**. Depression, 5HTTLPR and BDNF Val66Met polymorphisms, and plasma BDNF levels in hemodialysis patients with chronic renal failure. *Neuropsychiatr Dis Treat*. 2014 Jul 5;10:1235-41.
39. Hsu HJ, Yen CH, Wu IW, Hsu KH, Chen CK, Sun CY, Chou CC, Chen CY, Tsai CJ, Wu MS, **Lee CC**. The association of uremic toxins and inflammation in hemodialysis patients. *PLoS One*. 2014 Jul 22;9(7):e102691
40. Wu IW, Hsu KH, Sun CY, Tsai CJ, Wu MS, **Lee, C. C**. Oral adsorbent AST-120 potentiates the effect of erythropoietin-stimulating agents on Stage 5 chronic kidney disease patients: a randomized crossover study. *Nephrol Dial Transplant*. 2014 Apr 8. [Epub ahead of print]
41. Sun CY, Young GH, Hsieh YT, Chen YH, Wu MS, Wu VC, Lee JH, **Lee, C. C**. Protein-Bound Uremic Toxins Induce Tissue Remodeling by Targeting the EGF Receptor. *J Am Soc Nephrol*. 2014 Jul 10. pii: ASN.2014010021. [Epub ahead of print]
42. Sun CY, **Lee, C. C**. Hsieh MF, Chen CH, Chou KM. Clinical association of circulating VEGF-B levels with hyperlipidemia and target organ damage in type 2 diabetic patients. *Journal of biological regulators and homeostatic agents*. Vol.28, no.2, 225-236 (2014) (IF4.152)