

* 高煌凱醫師

所有發表期刊論文

1. Offodile AC 2nd, Lin AJ, Chang KP, Abdelrahman M, Kou HW, Loh CYY, **Kao HK***. Anterolateral Thigh Flap Combined with Reconstruction Plate Versus Double Free Flaps for Composite Mandibular Reconstruction: A Propensity Score-Matched Study. Ann SurgOncol. 2017 Dec 28 (E-pub ahead of print)
2. **Kao HK**, Abdelrahman M, Huang Y, Tsai CH, Barrera MJ, Tsang NM, Couves AJ, Cheng MH, Chang KP. Multiple concomitant oral cavity cancers: Incidence, management, and outcomes. J SurgOncol. 2017; 115: 835-41.
3. Lu YA, Sun WC, Kuo G, Chen CY, **Kao HK**, Lin Y, Lee CH, Hung CC, Tian YC, Ko YS, Hsu HH. Epidemiology and Outcomes of Infectious Spondylodiscitis in Hemodialysis Patients. Spine. 2017 Oct 9. [Epub ahead of print]
4. **Kao HK**, Kuo IC, Huang Y, Wang CI, Yi JS, Liang Y, Liao CT, Yen TC, Wu CC, Chang KP. Endoplasmic reticulum aminopeptidase 2 involvement in metastasis of oral cavity squamous cell carcinoma discovered by proteome profiling of primary cancer cells. Oncotarget. 2017; 8: 61698-61708. (Co-first author with equal contribution)
5. Kuo G, Lu YA, Sun WC, Chen CY, **Kao HK**, Lin Y, Lee CH, Hung CC, Tian YC, Hsu HH. Epidemiology and outcomes of Endophthalmitis in chronic dialysis patients: a 13-year experience in a tertiary referral center in Taiwan. BMC Nephrol. 2017; 18: 270.
6. **Kao HK**, De PazD, Huang Y, Chang KP. Prognostic Stratification of Patients With Advanced Oral Cavity Squamous Cell Carcinoma. CurrOncol Rep. 2017; 19: 65
7. Chang KP, Wang CI, Pickering CR, Huang Y, Tsai CN, Tsang NM, **Kao HK**, Cheng MH, Myers JN. Prevalence of promoter mutations in the TERT gene in oral cavity squamous cell carcinoma. Head Neck. 2017; 39: 1131-1137
8. Hung SY, Loh CY, Kwon SH, Tsai CH, Chang KP, **Kao HK***. Assessing the suitability of medial sural artery perforator flaps in tongue reconstruction - An outcome study. PLoS One. 2017; 12: e0171570.
9. Chen B, **Kao HK**, Dong Z, Jiang Z, Guo L. Complementary Effects of Negative-Pressure Wound Therapy and Pulse Radiofrequency Energy on Cutaneous Wound Healing in Diabetic Mice. PlastReconstr Surg. 2017; 139: 105-117.
10. Lu YA, Hsu HH, **Kao HK**, Lee CH, Lee SY, Chen GH, Hung CC, Tian YC. Infective spondylodiscitis in patients on maintenance hemodialysis: a case series. Ren Fail. 2017; 39: 179-186.
11. Loh CY, Wang AY, **Kao HK**, Cardona E, Chuang SH, Wei FC. Episomal Induced Pluripotent Stem Cells Promote Functional Recovery of Transected Murine Peripheral Nerve. PLoS One. 2016;11: e0164696. (SCI, IF=3.059, 11/62,

Multidisciplinary Science)

12. Offodile AC 2nd, Chang KP, Chen HH, Loesch E, Hung SY, Kao HK*. Feasibility and Outcomes of the Third or More Episodes of Sequential Microvascular Reconstruction for Recurrent or Second Primary Oral Cancer. *Ann SurgOncol.* 2016; 23: 3765-72. (SCI, IF= 3.655, 16/200, Surgery).
13. Kao HK, Hsu HH, Chuang WY, Chen SC, Chen B, Wu SC, Guo L. External Volume Expansion Modulates Vascular Growth and Functional Maturation in a Swine Model. *Sci Rep.* 2016 May 13; 6: 25865. (SCI, IF= 5.228, 7/62, Multidisciplinary Science).
14. Lu YA, Kao HK, Lin HY, Liu YC, Chen YC, Tian YC, Hung CC, Yang CW, Hsu HH. Extraskeletal uptake on bone scan in a patient with malignant hypercalcemia. *Kidney Int.* 2016 [epub]. (SCI, IF=7.683, 4/77, Urology & Nephrology)
15. Wu CS, Chang KP, OuYang CN, Kao HK, Hsueh C, Chen LC, Cheng HY, Liang Y, Liou W, Liang CL, Chang YS. ASC contributes to metastasis of oral cavity squamous cell carcinoma. *Oncotarget.* 2016 Jun 29. [Epub ahead of print]. (SCI, IF=5.008, 36/213, Oncology)
16. Al Deek NF, Wei FC, Kao HK. Free Tissue Transfer to Head and Neck: Lessons Learned from Unfavorable Results-Experience per Subsite. *ClinPlast Surg.* 2016;43:621-30. (SCI, IF= 1.065, 131/200, Surgery)
17. Gleber-Netto FO, Yakob M, Li F, Feng Z, Dai J, Kao HK, Chang YL, Chang KP, Wong DT. Salivary Biomarkers for Detection of Oral Squamous Cell Carcinoma in a Taiwanese Population. *Clin Cancer Res.* 2016; 22:3340-7. (SCI, IF= 8.738, 12/213, Oncology)
18. Adel M, Kao HK, Hsu CL, Huang JJ, Chang KP. Evaluation of Lymphatic and Vascular Invasion in Relation to Clinicopathological Factors and Treatment Outcome in Oral Cavity Squamous Cell Carcinoma. *Medicine.* 2015 Oct; 94: e1510. (SCI, IF=2.133, 40/154, Medicine) (Co-first author with equal contribution)
19. Chang KP, Lin SJ, Liu SC, Yi JS, Chi LM, Kao HK, Liang Y. Low-molecular-mass secretome profiling identifies HMGA2 and MIF as prognostic biomarkers for oral cavity squamous cell carcinoma. *Sci Rep.* 2015 Jul3; 5: 11689. (SCI, IF= 5.228, 7/62, Multidisciplinary Science).
20. Kao HK, Hsu HH, Chuang WY, Chang KP, Chen B, Guo L. Experimental study of fat grafting under negative pressure for wounds with exposed bone. *Br J Surg* 102: 998-1005. (SCI, IF= 5.596, 7/200, Surgery)
21. Kao HK*, Mohamed A, Chang KP, Wu CM, Hung SY, Shyu BH. Choice of flap affects fistula rate after salvage laryngopharyngectomy. *Sci Rep.* 2015 Mar 17; 5: 9180. (SCI, IF= 5.228, 7/62, Multidisciplinary Science).
22. Fanzio PM, Chang KP, Chen HH, Hsu HH, Gorantla V, Solari M, Kao HK*. Plate

- Exposure after Anterolateral Thigh Flap Reconstruction in Head and Neck Cancer Patients with Composite Mandibular Defect. Ann SurgOncol. 2015 Jan 7. (Epub ahead of print) (SCI, IF= 3.655, 16/200, Surgery).
23. Lu YA, Lee SY, Lin HY, Liu YC, **Kao HK**, Chen YC, Tian YC, Hung CC, Yang CW, Hsu HH. Serum phosphate as an additional marker for initiating hemodialysis in patients with advanced chronic kidney disease. Biomed J. 2015; 38: 531-7.
 24. ALDeek NF, Tsao CK, **Kao HK**, Wei FC. A technical pearl to ensure reliable harvest of the anterolateral thigh myocutaneous flap. PlastReconstr Surg. 2015;135: 652e-654e. (SCI, IF=3.087, 31/200, Surgery).
 25. Chan RC, Wei FC, Tsao CK, **Kao HK**, Chang YM, Tsai CY, Chen WH. Free flap reconstruction after surgical release of oral submucous fibrosis: long-term maintenance and its clinical implications. J PlastReconstrAesthet Surg. 2014; 67:344-9. (SCI, IF=1.743, 84/200, Surgery)
 26. Huang JJ, Wu CW, Tsao CK, **Kao HK**, Chang NJ, Cheng MH. Pedicled perforator flaps for vulvar reconstruction - a versatile, less invasive and simple way with favorable results..PlastReconstr Surg. 2014; 134 (4suppl 1), 148- 149. (SCI, IF=3.087, 31/200, Surgery).
 27. Fang KH, **Kao HK**, Chi LM, Liang Y, Liu SC, Hseuh C, Liao CT, Yen TC, Yu JS, Chang KP. Overexpression of BST2 is associated with nodal metastasis and poorer prognosis in oral cavity cancer. Laryngoscope 2014; 124(9), e354-360. (SCI, IF= 2.272, 9/43, otolaryngology).
 28. Cherian T, **Kao HK**, Qiao X, Guo L. Low harvest pressure enhances autologous fat graft viability. PlastReconstrSurg 2014; 133(6), 1365- 1368. (SCI, IF=3.087, 31/200, Surgery).
 29. Chang KP, Wang CL, **Kao HK**, Liang Y, Liu SC, Huang LL, Hseuh C, Hsieh YJ, Chien KY, Chang YS, Yu JS, Chi LM. Overexpression of caldesmon is associated with lymph node metastasis and poorer prognosis in patients with oral cavity squamous cell carcinoma. Cancer 2013; 119(22), 4003-4011. (SCI, IF=5.649, 26/213, Oncology).
 30. Hsin LR, **Kao HK**, Chen IH, Tsang NM, Hsu CL, Liu SC, Chang YS, Chang KP. (2013, Nov). Serum CXCL9 levels are associated with tumor progression and treatment outcome in patients with nasopharyngeal carcinoma. PLoS One 2013; 8(11), e80052. (SCI, IF=3.059; 11/62, Multidisciplinary Science) (Co-first author with equal contribution)
 31. HK Yeh, CK Tsao, Thomas Constantinescu, NJ Chang, CW Wu, JJ Huang, **HK Kao**, MH Cheng, FC Wei. Surgical site infection control using both open and suction drain in head and neck cancer patients receiving soft tissue reconstruction. 中華民國整形外科醫學會雜誌; 2015; 24:1-9.

32. Chang KP, Wu CC, Fang KH, Tsai CY, Chang YL, Kao HK*. Serum levels of chemokine (C-X-C motif) ligand 9 (CXCL9) are associated with tumor progression and treatment outcome in patients with oral cavity squamous cell carcinoma. *Oral Oncol.* 2013 Aug 49 (8): 802-7. (SCI; IF= 2.695; Dentistry, Oral surgery 11/82)
33. Kao HK, Li Q, Flynn B, Qiao X, Ruberti JW, Murphy JF, Guo L*. Collagen synthesis modulated in wounds treated by pulsed radiofrequency energy. *PlastReconstr Surg.* 2013; 131(4): 490e-498e. (SCI; IF=3.535; Surgery 13/198)
34. Chen WF, Chang KP, Chen CH, Shyu BH, Kao HK*. Outcomes of anterolateral thigh flap reconstruction for salvage laryngopharyngectomy for hypopharyngeal cancer after concurrent chemoradiotherapy. *PLoS ONE.* 2013; 8 (1): e53985. (SCI; IF=3.73; Multidisciplinary Science 7/56)
35. Chang CC, Kao HK*, Huang JJ, Tsao CK, Cheng MH, Wei FC. Postoperative alcohol withdrawal syndrome and neuropsychiatric disorder after head and neck cancer ablation followed by microsurgical free tissue transfer. *J ReconstrMicrosurg.* 2013; 29 (2): 131-6.(SCI; IF=1.0; Surgery 127/198)
36. Kao HK, Chen WF, Chen CH, Shyu VB, Cheng MH, Chang KP*. The role of albumin levels in head and neck cancer patients with liver cirrhosis undergoing tumor ablation and microsurgical free tissue transfer. *PLoS ONE.* 2012; 7 (12): e52678. (SCI; IF=3.73; Multidisciplinary Science 7/56)
37. Tsai CH, Chang KP, Hung SY, Chen WF, Cheng MH, Kao HK*. Postoperative morbidity in head and neck cancer ablative surgery followed by microsurgical free tissue transfer in the elderly. *Oral Oncol.* 2012 Sep; 48(9): 811-16. (SCI; IF= 2.695; Dentistry, Oral surgery 11/82)
38. Kao HK, Chen B, Murphy GF, Li, Q,Orgill DS, Guo LF*. Peripheral blood fibrocytes: enhancement of wound healing by cell proliferation, re-epithelialization, contraction, and angiogenesis. *Ann Surg.* 2011 Dec; 254(6): 1066-74. (SCI; IF=6.329; Surgery 1/166)
39. Kao HK, Guo LF, Cheng MH, Chen IH, Liao CT, Fang KH, Yu JS,Chang KP*. Predicting postoperative morbidity and mortality by MELD score for patients with head and neck cancer and liver cirrhosis. *Head and Neck.* Head Neck. 2011 Apr;33(4):529-34. (SCI; IF=2.833; Otolaryngology 3/43)
40. Chang KP, Kao HK, Wu CC, Fang KH, Chang YL, Huang YC, Liu SC, Cheng MH*. Pretreatment interleukin-6 serum levels are associated with patient survival for oral cavity squamous cell carcinoma. *Otolaryng Head Neck Surg.* 2013 May; 148(5): 786-91. (SCI; IF=1.625; Otolaryngology 16/43)
41. Huang JJ, Wu CW, Lam WL, Nguyen DH, Kao HK, Lin CY, Cheng MH*. Anatomical basis and clinical application of the ulnar forearm free flap for

- head and neck reconstruction. *Laryngoscope*. 2012 Dec; 122(12): 2670-6. (SCI; IF=1.979; Otolaryngology 7/43)
42. Chen CL, **Kao HK**, Chen CC, Chen HC*. Long-term follow-up of microvascular free tissue transfer for mobilization of congenital radioulnarsynostosis. *J PlastReconstrAesthet Surg.* 2012 Dec; 65(12): e363-5. (SCI; IF=1.439; Surgery 98/198)
 43. Peng C, Chen B, **Kao HK**, Murphy G, Orgill DP, Guo L*. Lack of FGF-7 further delays cutaneous wound healing in diabetic mice. *PlastReconstr Surg.* 2011 Dec; 128(6): 674e-683e. (SCI; IF=3.535; Surgery 13/198)
 44. Li Q, **Kao HK**, Matros E, Peng C, Murphy GF, Guo, LF*. Pulsed Radio Frequency Energy (PRFE) Accelerates Wound Healing In Diabetic Mice. *PlastReconstr Surg.* 2011 Jun; 127(6):2255-62. (SCI; IF=3.535; Surgery 13/198)
 45. Liu As, **Kao HK**, Reish RG, Hergrueter CA, May JW Jr, Guo L*. Postoperative complications in prothesis-based breast reconstruction using acellular dermal matrix. *PlastReconstr Surg.* 2011 May; 127(5): 1755-62. (SCI; IF=3.535; Surgery 13/198)
 46. Chang KP, **Kao HK**, Yen TC, Chang YL, Liang Y, Liu SC, Lee LY, Kang CJ, Chen IH, Liao CT, Yu JS*. Overexpression of macrophage inflammatory protein-3a in oral cavity squamous cell carcinoma is associated nodal metastasis. *Oral Oncol.* 2011 Feb; 47(2):108-13. (SCI; IF= 2.695; Dentistry, Oral surgery 11/82)
 47. Engel H, Huang JJ, Lin CY, Lam W, **Kao HK**, Gazyakan E, Cheng MH*. A strategic approach for tongue reconstruction to achieve predictable and improved functional and aesthetic outcomes. *PlastReconstr Surg.* 2010 Dec; 126(6): 1967-77. (SCI; IF=3.535; Surgery 13/198)
 48. Huang SF*, Chuang WY, Cheng SD, Hsin LJ, Lee LY, **Kao HK**. A colliding maxillary sinus cancer of adenosquamous carcinoma and small cell neuroendocrine carcinoma--a case report with EGFR copy number analysis. *World J SurgOncol.* 2010 Oct; 20(8): 92. (SCI; IF=1.12; Surgery 122/198)
 49. **Kao HK**, Chang KP, Ching WC, Tsao CK, Cheng MH*, Wei FC. Postoperative morbidity and mortality of head and neck cancers in patients with liver cirrhosis undergoing surgical resection followed by microsurgical free tissue transfer. *Ann SurgOncol.* 2010 Feb; 17(2): 536-43. (SCI; IF=4.12; Surgery 9/198)
 50. **Kao HK**, Chang KP, Ching WC, Tsao CK, Cheng MH*, Wei FC. The impacts of liver cirrhosis on head and neck cancer patients undergoing microsurgical free tissue transfer: An evaluation of flap outcome and flap-related complications. *Oral Oncol.* 2009 Dec; 45(12):1058-62. (SCI; IF= 2.695; Dentistry, Oral surgery 11/82)
 51. **Kao HK**, Chang KP, Chen YA, Wei FC, Cheng MH*. Anatomical basis and versatile application of the free medial sural artery perforator flap for head and neck

- reconstruction. *Plast Reconstr Surg.* 2010 Apr;125(4):1135-1145. (SCI; IF=3.535; Surgery 13/198)
52. **Kao HK**, Chang KP, Wei FC, Cheng MH*. Comparison of the medial sural artery perforator flap with the radial forearm flap for head and neck reconstruction. *Plast Reconstr Surg.* 2009 Oct; 124(4):1125-32. (SCI; IF=3.535; Surgery 13/198)
53. **Kao HK**, Chen HC, Chen HT. Congenital radioulnarsynostosis treated using a microvascular free fascio-fat flap. *Chang Gung Med J.* 2005 Feb; 28(2):117-22.
54. **Kao HK**, Cheng MH, Chen HT, Wei FC. Using free superior gluteal artery perforator flap for breast reconstruction in Asian women. *J plast Surg. Assoc. ROC.*
55. Chang KP, **Kao HK**, Liang Y, et al. Overexpression of Activin A in Oral Squamous Cell Carcinoma: Association with Poor Prognosis and Tumor Progression. *Ann Surg Oncol.* 2010 Jul; 17(7): 1945-56. (SCI; IF=4.12; Surgery 9/198)
56. Wallace CG, **Kao HK**, Jeng SF, Wei FC*. Free-style flaps: a further step forward for perforator flap surgery. *Plast Reconstr Surg.* 2009 Dec; 124(6S): e419-426. (SCI; IF=3.535; Surgery 13/198)
57. Fang KH, **Kao HK**, Cheng MH, Chang YL, Chang KP*. Histological differentiation of primary oral squamous cell carcinomas in an area of betel quid chewing prevalence. *Otolaryngology—Head and Neck Surgery.* 2009 Dec; 743-749. (SCI; IF=1.625; Otolaryngology 16/43)
58. Wong CH*, **Kao HK**, Fu B, Lin JY. A cautionary point in the harvest of the anterolateral thigh myocutaneous flap. *Ann Plast Surg.* 2009 Jun; 62(6):637-9.
59. Tsao CK, Wei FC*, Chang YM, Cheng MH, Chwei-Chin Chuang D, **Kao HK**, Dayan JH. Reconstruction of the buccal mucosa following release for submucosal fibrosis using two radial forearm flap from a single donor site. *J Plast Reconstr Aesthet Surg.* 2010 Jul; 63 (7):1117-23. (SCI; IF=1.439; Surgery 98/198)
60. Huang JJ, Wallace C, Lin JY, Tsao CK, **Kao HK**, Huang WC, Cheng MH*, Wei FC. Two small flaps from one anterolateral thigh donor site for bilateral buccal mucosa reconstruction after release of submucosal fibrosis. *J Plast Reconstr Aesthet Surg.* 2010 Mar; 63 (3): 440-5. (SCI; IF=1.439; Surgery 98/198)
61. Wang SY, Cheng MH, Kao HK, Tsao CK. Using microvascular anastomotic coupler system for venous anastomosis of internal mammary vein in breast reconstruction. *J plast Surg. Assoc. ROC.* 2007; 16(3): 183-188.