

\* 呂幸江教授

所有發表期刊論文

1. F. Hsieh\*, S.J. Mulvaney, H.E. Huff, **S. Lue** and J. Brent Jr., Effect of dietary fiber and screw speed on some extrusion processing and product variables, [LWT-Food Sci. Technol.](#) 22 (1989) 204–207.
2. **S.J. Lue**, B.H. Chiang\*, Deacidification of passion fruit juice by ultrafiltration and ion-exchange process, [Int. J. Food Sci. Technol.](#) 24 (1989) 395–401.
3. B.H. Chiang\*, **S.J. Lue**, Crispy rice manufacturing by extrusion, [Chin. J. Food Sci.](#) 16(3) (1989) 218–229.
4. **S. Lue**, F. Hsieh\*, I.C. Peng, H.E. Huff, Expansion of corn extrudates containing dietary fiber: A microstructure study, [LWT-Food Sci. Technol.](#) 23 (1990) 165–173.
5. **S. Lue**, F. Hsieh\*, H.E. Huff, Extrusion cooking of corn meal and sugar beet fiber: Effect on expansion properties, starch gelatinization, and dietary fiber content, [Cereal Chem.](#) 68(3) (1991) 227–234.
6. F. Hsieh\*, H.E. Huff, **S. Lue**, L. Stringer, Twin-Screw extrusion of effect of sugar beet fiber and corn meal, [LWT-Food Sci. Technol.](#) 24 (1991) 495–500.
7. **S. Lue**, F. Hsieh\*, H.E. Huff, Modeling of twin-screw extrusion cooking of corn meal and sugar beet fiber mixtures, [J. Food Eng.](#) 21 (1994) 263–289. DOI: 10.1016/0260-8774(94)90073-6.
8. **S.J. Lue\***, T. Wu, H. Hsu, C. Huang, Application of ion chromatography to the semiconductor industry. I: measurement of acidic airborne contaminants in cleanroom, [J. Chromatogr. A](#) 804 (1998) 273–278. DOI: 10.1016/S0021-9673(98)00028-4.
9. **S.J. Lue\***, C. Huang, Application of ion chromatography to the semiconductor industry. II: Determination of basic airborne contaminants in a cleanroom, [J. Chromatogr. A](#) 850 (1999) 283–287.
10. **S.J. Lue\***, H. Juang, S. Hou, Permeation of xylene isomers through supported liquid membranes containing cyclodextrins, [Sep. Sci. Technol.](#) 37 (2002) 463–480.
11. S.T. Kao, F.J. Wang, **S.J. Lue\***, Sorption, diffusion, and pervaporation of benzene/cyclohexane mixtures on silver-Nafion membranes, [Desalination](#) 149 (2002) 35–40.
12. **S.J. Lue\***, S.H. Peng, Polyurethane (PU) membrane preparation with and without hydroxypropyl- $\beta$ -cyclodextrin and their pervaporation characteristics, [J. Membr. Sci.](#) 222 (2003) 203–217.
13. **S.J. Lue\***, F.J. Wang, S.Y. Hsiaw, Pervaporation of benzene/cyclohexane mixtures using ion-exchange membrane containing copper ions, [J. Membr. Sci.](#) 240 (2004) 149–158.

14. **呂幸江\***, 王逢展。以離子交換薄膜進行苯/環己烷的滲透蒸發之研究, 化工, 第 51 卷第 3 期 (2004) 37-51. 榮獲 2005 年化學工程學會所頒發之化工傑作獎
15. **S.J. Lue\***, S.W. Yang, Sorption of organic solvents in poly(dimethyl siloxane) membrane. I. Permeant states quantification using differential scanning calorimetry, *J. Macromol. Sci. Part B-Phys.* 44 (2005) 711–725.
16. **S.J. Lue\***, T.H. Liaw, Separation of xylene mixtures using polyurethane (PU)-zeolite composite membranes, *Desalination*, 193 (2006) 137–143.
17. **S.J. Lue\***, S.W. Yang, Y.S. Chang, Sorption of organic solvents in poly(dimethyl siloxane) membrane. II. Effect of sorption on the polymer crystalline upon cooling, *J. Macromol. Sci. Part B-Phys.* 45 (2006) 417–430.
18. **S.J. Lue\***, T.S. Shih, T.C. Wei, Plasma modification on a Nafion membrane for direct methanol fuel cell applications, *Korean J. Chem. Eng.* 23 (2006) 441–446.
19. **S.J. Lue\***, J.J. Hsu, C.H. Chen, B.C. Chen, Thermally on-off switching membranes of poly(N-isopropylacrylamide) immobilized in track-etched polycarbonate films, *J. Membr. Sci.* 301 (2007) 142–150.
20. **S.J. Lue\***, S.Y. Shiaw, T.C. Wei, Surface modification of perfluorosulfonic acid membranes with perfluoroheptane (C<sub>7</sub>F<sub>16</sub>)/argon plasma, *J. Membr. Sci.* 305 (2007) 226–237.
21. **S.J. Lue\***, J.Y. Chen, J.M. Yang, Crystallinity and stability of poly(vinyl alcohol)-fumed silica mixed matrix membranes, *J. Macromol. Sci. Part B-Phys.* 47 (2008) 39–51.
22. **S.J. Lue\***, W.W. Chen, S.Y. Wu, L.D. Wang, C.H. Kuo, Vapor permeation modeling of multi-component systems using a poly(dimethylsiloxane) membrane, *J. Membr. Sci.* 311 (2008) 380–389.
23. **S.J. Lue\***, S.F. Wang, L.D. Wang, W.W. Chen, K.M. Du, S.Y. Wu, Diffusion of multicomponent vapors in a poly(dimethyl siloxane) membrane, *Desalination* 233 (2008) 277–285.
24. **S.J. Lue\***, S.Y. Wu, S.F. Wang, L.D. Wang, C.L. Tsai, Modeling multi-component vapor sorption in a poly(dimethyl siloxane) membrane, *Desalination* 233 (2008) 286–294.
25. **S.J. Lue\***, J.J. Hsu, T.C. Wei, Drug permeation modeling through the thermo-sensitive membranes of poly(N-isopropylacrylamide) brushes grafted onto micro-porous films, *J. Membr. Sci.* 321 (2008) 146–154.
26. **S.J. Lue\***, D.T. Lee, J.Y. Chen, C.H. Chiu, C.C. Hu, Y.C. Jean, J.Y. Lai, Diffusivity enhancement of water vapor in poly(vinyl alcohol)-fumed silica nano-composite membranes: Correlation with polymer crystallinity and free-volume properties, *J. Membr. Sci.* 325 (2008) 831–839.
27. **S.J. Lue\***, S.J. Shieh, Water states in perfluorosulfonic acid membranes using

- differential scanning calorimetry, *J. Macromol. Sci. Part B-Phys.* 48 (2009) 114–127.
28. **S.J. Lue\***, S. J. Shieh, Modeling water states in polyvinyl alcohol-fumed silica composites, *Polymer* 50 (2009) 654–661. DOI: 10.1016/j.polymer.2008.11.026. (SCI, EI, *IF*=3.379, 15/83 Polymer Science)
  29. **S.J. Lue\***, J. Chow, C. Chien, H. Chen, Cross-flow microfiltration of oily water using a ceramic membrane, *Sep. Sci. Technol.* 44 (2009) 3435–3454.
  30. **S.J. Lue\***, W.W. Chen, S.F. Wang, Vapor permeation of toluene, m-xylene, and methanol vapors on poly(dimethylsiloxane) membranes, *Sep. Sci. Technol.* 44 (2009) 3412–3434.
  31. **S.J. Lue\***, J.S. Ou, C.H. Kuo, H.Y. Chen, T.H. Yang, Pervaporative separation of azeotropic methanol/toluene mixtures in polyurethane-poly(dimethylsiloxane) (PU-PDMS) blend membranes: Correlation with sorption and diffusion behaviors in a binary solution system, *J. Membr. Sci.* 347 (2010) 108–115.
  32. Y.J. Fu, H.Z. Qui, K.S. Liao, **S.J. Lue**, C.C. Hu\*, K.R. Lee\*, J.Y. Lai, Effect of UV-ozone treatment on poly(dimethylsiloxane) membranes: Surface characterization and gas separation performance, *Langmuir* 26 (2010) 4392–4399.
  33. **S.J. Lue\***, C.L. Tsai, D.T. Lee, K.P.O. Mahesh, M.Y. Hua, C.-C. Hu, Y.C. Jean, K.R. Lee, J.-Y. Lai, Sorption, diffusion, and perm-selectivity of toluene vapor/nitrogen mixtures through polydimethylsiloxane membrane with two cross-linking densities, *J. Membr. Sci.* 349 (2010) 321–332.
  34. **S.J. Lue\***, J.S. Ou, S.L. Chen, W.S. Hung, C.-C. Hu, Y.C. Jean, J.-Y. Lai, Tailoring permeant sorption and diffusion properties with blended polyurethane/poly(dimethylsiloxane) (PU/PDMS) membranes, *J. Membr. Sci.* 356 (2010) 78–87.
  35. **S.J. Lue\***, P.W. Lo, L.Y. Hung, Y.L. Tung\*, Application of micro-porous polycarbonate membranes in dye-sensitized solar cells: Cell performance and long-term stability, *J. Power Sources* 195 (2010) 7677–7683.
  36. **S.J. Lue\***, W.T. Wang, K.P.O. Mahesh, C.-C. Yang, Enhanced performance of a direct methanol alkaline fuel cell (DMAFC) using a polyvinyl alcohol/fumed silica/KOH electrolyte, *J. Power Sources* 195 (2010) 7991–7999.
  37. L.Y. Hung, **S.J. Lue\***, J.H. You, Mass transfer modeling of reverse osmosis performance on 0.5-2% salty water, *Desalination* 265 (2011) 67–73.
  38. **S.J. Lue\***, C.H. Chen, C.M. Shih, Tuning of lower critical solution temperature (LCST) of poly(N-isopropylacrylamide-co-acrylic acid) hydrogels, *J. Macromol. Sci. Part B-Phys.* 50 (2011) 563–579.
  39. **S.J. Lue\***, K.P.O. Mahesh, W.T. Wang, J.Y. Chen, C.-C. Yang, Permeant transport properties and cell performance of potassium hydroxide doped poly(vinyl alcohol)/fumed silica nanocomposites, *J. Membr. Sci.* 367 (2011) 256–264.

40. H.S. Chen, **S.J. Lue\***, Y.L. Tung, K.W. Cheng, K.C. Ho, Elucidation of electrochemical properties of electrolyte-impregnated micro-porous ceramic films as framework supports in dye-sensitized solar cells, *J. Power Sources* 196 (2011) 4162–4172.
41. C.C. Yang\*, **S.J. Lue**, J.Y. Shih, A novel organic/inorganic polymer membrane based on poly(vinyl alcohol)/poly(2-acrylamido-2-methyl-1-propanesulfonic acid/3-glycidyloxypropyl trimethoxysilane polymer electrolyte membrane for direct methanol fuel cells, *J. Power Sources* 196 (2011) 4458–4467.
42. **S.J. Lue\***, I.M. Su, D.T. Lee, H.Y. Chen, C.-M. Shih, C.C. Hu, Y.C. Jean, J.Y. Lai, Correlation between free-volume properties and pervaporative flux of polyurethane-zeolite composites on organic solvent mixtures, *J. Phys. Chem. B* 115 (2011) 2947–2958.
43. W.H. Pan, **S.J. Lue\***, C.M. Chang, Y.L. Liu\*, Alkali doped polyvinyl alcohol/multi-walled carbon nano-tube electrolyte for direct methanol alkaline fuel cell, *J. Membr. Sci.* 376 (2011) 225–232.
44. **S.J. Lue\***, C.H. Chen, C.M. Shih, M.C. Tsai, C.Y. Kuo, J.Y. Lai, Grafting of poly(N-isopropylacrylamide-co-acrylic acid) on microporous polycarbonate films: Regulating lower critical solution temperatures for drug controlled release, *J. Membr. Sci.* 379 (2011) 330–340.
45. **S.J. Lue\***, C.F. Chien, K.P.O. Mahesh, Pervaporative concentration of ethanol-water mixtures using heterogeneous polydimethylsiloxane (PDMS) mixed matrix membranes, *J. Membr. Sci.* 384 (2011) 17–26.
46. **S.J. Lue\***, W.H. Pan, C.M. Chang, Y.L. Liu\*, High-performance direct methanol alkaline fuel cell performance using potassium hydroxide-impregnated polyvinyl alcohol/carbon nano-tube electrolytes, *J. Power Sources* 202 (2012) 1–10.
47. F.-Y. Chou, C.-M. Shih, M.-C. Tsai, W.-Y. Chiu, **S.J. Lue\***, Functional acrylic acid as stabilizer for synthesis of smart hydrogel particles containing a magnetic Fe<sub>3</sub>O<sub>4</sub> core, *Polymer* 53 (2012) 2839–2846.
48. T.-H. Yang, **S.J. Lue\***, UNIQUAC and UNIQUAC-HB models for the sorption behavior of ethanol/water mixtures in a cross-linked polydimethylsiloxane membrane, *J. Membr. Sci.* 415–416 (2012) 534–545.
49. **S.J. Lue\***, T.-H. Yang, K.-S. Chang, K.-L. Tung, Water diffusivity suppression and ethanol-over-water diffusion selectivity enhancement for ethanol/water mixtures in polydimethylsiloxane-zeolite membranes, *J. Membr. Sci.* 415–416 (2012) 635–643.
50. K.S. Chang\*, Y.C. Chung, T.H. Yang, **S.J. Lue\***, K.L. Tung\*, Y.F. Lin, Free volume and alcohol transport properties of PDMS membranes: Insights of nano-structure and interfacial affinity from molecular modeling, *J. Membr. Sci.* 417–418 (2012) 119–130.
51. L. Zhang\*, L. L. Li, N. J. Liu, H. L. Chen, Z. R. Pan, **S.J. Lue**, Pervaporation

- behavior of PVA membrane containing  $\beta$ -cyclodextrin for separating xylene isomeric mixtures, *AIChE J.* 59 (2013) 604–612.
52. M.C. Tsai, C.M. Shih, **S.J. Lue\***, Drug permeation behavior through thermo- and pH-responsive polycarbonate-g-poly(N-isopropylacrylamide-co-acrylic acid) composites, *Polym. Bull.* 70 (2013) 1003–1017.
  53. F.Y. Chou, C.M. Shih, J.Y. Lai, W.Y. Chiu, **S.J. Lue\***, Time-resolved polymer propagation for acrylic acid-mediated nanolatexes containing magnetic  $\text{Fe}_3\text{O}_4$  cores, *J. Nanosci. Nanotechnol.* 13 (2013) 2147–2152.
  54. B.Y. Wang, H.K. Lin, N.Y. Liu, K.P.O. Mahesh, **S.J. Lue\***, Cell performance modeling of direct methanol fuel cells using proton-exchange solid electrolytes: Effective reactant diffusion coefficients in porous diffusion layers, *J. Power Sources* 227 (2013) 275–283.
  55. T.H. Yang, **S.J. Lue\***, Modeling sorption behavior for ethanol/water mixtures in a cross-linked polydimethylsiloxane membrane using Flory-Huggins equation, *J. Macromol. Sci. Part B-Phys.* 52 (2013) 1009–1029.
  56. F.-Y. Chou, J.Y. Lai, C.-M. Shih, **S.J. Lue\***, In vitro biocompatibility of magnetic thermo-responsive nanohydrogel particles of poly(N-isopropylacrylamide-co-acrylic acid) with  $\text{Fe}_3\text{O}_4$  cores: Effect of particle size and chemical composition, *Colloids Surf. B-Biointerfaces* 104 (2013) 66–74.
  57. **S.J. Lue\***, B.W. Chen, C.M. Shih, F.Y. Chou, J.Y. Lai, W.Y. Chiu, Micron- and nano-sized poly(N-isopropylacrylamide-co-acrylic acid) latex syntheses and their application for controlled drug release, *J. Nanosci. Nanotechnol.* 13 (2013) 5305–5315.
  58. J.T. Chen, Y.J. Fu, K.L. Tung, S.H. Huang, W.S. Hung, **S.J. Lue**, C.C. Hu, K.R. Lee, J.Y. Lai, Surface modification of poly(dimethylsiloxane) by atmospheric pressure high temperature plasma torch to prepare high-performance gas separation membranes, *J. Membr. Sci.* 440 (2013) 1–8.
  59. T.H. Yang, **S.J. Lue\***, Coupled concentration-dependent diffusivities of ethanol/water mixtures through a polymeric membrane: effect on pervaporative flux and diffusivity profiles, *J. Membr. Sci.* 443 (2013) 1–9.
  60. C.F. Lo, J.F. Wu, H.Y. Li, W.S. Hung, C.M. Shih, C.C. Hu, Y.L. Liu\*, **S.J. Lue\***, Novel polyvinyl alcohol nanocomposites containing carbon nano-tubes with  $\text{Fe}_3\text{O}_4$  pendants for alkaline fuel cell application, *J. Membr. Sci.* 444 (2013) 41–49.
  61. J.Y. Lai\*, **S.J. Lue**, H.Y. Cheng, D.H.K. Ma, Effect of matrix nanostructure on the functionality of carbodiimide cross-linked amniotic membranes as limbal epithelial cell scaffolds, *J. Biomed. Nanotechnol.* 9 (2013) 2048–2062.
  62. C.C. Huang, Y.L. Liu, W.H. Pan, C.M. Chang, C.M. Shih, H.Y. Chu, C.H. Chien, C.H. Juan, **S.J. Lue\***, Direct borohydride fuel cell performance using hydroxide-conducting polymeric nano-composite electrolytes, *J. Polym. Sci. Pt. B-Polym. Phys.* 51 (2013) 1779–1789.

63. 呂幸江\*, 施詔銘, 潘蚊菡, 汪韋廷, 吳榮芬, 羅婕方, 李龍昀。直接甲醇鹼性燃料電池的奈米複合電解質膜之研發, 化工, 第 60 卷第 4 期 (2013) 62-77。
64. J.F. Wu, C.F. Lo, L.Y. Li, H.Y. Li, C.M. Chang, K.S. Liao, C.C. Hu, Y.L. Liu\*, S.J. Lue\*, Thermally stable polybenzimidazole/carbon nano-tube composites for alkaline direct methanol fuel cell applications, *J. Power Sources* 246 (2014) 39–48.
65. T.M. Hsieh, S.J. Lue\*, J. Ao\*, Y. Sun, W.S. Feng, L.B. Chang, Characterizations of chemical bath-deposited zinc oxysulfide films and the effects of their annealing on copper-indium-gallium-selenide solar cell efficiency, *J. Power Sources* 246 (2014) 443–448.
66. S.J. Lue\*, W.L. Hsu, C.Y. Chao, K.P.O. Mahesh, Effects of operating conditions on direct methanol fuel cell performance using Nafion-based polymer electrolytes, *J. Fuel Cell Sci. Technol.* 11(6) (2014) 061004-061004-6. DOI: 10.1115/1.4028611 (Oct.)
67. B.Y. Wang, C.Y.K. Tseng, C.M. Shih, S.J. Lue\*, Polytetrafluoroethylene (PTFE)/silane cross-linked sulfonated poly(styrene-ethylene/butylene-styrene) (sSEBS) composite membrane for direct alcohol and formic acid fuel cells, *J. Membr. Sci.* 464 (2014) 43–54.
68. Y.L. Wu, Y.L. Tung\*, C.M. Shih, Y.C. Wang, J.R. Li, S.J. Lue\*, Functional TiO<sub>2</sub> nano-particles as electron lifetime and electrical conductance enhancer in quasi-solid-state electrolyte for dye-sensitized solar cells, *J. Power Sources* 274 (2015) 1283-1291.
69. C.L. Lai\*, J.T. Chen, Y.J. Fu, W.R. Liu, Y.R. Zhong, S.H. Huang, W.S. Hung, S.J. Lue, C.C. Hu\*, K.R. Lee, Bio-inspired cross-linking with borate for enhancing gas-barrier properties of poly(vinyl alcohol)/graphene oxide composite films, *Carbon* 82 (2015) 513–522.