

*林蕙鈴助理教授

所有發表期刊論文

1. 陳芸、丁曼如、林蕙鈴*。Acute respiratory distress syndrome treated with lung protective strategy and inhaled nitric oxide after intestinal transplantation。呼吸治療 2015 (1)
2. Chung FF, Lin HL, Liu HE, Lien AS, Hsiao HF, Chou LT, Wan GH. Aerosol Distribution During Open Suctioning and Long-Term Surveillance of Air Quality in a Respiratory Care Center Within a Medical Center. *Respir Care*. 2014 Oct 14. [Epub ahead of print]
3. Chen YH; Lin HL; Hsiao HF; Huang CT; Kao FC, Li LF; Huang CC; Tsai YH。Effects of an additional pressure support level on exercise duration in patients on prolonged mechanical ventilation。JFMA [SCI, Accepted]
4. 趙恩榕、萬國華、趙麗婷、林蕙鈴*。持續流量型噴霧器效能比較。呼吸治療 2015 (1)
5. Lin HL*, Harwood RJ., Fink JB., Ari A. In-vitro Comparison of Aerosol delivery using different facemasks and flow rates with a high flow humidity system. *Respir Care*
6. Wan GH, Lin HL*, Fink JB et al, In Vitro Evaluation of Aerosol Delivery by Different Nebulization Modes in Pediatric and Adult Mechanical Ventilators. *Respir Care*. 2014;59(10):37-
7. 謝慧關、林蕙鈴*。緩和照護中伴隨呼吸困難病人的處置。呼吸治療 2014 (1) : 23-33
8. 蕭秀鳳、林蕙鈴*、周蘭娣、高國晉、蔡熒煌、許光宏。呼吸治療師對不施行心肺復甦術及終止或撤除人工氣道及其相關因素探討。呼吸治療 2014 (2) : 1-10
9. 林蕙鈴*、謝慧關。肺動脈高壓患者之藥物吸入治療。呼吸治療 2014 (1) : 14-24
10. 陳妍慧、柯姿杏、張芷婷、萬國華、林蕙鈴、黃崇旂。某大學呼吸治療學系學生臨床實習壓力與因應行為。呼吸治療 2013;12(2)39-47
11. 重複消毒小容積噴霧器效果評估。柯威任、謝慧觀、林蕙鈴。呼吸治療 2013;12(2)49-58
12. Lin HL*, Wan GH, Chen YH, Fink JB, Liu WQ, and Liu KY. Influence of nebulizer type with different pediatric aerosol masks on drug deposition in a model of a spontaneously breathing small child. *Respir Care*, 2012 57:11 1894-1900
13. Lin HL*, Fink JB. Breath-Actuated Nebulizer for Patients With Exacerbation of COPD: Efficiency and Cost. *Respir Care*, 2012 57(9):1524-1525

14. Chen YH, Lin HL, Hsiao HF, Chou LT, Kao KC, Huang CC, Tsai YH. Effects of exercise training on pulmonary mechanics and functional status in patients with prolonged mechanical ventilation. *Respir Care* 2012;57(5):727-734.
15. Huang CC, Chen NH, Li LF, Yang CT, Hsiao HF, Chen YH, Lin HL, Kao KC. Effects of cardiac output levels on the measurement of transpulmonary thermodilution cardiac output in patients with acute respiratory distress syndrome. *J Trauma Acute Care Surg.* 2012;73(5):1236-41.
16. Shie HG, Lee WC, Hsiao HF, Jung F, Yang LL, Lin HL*. Patient safety attitude among respiratory therapists in Taiwan. *Respir care* 2011;56(12):1924-1929.
17. 陳韻如、方瑱配、劉凱瑛、劉玟伽、陳信強、林蕙鈴*。新生兒及兒童的霧氣藥物傳送影響因素之探討。呼吸治療 2011 年 1 月 69-78 頁
18. 謝慧關、林蕙鈴。病人與呼吸器交互作用與機械通氣技術的新發展。呼吸治療 2011 (1) : 91-104
19. Lin HL*, Fink JB, Zhou Y, Cheng YC. Influence of moisture accumulation in inline spacer on delivery of metered dose inhaler through mechanical ventilation. *Respir care* 2009;54(10):1336-1341 [SCI, IF 1.84]
20. 林蕙鈴, 江玲玲, 蘇千玲; 機械通氣導致肺損傷。台灣呼吸治療期刊 2008(7):131-138
21. Lin HL, Restrepo RD, Gardenhire D, Rau JL. Effect of facemask design on inhaled mass of nebulized albuterol using a pediatric breathing model. *Respir Care* 2007;52(8):1021-1026.
22. 林蕙鈴, 江玲玲, 更深入探討抽痰技術。中華民國呼吸照護期刊 2006;17(1)
23. 林蕙鈴, 蘇千玲, 江玲玲, 實證醫學之應用於呼吸治療。中華民國呼吸照護期刊. 2005;16(1):71-78