

\*林錫賢教授

所有發表期刊論文

- (1) Au, L-C., Huang, Y-B., Huang, T-F., Teh, G-W., **Lin, H-H.**, and Choo, K-B. 1991. A common precursor for a putative hemorrhagic protein and rhodostomin, a platelet aggregation inhibitor of the venom of *Calloselasma rhodostoma*: Molecular cloning and sequence analysis. *Biochem. Biophys. Res. Commun.* 181:585-593.
- (2) Au, L-C., **Lin, H-H.**, Teh, G-W., and Lin, S-B. 1992. Snake venom platelet inhibitor (Rhodostomin) inhibits cell-attachment. *In Vitro Cell. Dev. Biol.* 28A:571-572.
- (3) **Lin, H-H.**, Sternfeld, D. C., Shinpock, S. G., Popp, R. A., and Mucenski, M. L. 1996. Functional analysis of the *c-myb* proto-oncogene. *Curr. Topics Micro. and Immunol.* 211:79-87.
- (4) **Lin, H-H.**, L.J. Stubbs. and M.L. Mucenski. 1997. Identification and characterization of a seven transmembrane hormone receptor using differential display. *Genomics.* 41:301-308.
- (5) Stacey, M., **Lin, H-H.**, Gordon, S., and McKnight, A. J. 2000. LNB-TM7, a group of seven-transmembrane proteins related to family-B G-protein-coupled receptors. *Trends in Biochemical Sciences.* 25:284-289.
- (6) **Lin, H-H\***, Stacey, M., Hamann J, Gordon, S., and McKnight, A. J. 2000. Human EMR2, a Novel EGF-TM7 Molecule on Chromosome 19p13.1, is Closely Related to CD97. *Genomics.* 67(2):188-200.
- (7) Stacey, M., **Lin, H-H.**, Hilyard KL, Gordon, S., and McKnight, A. J. 2001. Human epidermal growth factor (EGF) module-containing mucin-like hormone receptor 3 is a new member of the EGF-TM7 family that recognizes a ligand on human macrophages and activated neutrophils. *J. Biol. Chem.* 276(22):18863-70.
- (8) **Lin, H-H.**, Stacey, M., Saxby C., Knott V., Chaudhry Y., Evans D., Gordon S., McKnight AJ., Handford P., Lea S. 2001. Molecular analysis of the epidermal growth factor-like short consensus repeat domain-mediated protein-protein interactions: dissection of the CD97-CD55 complex. *J. Biol. Chem.* 276(26):24160-69.
- (9) Wreschner DH, McGuckin MA, Williams SJ, Baruch A, Yoeli M, Ziv R, Okun L, Zaretsky J, Smorodinsky N, Keydar I, Neophytou P, Stacey M, **Lin H-H.**, Gordon S. 2002 Generation of ligand-receptor alliances by "SEA" module-mediated cleavage of membrane-associated mucin proteins. *Protein Sci.* 11(3):698-706.
- (10) Kwakkenbos MJ., Chang G.-W., **Lin H-H.**, Pouwels W., de Jong EC., van Lier RAW., Gordon S., and Hamann J 2002 The human EGF-TM7 family member EMR2 is a heterodimeric receptor expressed on myeloid cells. *J. Leukoc. Biol.* 71:854-862.

- (11) Stacey M., Chang GW., Sanos SL., Chittenden LR., Stubbs L., Gordon S and **Lin H.-H.**\* 2002 EMR4, a novel EGF-TM7 molecule up-regulated in activated mouse macrophages, binds to a putative cellular ligand on B lymphoma cell line, A20. *J. Biol. Chem.* 277:29283-93.
- (12) G.-W. Chang, M. Stacey, M. J. Kwakkenbos, J. Hamann, S. Gordon and **H.-H. Lin**\*, 2003. Proteolytic Cleavage of the EMR2 Receptor requires both the Extracellular Stalk and the GPS motif. *FEBS Letters* 547(1-3):145-50.
- (13) M. Stacey, GW Chang, J. Q. Davies, M. J. Kwakkenbos, R. Sanderson, J. Hamann, S. Gordon and **H.-H. Lin**\* 2003 The epidermal growth factor-like domains of the human EMR2 receptor mediate cell attachment through chondroitin sulphate glycosaminoglycans. *Blood.* 102(8):2916-2924.
- (14) J. A. Willment, **H.-H. Lin**, D. M. Reid, P. Taylor, S. Y. C. Wong, D. L. Williams, S. Gordon, and G. D. Brown 2003 The murine beta-glucan receptor Dectin-1 expression and function is modulated by cytokines in primary macrophages. *J. Immunol.* 171(9):4569-73.
- (15) M. J. Kwakkenbos, E. Kop, M. Matmati, M. Stacey, S. Gordon, **H.-H. Lin** and J. Hamann 2004 The EGF-TM7 family: a postgenomic view. *Immunogenetics* 55(10):655-66.
- (16) Chang YC, Hsu TL, **Lin H.-H.**, Chio CC, Chiu AW, Chen NJ, Lin CH, and Hsieh SL. 2004 Modulation of macrophage differentiation and activation by decoy receptor 3. *J Leukoc Biol.* 75(3):486-94.
- (17) A. S. J. Marshall, J. A. Willment, **H.-H. Lin**, D. L. Williams, S. Gordon and G. D. Brown 2004 The Identification and Characterization of a Novel Human Myeloid Inhibitory C-type lectin-Like Receptor, MICL, which is Predominantly Expressed on Granulocytes and Monocytes. *J. Biol. Chem.* 279(15):14792-802.
- (18) **H.-H. Lin**\*, G.-W. Chang, J. Q. Davies, M. Stacey, J. Harris, and S. Gordon 2004 Autocatalytic cleavage of the EMR2 receptor occurs at a conserved G protein-coupled receptor proteolytic site (GPS) motif. *J. Biol. Chem.* 279(30):31823-32.
- (19) M. J. Kwakkenbos, W. Pouwels, M. Matmati, M. Stacey, **H.-H. Lin**, S. Gordon, R. A.W. van Lier and J. Hamann 2005 Expression of the largest CD97 and EMR2 isoforms on leukocytes facilitates a specific interaction with chondroitin sulfate on B cells. *J Leukoc Biol.* 77(1):112-119.
- (20) E. N. Kop, M. J. Kwakkenbos, G. J. D. Teske, M. C. Kraan, T. J. Smeets, M. Stacey, **H.-H. Lin**, P. P. Tak, and J. Hamann 2005 Identification of the EGF-TM7 receptor EMR2 and its ligand dermatan sulphate in rheumatoid synovial tissue. *Arthritis and Rheumatism* 52(2):442-50.

- (21) P. R. Taylor, L. Martinez-Pomares, M. Stacey, **H.-H. Lin**, G. D. Brown, and S. Gordon 2005 Macrophage Receptors and Immune Recognition. *Annual Review of Immunology*, Vol. 23:901-44.
- (22) M. Stacey, J. Q. Davies, S. Gordon and **H.-H. Lin**\* 2005 Post-translational cleavage of cell-surface receptors *ENCYCLOPEDIA Genetics, Genomics, Proteomics and Bioinformatics*. Part 3. Proteomics 3.5. Proteome Diversity. (online publication) John Wiley & Sons, Ltd.
- (23) **H.-H. Lin**&\*, M. Stacey, G.-W. Chang, J. Q. Davies, and S. Gordon 2005 Method for selecting and enriching cells expressing low affinity ligands for cell surface receptors. *BioTechniques* 38(5):696-698.
- (24) **H.-H. Lin**&, D. E. Faunce&, M. Stacey, A. Terajewicz, T. Nakamura, J. Zhang-Hoover, M. Kerley, M. L. Mucenski, S. Gordon and J. Stein-Streilein 2005 The macrophage F4/80 receptor is required for the induction of antigen-specific efferent regulatory T cells in peripheral tolerance. *J. Exp. Med.* 201(10):1615-1625.
- (25) J. Harris, N. Schwinn, J. A. Mahoney, **H.-H. Lin**, M. Shaw, C. J. Howard, R. P. da Silva and S. Gordon 2006 A vitellogenic-like carboxypeptidase (CPVL) expressed by human macrophages is localised in endoplasmic reticulum and membrane ruffles. *Int. J. Exp. Pathol.* 87(1):29-39.
- (26) G.-W. Chang&, J. Q. Davies, M. Stacey, S. Yona, D. M. E. Bowdish, J. Hamann, T.-C. Chen, C.-Y. Lin, S. Gordon, **H.-H. Lin**&\* 2007 CD312, the human adhesion-GPCR EMR2, is differentially expressed during differentiation, maturation, and activation of myeloid cells. *Biochemical and Biophysical Research Communications* 353(1):133-138.
- (27) J. Q. Davies&, G.-W. Chang&, S. Yona, S. Gordon, M. Stacey and **H.-H. Lin**\* 2007 The role of receptor oligomerization in modulating the expression and function of leukocyte adhesion-GPCRs. *J. Biol. Chem.* 282(37):27343-53.
- (28) J. Hamann, N. Koning, W. Pouwels, L. H. Ulfman, M. van Eijk, M. Stacey, **H.-H. Lin**, S. Gordon, M. J. Kwakkenbos 2007 EMR1, the human homolog of F4/80, is an eosinophil-specific receptor. *Eur. J. Immunol.* 37(10):2797-802.
- (29) P.-L. Chiu, B. H. Ng, G.-W. Chang, S. Gordon, and **H.-H. Lin**\* 2008 Putative alternative trans-splicing of leukocyte adhesion-GPCR pre-mRNAs generates functional chimeric receptors. *FEBS Letters* 582(5):792-798.
- (30) S. Yona, **H.-H. Lin**, P. Dri, J. Q. Davies, R. PG. Hayhoe, S. M. Lewis, S. EM. Heinsbroek, K. Alun Brown, M. Perretti, J. Hamann, D. F. Treacher, S. Gordon and M. Stacey 2008 Ligation of the adhesion-GPCR EMR2, regulates human neutrophil function. *FASEB J.* 22(3):741-751.

- (31) S. Yona, **H.-H. Lin**, W. O. Siu, S. Gordon, and M. Stacey 2008 Adhesion GPCRs: emerging roles for novel receptors. *Trends in Biochemical Sciences* 33(10):491-500.
- (32) **H.-H. Lin**&\*, G.-W. Chang, Y.-S. Huang, C.-C. Hsiao, M. Stacey, and S. Gordon 2009 Multivalent protein probes for the characterization and identification of cellular ligands of cell surface receptors. *Methods Mol. Biol.* 531:89-101. (corresponding author)
- (33) C.-C. Hsiao, K.-F. Cheng, H.-Y. Chen, Y.-H. Chou, M. Stacey, G.-W. Chang and **H.-H. Lin**\* 2009 Site-specific N-glycosylation regulates the GPS autoproteolysis of CD97. *FEBS Letters* 583(19):3285-3290.
- (34) **H.-H. Lin**\*, M. Stacey, S. Yona and G.-W. Chang 2010 GPS proteolytic cleavage of adhesion-GPCRs. *Adv. Exp. Med. Biol.* 706:49-58.
- (35) S. Yona, **H.-H. Lin**, M. Stacey 2010 Immunity and adhesion-GPCRs. *Adv. Exp. Med. Biol.* 706:121-127.
- (36) **H.-H. Lin**\*, M. Stacey, J. Stein-Streilein and S. Gordon 2010 F4/80: the macrophage-specific adhesion-GPCR and its role in immunoregulation. *Adv. Exp. Med. Biol.* 706:149-156.
- (37) C.-C. Hsiao, H.-Y. Chen, G.-W. Chang and **H.-H. Lin**\* 2011 GPS autoproteolysis is required for CD97 to up-regulate the expression of N-cadherin that promotes homotypic cell-cell aggregation. *FEBS Letters* 585(2):313-318.
- (38) J. Q. Davies&, **H.-H. Lin**&\*, M. Stacey&, S. Yona, G.-W. Chang, S. Gordon, J. Hamann, L. Campo, C. Han, A. L. Harris and S. B. Fox 2011 The leukocyte adhesion GPCR EMR2 is aberrantly expressed in human breast carcinomas and is associated with patient survival. *Oncology Reports* 25(3):619-27.
- (39) N.-Y. Chiang, C.-C. Hsiao, Y.-S. Huang, H.-Y. Chen, I.-J. Hsieh, G.-W. Chang, **H.-H. Lin**\* 2011 Disease-associated GPR56 mutations cause bilateral frontoparietal polymicrogyria via multiple mechanisms. *J. Biol. Chem.* 286(16): 14215-14225.
- (40) S. Gordon\*, J. Hamann, **H.-H. Lin**, M. Stacey 2011 Celebrating 30 years: F4/80 and the related adhesion-GPCRs. *Eur. J. Immunol.* 41: 2472-2476
- (41) Y.-M. Peng, Martijn D.B. van de Garde, K.-F. Cheng, P.A. Baars, R.A.W. van Lier, C.R. Mackay, **H.-H. Lin**\*, and J. Hamann\* 2011 Specific expression of GPR56 by human cytotoxic lymphocytes. *J. Leukoc. Biol.* 90: 735-740.
- (42) T.-Y. Chen, T.-L. Hwang, C.-Y. Lin, T.-N. Lin, H.-Y. Lai, W.-P. Tsai, **H.-H. Lin**\* 2011 EMR2 receptor ligation modulates cytokine secretion profiles and cell survival of LPS-treated neutrophil. *Chang Gung Medical Journal* 34(5): 468-477.
- (43) **H.-H. Lin** and S. Gordon 2012 Chapter 1: Macrophage phenotype in tumours. In T. Lawrence and T. Hagemann (eds.) *Tumour-Associated Macrophages*. page 3-16, Springer Science+Business Media, LLC (Invited book chapter).

- (44)**H.-H. Lin\*** 2012 Adhesion family of G protein-coupled receptors and cancer. *Chang Gung Medical Journal* 35(1): 15-27. (invited review) (corresponding author).
- (45)Y.-S. Huang, N.-Y. Chiang, C.-H. Hu, C.-C. Hsiao, K.-F. Cheng, W.-P. Tsai, Simon Yona, Martin Stacey, Siamon Gordon, G.-W. Chang\* and **H.-H. Lin\*** 2012 Activation of myeloid cell-specific adhesion class G protein-coupled receptor EMR2 via ligation-induced translocation and interaction of receptor subunits in lipid raft microdomains. *Mol. Cell. Biol.* 32(8): 1408-1420
- (46)**H.-H. Lin\*** and M.-L. Kuo 2012 News and Perspectives: The 2011 Nobel Prize in Physiology or Medicine. *Chang Gung Medical Journal* 35(2): 93-95. (invited review) (co-first and co-corresponding author)
- (47)J. Hamann and **H.-H. Lin** 2012 "EGF-TM7 receptors", In Gordon, S. (ed.), Macrophage Heterogeneity and Function, The Biomedical & Life Sciences Collection, Henry Stewart Talks Ltd, London (online at <http://hstalks.com/?t=BL1473268-Lin>)
- (48)D. Araç, G. Aust, D. Calebiro, F. B. Engel, C. Formstone, A. Goffinet, J. Hamann, R. J. Kittel, I. Liebscher, **H.-H. Lin**, K. R. Monk, A. Petrenko, X. Piao, S. Prömel, H. B. Schiöth, T. W. Schwartz, M. Stacey, Y. A. Ushkaryov, M. Wobus, U. Wolfrum, L. Xu, and T. Langenhan 2012 Dissecting signaling and functions of adhesion G protein-coupled receptors. *Ann. N. Y. Acad. Sci.* 1276: 1-25.
- (49)**H.-H. Lin\*** 2013 Chapter 8, Autoproteolytic cleavage of adhesion-GPCRs at the GPCR proteolysis site: molecular mechanism, structure and functional significance. In Leon V. Berhardt (ed.) *GPCRs: Molecular Pharmacology, Drug Targeting and Signaling Regulation. Advances in Medicine and Biology* 60: 199-210. Nova Science Publishers, Inc. (invited book chapter)
- (50)W.-Y. Tseng, Y.-S. Huang, N.-Y. Chiang, Y.-P. Chou, Y.-J. Jan Wu, S.-F. Luo, C.-F. Kuo, K.-M. Lin, **H.-H. Lin\*** 2013 Increased soluble CD4 in serum of rheumatoid arthritis patients is generated by matrix metalloproteinase (MMP)-like proteinases. *PLoS ONE* 8(5): e63963.
- (51)**H.-H. Lin\*** 2013 G protein-coupled receptors and their (bio)chemical significance win 2012 Nobel Prize in Chemistry. *Biomedical Journal* 36(3): 118-124. (corresponding author)
- (52)C.-C. Hsiao&, W.-C. Wang&, W.-L. Kuo, H.-Y. Chen, T.-C. Chen, J. Hamann, **H.-H. Lin\*** 2014 CD97 inhibits cell migration in human fibrosarcoma cells by modulating TIMP-2/MT1-MMP/MMP-2 activity. *FEBS Journal* 281(21):4878-91.
- (53)T.-Y. Yang, N.-Y. Chiang, W.-Y. Tseng, H.-L. Pan, Y.-M. Peng, J.-J. Shen, K.-A. Wu, M.-L. Kuo, G.-W. Chang, **H.-H. Lin\*** 2014 Expression and immunoaffinity purification of recombinant soluble human GPR56 protein for the analysis of GPR56 receptor

shedding by ELISA. *Protein Expression and Purification* doi: 10.1016/j.pep.2014.11.013. (Epub ahead of print)

- (54) I. Liebscher, B. Ackley, D. Araç, D. M. Ariestanti, G. Aust, Byoung-il Bae, B. R. Bista, J. P. Bridges, J. G. Duman, F. B. Engel, S. Giera, A. M. Goffinet, R. A. Hall, J. Hamann, N. Hartmann, **Hsi-Hsien Lin**, Mingyao Liu, Rong Luo, A. Mogha, K. R. Monk, M. C. Peeters, S. Prömel, S. Ressler, H. B. Schiöth, S. M. Sigoillot, H. Song, W. S. Talbot, G. G. Tall, J. P. White, U. Wolfrum, Lei Xu, and Xianhua Piao 2014 New functions and signaling mechanisms for the class of Adhesion G protein-coupled receptors. *Ann. N. Y. Acad. Sci.* 1333: 43-64.