

*余兆松教授

所有發表期刊論文

1. Yang, S.-D.*¹, Fong, Y.-L., and Yu, J.-S. (1984) Characterization of 3 distinct phosphoprotein phosphatase in mammalian tissues. *J. Chin. Biochem. Soc.* 13, 48-59.
2. Yang, S.-D.*¹, Yu, J.-S., and Fong, Y.-L. (1986). Purification and characterization of two inactive/latent protein phosphatases from pig brain. *J. Biol. Chem.* 261, 5590-5596.
3. Yang, S.-D.*¹, Liu, J.-S., Fong, Y.-L., Yu, J.-S., and Tzen, T.-C. (1987) Endogenous basic protein phosphatases in the brain myelin. *J. Neurochem.* 48, 160-166.
4. Yang, S.-D.*¹, Yu, J.-S., Liu, J.-S., Tzen, T.-C., and Wang, J.-K. (1987) The type-1 protein phosphatase activating factor F_A is a membrane-associated protein kinase in brain, liver, heart and muscles. *Biochem. Biophys. Res. Commun.* 142, 38-46.
5. Yang, S.-D.*¹, Fong, Y.-L., Yu, J.-S., and Liu, J.-S. (1987) Identification and characterization of a phosphorylation-activated, cAMP and Ca²⁺-independent protein kinase in brain. *J. Biol. Chem.* 262, 7034-7040.
6. Yang, S.-D.*¹, Ho, L.-T., Fung, T.-J., and Yu, J.-S. (1989) Insulin induces activation of kinase F_A in membranes and thereby promotes activation of ATP.Mg-dependent phosphatase in Adipocytes. *Biochem. Biophys. Res. Commun.* 158, 762-768.
7. Yu, J.-S., and Yang, S.-D*. (1989) Identification and characterization of a Mn²⁺/phospholipid-dependent protein phosphatase from pig brain membranes. *J. Protein Chem.* 8, 499-517.
8. Yang, S.-D.*¹, Yu, J.-S., and Hua, C.-W. (1990) On the mechanism of activation of protein kinase F_A (an activating factor of ATP.Mg-dependent protein phosphatase) in brain myelin. *J. Protein Chem.* 9, 75-82.
9. Yang, S.-D.*¹, Yu, J.-S., and Chen, H.-C. (1990) Regulation of protein kinase F_A (a transmembrane signal of insulin and epidermal growth factor) in the brain. *Biochem. Biophys. Res. Commun.* 166, 267-272.
10. Yang, S.-D.*¹, Yu, J.-S., and Lai, Y.-G. (1991) Identification and characterization of the ATP. Mg-dependent protein phosphatase activator (F_A) as a microtubule protein kinase in the brain. *J. Protein Chem.* 10, 171-181.
11. Yang, S.-D.*¹, Yu, J.-S., Fong, Y.-L., and Liu, J.-S. (1992) The mechanism of activation of protein kinase F_A (the activator of type-1 protein phosphatase) in brain synaptosomes. *Biochem. Biophys. Res. Commun.* 182, 129-136.
12. Lee, W.-C., Yu, J.-S., Yang, S.-D., and Lai, Y.-K*. (1992) Reversible hyperphosphorylation and reorganization of vimentin intermediate filaments by okadaic acid in 9L rat brain tumor cells. *J. Cell. Biochem.* 49, 378-393.

13. **Yu, J.-S.**, and Yang, S.-D*. (1993) Identification and characterization of protein kinase F_A/glycogen synthase kinase-3 in brain clathrin-coated vesicles. *J. Neurochem.* 60, 1714-1721.
14. **Yu, J.-S.**, and Yang, S.-D*. (1993) Immunological and biochemical study on tissue and subcellular distributions of protein kinase F_A(an activating factor of ATP.Mg-dependent protein phosphatase): A simplified and efficient procedure for high quantity purification from brain. *J. Protein Chem.* 12, 667-676.
15. Yang, S.-D.*, **Yu, J.-S.**, Liu, W.-K., and Yen, S.-H. (1993) Synergistic control mechanism for abnormal site phosphorylation of Alzheimer's diseased brain tau by kinase F_A/GSK-3 alpha. *Biochem. Biophys. Res. Commun.* 197, 400-406.
16. Yang, S.-D.*, Song, J.-S., **Yu, J.-S.**, and Shiah, S.-G. (1993) Protein kinase F_A/GSK-3 phosphorylates tau on Ser²³⁵-Pro and Ser⁴⁰⁴-Pro that are abnormally phosphorylated in Alzheimer's disease brain. *J. Neurochem.* 61, 1742-1747.
17. **Yu, J.-S.**, and Yang, S.-D*. (1994) Protein kinase F_A/glycogen synthase kinase-3 predominantly phosphorylates the in vivo site The⁹⁷-Pro in brain myelin basic protein. Evidence for Thr-Pro and Ser-Arg-X-X-Ser as consensus sequences motif. *J. Neurochem.* 62, 1596-1603.
18. **Yu, J.-S.**, and Yang, S.-D. (1994) Okadaic acid, a serine/threonine phosphatases inhibitor induces tyrosine dephosphorylation/inactivation of protein kinase F_A/GSK-3 alpha in A431 cells. *J. Biol. Chem.* 269, 14341-14344.
19. **Yu, J.-S.**, and Yang, S.-D*. (1994) Tyrosine dephosphorylation and concurrent inactivation of protein kinase F_A/GSK-3 alpha by genistein in A431 cells. *J. Cell. Biochem.* 56, 131-141.
20. Yang, S.-D.*, **Yu, J.-S.**, Shiah, S.-G., and Huang, J.-J. (1994) Protein kinase F_A/GSK-3 alpha after heparin potentiation phosphorylates tau on the sites abnormally phosphorylated in Alzheimer's disease brain. *J. Neurochem.* 63, 1416-1425.
21. Yang, S.-D.*, **Yu, J.-S.**, and Wen, Z.-D. (1994) Tumor promoter phorbol ester reversibly modulates tyrosine dephosphorylation/inactivation of protein kinase F_A/GSK-3 alpha in A431 cells. *J. Cell. Biochem.* 56, 550-558.
22. Huang, T.-J., Lee, T.-T., Lee, W.-C., Lai, Y-K., **Yu, J.-S.**, and Yang. S.-D*. (1994) Autophosphorylation-dependent protein kinase phosphorylates Ser²⁵, Ser³⁸, Ser⁶⁵, Ser⁷¹ and Ser⁴¹¹ in vimentin and thereby inhibits cytoskeletal intermediate filament assembly. *J. Protein Chem.* 13, 517-525.
23. **Yu, J.-S.**, and Yang, S.-D.* (1995) Phosphorylation/activation of phosphorylase b kinase by cAMP/Ca²⁺-independent, autophosphorylation-dependent protein kinase. *Biochem. Biophys. Res. Commun.* 207, 140-147.

24. **Yu J.-S.**, Lee S.-C., and Yang, S.-D.* (1995) Effect of Mg²⁺ concentrations on phosphorylation/activation of phosphorylase b kinase by cAMP/Ca²⁺-independent, autophosphorylation-dependent protein kinase. *J. Protein Chem.* 14, 747-752.
25. Yang, S.-D.*, **Yu, J.-S.**, Lee, T.-T., Yang, C.-C., Ni, M.-H., Yang, Y.-Y. (1995) Dysfunction of protein kinase FA/GSK-3 alpha in lymphocytes of patients with schizophrenic disorder. *J. Cell. Biochem.* 59, 108-116.
26. Yang, S.-D.*, **Yu, J.-S.**, Lee, T.-T, Ni, M.-H., Yang, C.-C., Ho, Y.-S., and Tsen, T.-Z. (1995) Association of protein kinase F_A/GSK-3 alpha(a particular member of proline-directed protein kinase family) with human cervical carcinoma dedifferentiation and progression. *J. Cell. Biochem.* 59, 143-150.
27. Lee, T.-T., Ho, Y.-S., **Yu, J.-S.**, and Yang, S.-D.* (1995) Overexpression of cellular activity and protein level of protein kinase F_A/GSK-3 alpha correlates with human thyroid tumor cell dedifferentiation. *J. Cell. Biochem.* 58, 474-480.
28. **Yu, J.-S.**, Chan, W.-H., and Yang, S.-D*. (1996) Activation of the ATP.Mg-dependent type-1 protein phosphatase by the Fe²⁺/ascorbate system. *J. Protein Chem.* 15, 455-460.
29. Yang, S.-D.*, **Yu, J.-S.**, Yang, C.-C., Lee, S.-C., Lee, T.-T., Ni, M.-H., Kuan, C.-Y., and Chen, H.-C. (1996) Overexpression of protein kinase F_A/GSK-3 alpha (a proline-directed protein kinase) correlates with human hepatoma dedifferentiation/progression. *J. Cell. Biochem.* 61, 238-245.
30. Ho, L.-T., Chou, Y.-C., **Yu, J.-S.**, and Yang, S.-D*. (1996) Endothelin-1 and insulin induce inactivation of protein kinase F_A/GSK-3 alpha in a common signaling pathway. *J. Biomed. Sci.* 3, 275-279.
31. **Yu, J.-S.***, Chen, H.-C., and Yang, S.-D. (1997) Reversible tyrosine phosphorylation/dephosphorylation of proline-directed protein kinase F_A/GSK-3 alpha in A431 cells. *J. Cell. Physiol.* 171, 95-103.
32. **Yu, J.-S.***, Chan, W.-H., and Yang, S.-D. (1997) Selective interaction of of protein kinase FA/GSK-3 alpha with membrane phospholipids. *Biochem. Biophys. Res. Commun.* 237, 331-335.
33. **Yu, J.-S.***, Chen, W.-J., Ni, M.-H., Chan, W.-H., and Yang, S.-D. (1998) Identification of the regulatory autophosphorylation site of autophosphorylation- dependent protein kinase : Evidence that auto-kinase belongs to a member of the p21-activated kinase family. *Biochem. J.* 334, 121-131.
34. Tang, T. -K., Chang, W.-C., Chan, W.-H., Yang, S. -D., Ni, M. -H., and **Yu, J. -S.*** (1998) Proteolytic cleavage and activation of PAK2 during UV irradiation-induced apoptosis in A431 cells. *J. Cell. Biochem.* 70, 442-454.
35. Chan, W.-H., **Yu, J. -S.***, and Yang, S. -D. (1998) Heat shock stress induces cleavage and activation of PAK2 in apoptotic cells. *J. Protein Chem.* 17, 485-494.

36. **Yu, J.-S.** (1998) Activation of protein phosphatase 2A by the Fe²⁺/ascorbate system. *J. Biochem.* 124, 225-230.
37. Chan, W.-H., **Yu, J.-S.**, Yang, S.-D*. (1999) PAK2 is cleaved and activation during hyperosmotic shock-induced apoptosis via a caspase-dependent mechanism. Evidence for the involvement of oxidative stress. *J. Cell. Physiol.* 178, 397-408.
38. Chan, W.-H., and **Yu, J.-S.*** (2000) Inhibition of UV irradiation-induced oxidative stress and apoptotic biochemical changes in human epidermal carcinoma A431 cells by genistein. *J. Cell. Biochem.* 78, 73-84.
39. Chan, W.-H., and **Yu, J.-S.*** and Yang, S.-D. (2000) Apoptotic signal cascade in photosensitized human epidermal carcinoma A431 cells. Involvement of singlet oxygen, c-Jun N-terminal kinase, caspase-3, and p21-activated kinase 2. *Biochem. J.* 351, 221-232.
40. **Yu, J.-S.*** Chang, S.-H, Chan, W.-H., and Chen, H.-C. (2001) Enzyme-linked immunosorbent assay for determination of p21-activated kinase activity. *J. Biochem.* 129, 243-251.
41. **Yu, J.-S.***, Tsai, H. -C., Wu, C.-C., Weng, L.-P., Li, S.-P., Chung P.-J., and Chang Y.-S.(2002) Induction of inducible nitric oxide synthase by the Epstein-Barr virus B95-8-derived LMP1 in Balb/3T3 cells promotes stress-induced cell death and impairs LMP1-mediated transformation. *Oncogene* 21, 8047-8061.
42. Chi L-M*, **Yu J.-S.**, and Chang Y.-S. (2002) Identification of protein kinase CK2 as a potent kinase of Epstein-Barr virus latent membrane protein 1. *Biochem. Biophys. Res. Commun.* 294, 586-591.
43. Huang, H.C, **Yu, J.-S.**, Tsay, C.C., Lin, J.H., Huang, S.Y., Fang, W.T., Liu, Y.C., Tzang, B.S., and Lee, W.C.* (2002) Purification and characterization of porcine testis 90-kDa heat shock protein (HSP90) as a substrate for various protein kinases. *J. Protein Chem.* 21, 111-121.
44. Hsieh, Y.-J., Wu C.-C., Chang C.-J., and **Yu J.-S.*** (2003) Subcellular localization of Photofrin® determines the cell death phenotype of human epidermoid carcinoma A431 cells triggered by photodynamic therapy: When plasma membranes are the main targets. *J. Cell. Physiol.* 194, 363-375.
45. Chan W.-H.* , Wu C.-C. and **Yu J.-S.** (2003) Curcumin inhibits UV irradiation-induced oxidative stress and apoptotic biochemical changes in human epidermoid carcinoma A431 cell. *J. Cell. Biochem.* 90, 327-338.
46. Fang, C.-Y., Chang, Y.-S., Chow, K.-P., **Yu, J.-S.**, and Chang, H.-Y.* (2004) Construction and characterization of monoclonal antibodies specific to Epstein-Barr virus latent membrane protein 1. *J. Immunol. Methods* 287, 21-30.

47. Tsai, I.-C., Hsieh, Y.-J., Lyu, P-C., and **Yu, J.-S.*** (2005) An anti-phosphopeptide antibody, P-STM as a novel tool for detecting mitotic phosphoproteins: Identification of lamins A and C as two major targets. *J. Cell. Biochem.* 94, 967–981.
48. Peng, T.-I., Chang C.-J., Guo, M.-J., Wang, Y.-H., **Yu, J.-S.**, Wu, H.-Y., and Jou, M.-J.* (2005) Mitochondria-targeted photosensitizer enhances the photodynamic effect-induced mitochondrial dysfunction and apoptosis. *Ann. N.Y. Acad. Sci.* 1042, 419-428.
49. Wu, C.-C., Chien K.-Y., Tsang N-M, Chang K-P, Ho S-P, Tsao C-H, Chang Y-S, and **Yu, J.-S.*** (2005) Cancer cell-secreted proteomes as a basis for searching potential tumor markers-nasopharyngeal carcinoma as a model. *Proteomics* 5, 3173-3182.
50. Hsuuw Y.D., Chang C.-K., Chan W.H.* and **Yu J.-S.** (2005) Curcumin prevents methylglyoxal-induced oxidative stress and apoptosis in mouse embryonic stem cells and blastocysts. *J. Cell. Physiol.* 205, 379-386.
51. Hwang, T.-L.*., Liang, Y., Chien K.-Y., and **Yu, J.-S.** (2006) Overexpression and elevated serum levels of phosphoglycerate kinase 1 in pancreatic ductal adenocarcinoma. *Proteomics* 6, 2259–2272.
52. Chang K-P, Hao S-P, Lin S-Y, Ueng S-H, Pai P-C, Tseng C-K, Hsueh C, Hsieh M-S, **Yu J-S** and Tsang N-M.* (2006) The 30-bp deletion of Epstein-Barr virus latent membrane protein-1 gene has no effect in nasopharyngeal carcinoma. *Laryngoscope* 116, 541-546.
53. Chien K-Y, Chang Y-S, **Yu J-S**, Fan L-W, Lee C-W and Chi L-M*. (2006) Identification of a new in vivo phosphorylation site in the cytoplasmic carboxyl terminus of EBV-LMP1 by tandem mass spectrometry. *Biochem. Biophys. Res. Commun.* 348, 47-55.
54. Kuo WL, Lee LY, Wu CM, Wang CC, **Yu JS**, Liang Y, Lo CH, Huang KH, Hwang TL*. (2006) Differential expression of claudin-4 between intestinal and diffuse-type gastric cancer. *Oncol. Rep.* 16, 729-734.
55. Lu TJ, Lai WY, Huang CY, Hsieh WJ, **Yu JS**, Hsieh YJ, Chang WT, Leu TH, Chang WC, Chuang WJ, Tang MJ, Chen TY, Lu TL, Lai MD*. (2006) Inhibition of cell migration by autophosphorylated mammalian sterile 20-like kinase 3 (MST3) involves paxillin and protein tyrosine phosphatase (PTP)-PEST. *J. Biol. Chem.* 281, 38405-38417.
56. Tsai CL, Li HP, Lu YJ, Hsueh C, Laing Y, Chen CL, Tsao SW, Tse KP, **Yu JS** and Chang YS*. (2006) Activation of DNA methyltransferase 1 by Epstein-Barr Virus LMP1 involves JNK signaling. *Cancer Res.* 66, 11668-11676.
57. Ma DH*, Chen JK, Zhang F, Lin KY, Yao JY, **Yu JS**. (2006) Regulation of corneal angiogenesis in limbal stem cell deficiency. *Prog. Retin. Eye Res.* 25, 563-590.
58. Huang W-C, Hsu R-M, Chi L-M, Leu Y-L, Chang Y-S and **Yu J-S*** (2007) Selective downregulation of EGF receptor and downstream MAPK pathway in human cancer cell lines by active components partially purified from the seeds of *Livistona chinensis* R. Brown. *Cancer Lett.* 248, 137-146.

59. Chen C-T, Chen W-Y, Tsai P-J, Chien K-Y, **Yu J-S** and Chen Y-C*. (2007) Rapid enrichment of phosphopeptides and phosphoproteins from complex samples using magnetic particles coated with alumina as the concentrating probes for MALDI MS analysis. *J. Proteome Res.* 6, 316-325.
60. Tse K-P, Tsang N-M*, Chen K-D, Liang Y, Li H-P, Hsueh C, Chang K-P, **Yu J-S**, Hao S-P, Hsieh L-L and Chang Y-S*. (2007) Single Nucleotide Polymorphism at -2518 of the MCP-1 Gene Regulatory Region is Associated with Metastasis of Nasopharyngeal Carcinoma. *Clin. Cancer Res.* 13, 6320-6326.
61. Ni M-H, Wu C-C, Chan W-H, Chien K-Y and **Yu J-S***. (2008) GSK-3 mediates the okadaic acid-induced modification of CRMP-2 in human SK-N-SH neuroblastoma cells. *J. Cell. Biochem.* 103(6):1833-1848
62. Wu C-C, Chen H-C, Chen S-J, Liu H-P, Hsieh Y-Y, Yu C-J, Tang R, Liang Y, Hsieh L-L*, **Yu J-S*** and Chang Y-S. (2008) Identification of collapsin response mediator protein-2 as a potential marker of colorectal carcinoma by comparative analysis of cancer cell secretomes. *Proteomics* 8, 316-332.
63. Wu CC, Peng PH, Chang YT, Huang YS, Chang KP, Hao SP, Tsang NM, Yeh CT, Chang YS, **Yu JS***. (2008) Identification of potential serum markers for nasopharyngeal carcinoma from a xenografted mouse model using Cy dye labeling combined with three-dimensional fractionation. *Proteomics* 8(17), 3605-3620.
64. Chang K-P, Hao S-P, Chang JH, Wu C-C, Tsang N-M, Lee Y-S, Hsu CL, Ueng S-H, Liang Y, Liu SC, Liu YL, Wei PC, Chang Y-S and **Yu J-S***. (2008) Macrophage inflammatory protein-3a is a novel serum marker for nasopharyngeal carcinoma detection and prediction of treatment outcomes. *Clin. Cancer Res.* 14(21):6979-87.
65. Weng L-P, Wu C-C, Hsu B-L, Chi L-M, Liang Y, Tseng C-P, Hsieh L-L*, and **Yu J-S***. (2008) Secretome-based identification of Mac-2 binding protein as a potential oral cancer marker involved in cell growth and motility. *J. Proteome Res.* 7(9):3765-75.
66. Wu C-C, Huang Y-S, Lee L-Y, Liang Y, Tang R-P, Chang Y-S, Hsieh L-L*, and **Yu J-S***. (2008) Overexpression and elevated plasma level of tumor-associated antigen 90K/Mac-2 binding protein in colorectal carcinoma. *Proteomics-Clin. Appl.* 2(12), 1586 - 1595
67. Chen L-C, Hsueh C*, Tsang N-M, Liang Y, Chang K-P, Hao S-P, **Yu J-S**, Chang Y-S* (2008) Heterogeneous ribonucleoprotein K and thymidine phosphorylase are independent prognostic and therapeutic markers for nasopharyngeal carcinoma. *Clin. Cancer Res.* 14, 3807-3813.
68. Lin C-S, Liu N-T, Liao D-C, **Yu J-S**, Tsao C-H, Lin C-H, Sun C-W, Jane W-N, Tsay H-S, Chen JJ-W, Lai E-M, Lin N-S, Chang W-C, Lin C-C*. (2008) Differential protein expression of two photosystem II subunits, PsbO and PsbP, in an albino mutant of *Bambusa edulis* with chloroplast DNA aberration. *J. Am. Soc. Hortic. Sci.* 133, 270-277.

69. Chang K-P, Hsu C-L, Chang Y-L, Tsang N-M, Lee T-J, Tsao K-C, Huang C-K, Chang Y-S, **Yu J-S**, Hao S-P*. (2008) The complementary serum test of Epstein-Barr virus nuclear antigen -1 and early antigen might be a good alternative tool for primary screening of nasopharyngeal carcinomas in Taiwan. *Oral Oncol.* 44, 784-792.
70. Lee LY, Wu CM, Wang CC, **Yu JS**, Liang Y, Huang KH, Lo CH, Hwang TL*. (2008) Expression of matrix metalloproteinases MMP-2 and MMP-9 in gastric cancer and their relation to claudin-4 expression. *Histol. Histopathol.* 23, 515-521.
71. Chi L-M, Lee C-W, Chang K-P, Hao S-P, Lee H-M, Liang Y, Hsueh C, Yu C-J, Lee I-N, Chang Y-J, Lee S-Y, Yeh Y-M, Chang Y-S, Chien K-Y* and **Yu J-S***. (2009) Enhanced interferon signaling pathway in oral cancer revealed by quantitative proteome analysis of microdissected specimens using $^{16}\text{O}/^{18}\text{O}$ labeling and integrated 2DLC-ESI-MALDI tandem MS. *Mol. Cell. Proteomics* 8:1453-1474.
72. Chen L-C, Liu H-P, Li H-P, Hsueh C, **Yu J-S**, Liang C-L, Chang Y-S.* (2009) Thymidine phosphorylase mRNA stability and protein levels are increased through ERK-mediated cytoplasmic accumulation of hnRNP K in nasopharyngeal carcinoma cells. *Oncogene* 28(17):1904-15.
73. Dong Y, Leu Y-L, Chien K-Y and **Yu J-S***. (2009) Separation and determination of low abundant flavonoids in *Scutellaria baicalensis* Georgi by micellar electrokinetic capillary electrophoresis. *Anal. Lett.* 42(10):1444 -57.
74. **Wang C-L**, Wang C-I, Liao P-C, Liang Y, Chen C-D, Liang Y, Chuang W-Y, Tsai Y-H, Chen H-C, Chang Y-S, **Yu J-S**, Wu C-C*, and Yu C-J*. (2009) Discovery of retinoblastoma-associated binding protein 46 as a novel prognostic marker for distant metastasis in non-small cell lung cancer by combined analysis of cancer cell secretome and pleural effusion proteome. *J. Proteome Res.* 8(10):4428-4440.
75. Wu H-Y, Tseng VSM, Chen L-C, Ping P, Chang Y-C, Tsay Y-G, **Yu J-S** and Liao P-C*. (2009) Combining alkaline phosphatase treatment and LTQ/Orbitrap high mass accuracy LC-MS data for the efficient and confident identification of protein phosphorylation. *Anal. Chem.* 81(18):7778-7787.
76. Fang K-H, Kao H-K, Cheng M-H, Chang Y-L, Tseng N-M, Huang Y-C, Lee L-Y, **Yu J-S**, Hao S-P, Chang K-P*. (2009) Histological differentiation of primary oral squamous cell carcinomas in betel quid prevalent area. *Otolaryngology-Head and Neck Surgery.* 141(6):743-749.
77. Chang Y-H, Wu C-C, Chang K-P, **Yu J-S**, Liao P-C*. (2009) Cell secretome analysis using hollow fiber culture system leads to the discovery of CLIC1 protein as a novel plasma marker for nasopharyngeal carcinoma. *J. Proteome Res.* 8(12):5465-74.
78. Hsu R-M, Tsai M-H, Hsieh Y-J, Lyu P-C and **Yu J-S***. (2010) Identification of MYO18A as a novel interacting partner of PAK2/bPIX/GIT1 complex and its potential function in modulating epithelial cell migration. *Mol. Biol. Cell* 21(2):287-301.

79. Wu C-C, Hsu C-W, Chen C-D, Yu C-J, Chang K-P, Dai D-I, Liu H-P, Su W-H, Chang Y-S, and **Yu J-S***. (2010) Candidate serological biomarkers for cancer identified from the secretomes of 23 cancer cell lines and the human protein atlas. *Mol. Cell. Proteomics* 9(6):1100-17.
80. Kao S-H, Hsu T-C, **Yu J-S**, Chen J-T, Li S-L, Lai W-X, Tzang B-S*. (2010) Proteomic analysis for the anti-apoptotic effects of cystamine on apoptosis-prone macrophage. *J. Cell. Biochem.* 110(3):660-70.
81. Chen J-S*, Chen K-T, Fan W-C, **Yu J-S**, Chang Y-S and Chan E-C*. (2010) Combined analysis of survivin autoantibody and carcinoembryonic antigen biomarkers for improved detection of colorectal cancer. *Clin. Chem. Lab. Med.* 48(5):719-25.
82. Zhai H-L*, Chang Y-T, Wu C-C and **Yu J-S***. (2010) An approach to the elimination of inter-individual variability in tumor detection *Analyst* 135(5): 875-9..
83. Chang K-P, Wu C-C, Chen H-C, Chen S-J, Peng P-H, Tsang N-M, Lee L-Y, Liu S-C, Liang Y, Lee, Y-S, Hao S-P, Chang Y-S and **Yu J-S***. (2010) Identification of candidate nasopharyngeal carcinoma serum biomarkers by cancer cell secretome and tissue transcriptome analysis: Potential usage of cystatin A for predicting nodal stage and poor prognosis. *Proteomics* 10, 2644-2660..
84. Kao H-K, Guo L-F, Cheng M-H, Chen I-H, Liao C-T, Fang K-H, **Yu J-S**, Chang K-P*. (2011) Predicting postoperative morbidity and mortality by model for endstage live disease score for patients with head and neck cancer and liver cirrhosis. *Head & Neck* 33(4):529-34.
85. Lin C-J, Ho H-Y, Cheng M-L, **Yu J-S*** and Chiu DT-Y.* (2010) Impaired dephosphorylation process renders G6PD-knockdown HepG2 cells more susceptible to H2O2-induced apoptosis. *Free Radic. Biol. Med.* 49(3), 361-373.
86. Chen, J-S, Chen, K-T, Fan C-W, Han C-L, Chen Y-J, **Yu J-S**, Chang Y-S, Chien C-W, Wu C-P, Hung R-P, Chan E-C*. (2010) Comparison of membrane fraction proteomic profiles of normal and cancerous human colorectal tissues with gel-assisted digestion and iTRAQ labeling mass spectrometry. *FEBS J.* 277(14), 3028-3038..
87. Chang K-P, Chang Y-T, Wu C-C, Liu Y-L, Chen M-C, Tsang N-M, Hsu C-L, Chang Y-S, and **Yu J-S***. (2011) Multiplexed immunobead-based profiling of cytokine markers for detection of nasopharyngeal carcinoma and prognosis of patient survival. *Head & Neck* 33(6):886-97.
88. Hsieh Y-J, **Yu J-S*** and Lyu P-C*. (2010) Characterization of the photodynamic therapy-elicited responses of A431 cells with intracellular organelle-localized Photofrin. *J. Cell. Biochem.* 111(4):821-33.
89. Liu H-P, Wu C-C, Kao H-Y, Huang Y-C, Liang Y, Chen C-C, **Yu J-S**, Chang Y-S*. (2010) Proteome-wide dysregulation by PRA1 depletion delineates a role of PRA1 in lipid transport and cell migration. *Mol. Cell. Proteomics* 2010 Jun 30.

90. Wang C-I, Wang C-L, Wang C-W, Chen C-D, Wu C-C, Tsai Y-H, Chang Y-S, **Yu J-S**, and Yu C-J*. (2010) Importin subunit alpha-2 is identified as a potential biomarker for non-small cell lung cancer by integration of cancer cell secretome and tissue transcriptome. *Int. J. Cancer* 128(10):2364-72.
91. Chen J-S, Chou Y-P, Chen K-T, Hung R-P, **Yu J-S**, Chang Y-S, Chan E-C*. (2011) Detection of annexin A autoantibodies in sera from colorectal cancer patients. *J. Clin. Gastroenterol.* 45(2), 125-32.
92. Chen Y-T*, Chen C-L, Chen H-W, Chung T, Wu C-C, Chen C-D, Hsu C-W, Chen M-C, Tsui K-H, Chang P-L, Chang Y-S, **Yu J-S***. (2010) Discovery of novel bladder cancer biomarkers by comparative urine proteomics using iTRAQ technology. *J. Proteome Res.* 9(11):5803-15.
93. Mapes J, Chen J-T, **Yu J-S** and Xue D*. (2010) Somatic sex determination in *C. elegans* is modulated by SUP-26 repression of tra-2 translation. *Proc. Natl. Acad. Sci. USA* 107(42):18022-7.
94. Hung M-S, Mao J-H, Xu Z, Yang C-T, **Yu J-S**, Harvard C, Lin Y-C, Bravo DT, Jablons DM*, You L*. (2011) Cul4A is an oncogene in malignant pleural mesothelioma. *J. Cell. Mol. Med.* 15(2), 350-358.
95. Kuo YB, Fan CW, Chan CC, Hung RP, Hung YS, Chen KT, Chang CA, **Yu JS**, Chang YS, Chan EC*. (2011) Identification of phospholipid scramblase 1 as a biomarker and its prognostic value for colorectal cancer. *Mol. Med.* 17(1-2):41-7.
96. Chang K-P, Kao H-K; Yen T-C, Chang Y-L, Liang Y, Liu S-C, Lee L-Y, Chang Y-L, Kang C-J, I-How Chen, Liao C-T*, **Yu J-S***. (2011) Overexpression of macrophage inflammatory protein-3a in oral cavity squamous cell carcinoma associated with tumor metastasis. *Oral Oncol.* 47, 108-113.
97. Hsueh C, Lin J-D*, Wu I-C, Chao T-C, **Yu J-S**, Liou M-J, Yeh C-J. (2011) Angiogenesis in papillary thyroid carcinoma: Expression of vascular endothelial growth factor, angiopoietin-1 angiopoietin-2 and Tie-2 correlated with tumor progression and prognosis. *J. Surg. Oncol.* 103(5):395-9.
98. Han C-L, Chen J-S, Chan E-C, Wu C-P, Yu K-H, Chen K-T, Tsou C-C, Tsai C-F, Chien C-W, Kuo Y-B, Lin P-Y, **Yu J-S**, Hsueh C, Chen M-C, Chan C-C, Chang Y-S, Chen Y-J*. (2011) An informatics-assisted label-free approach for personalized tissue membrane proteomics: Case study on colorectal cancer. *Mol. Cell. Proteomics* 10(4):M110.003087.
99. Fan C-W, Chan C-C, Chen K-T, Twu J, Huang Y-S, Han C-L, Chen Y-J, **Yu J-S**, Chang Y-S, Kuo Y-B, Chan E-C*. (2011) Identification of SEC61 β and its autoantibody as biomarkers for colorectal cancer. *Clin. Chim. Acta* 412(11-12):887-93
100. Chang K-P, Chang Y-T , Liao C-T, Yen T-C, Chen I-H, Chang Y-L, Liu Y-L, Chang Y-S, **Yu J-S*** and Wu C-C*. (2011) Prognostic cytokine markers in peripheral blood for

oral cavity squamous cell carcinoma identified by multiplexed immunobead-based profiling. *Clin. Chim. Acta* 412(11-12):980-7.

101. Peng P-H, Wu C-C*, Liu S-C, Chang K-P, Chen C-D, Chang Y-T, Hsu C-W, Chang Y-S, and **Yu J-S*** (2011) Quantitative plasma proteome analysis reveals aberrant level of blood coagulation-related proteins in nasopharyngeal carcinoma. *J. Proteomics* 74(5): 744-57.
102. Chang Y-T, Wu C-C*, Shyr Y-M, Chen T-C, Hwang T-L, Yeh T-S, Chang K-P, Liu H-P, Liu-Y-L, Tsai, M-H, Chang Y-S, and **Yu J-S***. (2011) Identification of ULBP2 as a novel serum marker for pancreatic cancer detection. *PLoS One*.6(5):e20029.
103. Yu C-J, Chang K-P, Chang Y-J, Hsu C-W, Liang Y, **Yu J-S**, Chi L-M, Chang Y-S, and Wu CC*. (2011) Identification of guanylate-binding protein 1 as a potential oral cancer marker involved in cell invasion using omics-based analysis. *J. Proteome Res.* 10(8):3778-88.
104. Martel J, Young D, Young A, Wu C-Y, Chen C-D, **Yu J-S**, Young JD*. (2011) Comprehensive proteomic analysis of mineral nanoparticles derived from human body fluids and analyzed by liquid chromatography-tandem mass spectrometry. *Anal. Biochem.* 418(1):111-25.
105. Yu C-J*, **Wang C-L**, Wang C-I, Chen C-D, Dan Y-M, Wu C-C, Wu Y-C, Lee I-N, Tsai Y-H, Chang J-S and **Yu J-S**. (2011) Comprehensive proteome analysis of malignant pleural effusion for lung cancer biomarker discovery by using multidimensional protein identification technology. *J. Proteome Res.* 10(10): 4671-82.
106. Chang K-P, **Yu J-S**, Chien K-Y, Lee C-W, Liang Y, Liao C-T, Yen T-C, Lee L-Y, Huang L-L, Liu S-C, Chang Y-S, Chi L-M*. (2011) Identification of PRDX4 and P4HA2 as metastasis-associated proteins in oral cavity squamous cell carcinoma by comparative tissue proteomics of microdissected specimens using iTRAQ technology. *J. Proteome Res.* 10(11):4935-47.
107. Tsai M-H, Wu C-C, Peng P-H, Liang Y, Shiao Y-C, Chien K-Y, Chen J-T, Lin S-J, Tang R-P, Hsieh L-L*, **Yu J-S*** (2012) Identification of secretory gelsolin as a plasma biomarker associated with distant organ metastasis of colorectal cancer. *J. Mol. Med. (Berl)* 90(2), 187-200.
108. Chen Y-T, Chen H-W, Smith DS, Liang K-H, Wu C-C, Chen C-L, Chung T, Chen M-C, Chang Y-S, Borchers CH*, **Yu J-S*** (2012) Multiplexed quantification of 63 proteins by multiple reaction monitoring-based mass spectrometry in human urine for discovery of potential bladder cancer biomarkers. *J. Proteomics* 75(12):3529-45.
109. Pan T-L*, Wang P-W, Huang C-C, Yeh C-T, Hu T-H, **Yu J-S**. (2012) Network analysis and proteomic identification of vimentin as a key regulator associated with the invasiveness and metastasis of human hepatocellular carcinoma cells. *J. Proteomics* 75(15):4676-92.

110. Wang I-S, Lu T-F, Lue C-E, Huang C-H, Yang P, Lin Y-T, Pijanswska DG, Yang C-M, Wang J-C, **Yu J-S**, Chang Y-S, and Lai C-S* (2012). Immobilization of enzyme and antibody on ALD-HfO₂ EIS structure by NH₃ plasma treatment. *Nanoscale Res. Lett.* 7(1):179.
111. Hsieh Y-J, Chien K-Y, Lin S-Y, Sabu S, Hsu R-M, Chi L-M, Lyu P-C, and **Yu J-S***. (2012) Photofrin binds to procaspase-3 and mediates photodynamic treatment-triggered methionine oxidation and inactivation of procaspase-3. *Cell Death Dis.* 3: e347.
112. Wang C-I, Chien K-Y, Wang C-L, Liu H-P, Cheng C-C, Chang Y-S, **Yu J-S**, and Yu C-J*. (2012) Quantitative proteomics reveals regulation of KPNA2 and its potential novel cargo proteins in non-small cell lung cancer. *Mol. Cell. Proteomics* 11(11):1105-22.
113. Chen C-L, Lai Y-F, Tang P, Chien K-Y, **Yu J-S**, Tsai C-H, Chen H-W, Wu C-C, Chung T, Hsu C-W, Chen C-D, Chang Y-S, Chang P-L, and Chen Y-T*. (2012) Comparative and targeted proteomic analyses of urinary microparticles from bladder cancer and hernia patients. *J. Proteome Res.* 11(12):5611-29.
114. Hsueh C, Lin J-D, Chang Y-S, Hsueh S, Chao T-C, **Yu J-S**, Jung S-M, Tseng N-M, Sun J-H, Kuo S-Y. (2013) Prognostic significance of expression of pituitary tumor-transforming gene-binding factor in papillary thyroid carcinoma. *Clin. Endocrinol.* 78(2):303-9.
115. Chang Y-F#, **Yu J-S#**, Chang Y-T, Su L-C, Li Y-C, Wu C-C, Chang Y-S, Lai C-S, Chou C* (2013). The utility of a high-throughput scanning biosensor in the detection of pancreatic cancer marker ULBP2. *Biosens. Bioelectron.* 41, 232-237. #Equal contributions to this research.
116. Chen L-C, Liu M-Y, Hsiao Y-C, Choong W-K, Wu H-Y, Hsu W-L, Liao P-C*, Sung T-Y*, Tsai S-F*, **Yu J-S***, Chen Y-J*. (2013) Decoding the disease-associated proteins encoded in the human Chromosome 4. *J. Proteome Res.* 12(1):33-44.
117. Hsuuw Y-D, Chan W-H*, **Yu J-S**. (2013) Ochratoxin A inhibits mouse embryonic development by activating a mitochondrion-dependent apoptotic signaling pathway. *Int. J. Mol. Sci.* 14(1):935-53.
118. Dong Y-M, Chien K-Y, Chen J-T, Wang TCV, Lin S-J, and **Yu J-S***. (2013) Site-specific separation and detection of phosphopeptide isomers with pH-mediated stacking capillary zone electrophoresis-coupled electrospray ionization-tandem mass spectrometry. *J. Sep. Sci.* 36(9-10):1582-9.
119. Lin Y-H*, Chen Y-J, Lai C-S*, Chen Y-T, **Yu J-S**, and Chang Y-S. (2013) A negative-pressure-driven microfluidic chip for the rapid detection of a bladder cancer biomarker in urine using bead-based ELISA. *Biomicrofluidics* 7(2), 024103
120. Chen C-L, Lin T-S, Tsai C-H, Wu C-C, Chung T, Chien K-Y, Wu M, Chang Y-S, **Yu J-S***, and Chen Y-T*. (2013) Identification of potential bladder cancer markers in urine by

abundant-protein depletion coupled with quantitative proteomics. *J. Proteomics* 85:28-43.

121. Wang RYL*, Kuo R-L, Ma W-C, Huang H-I, **Yu J-S**, Yen S-M, and Huang C-R, Shih S-R. (2013) Heat shock protein-90-beta facilitates enterovirus 71 viral particles assembly. *Virology* 443(2):236-47.
122. Chang K-P, Wang C-L A, Kao H-K, Liang Y, Liu S-C, Huang L-L, Hseuh C, Hsieh Y-J, Chien K-Y, Chang Y-S, **Yu J-S**, Chi L-M*. (2013) Overexpression of caldesmon is associated with nodal metastasis and poorer prognosis in oral cavity squamous cell carcinomas. *Cancer* 119, 4003-11.
123. Chen J-T, Ho C-W, Chi L-M, Chien K-Y, Hsieh Y-J, Lin S-J, **Yu J-S***. (2013) Identification of the lamins A/C phosphoepitope recognized by P-STM antibody in mitotic HeLa S3 cells. *BMC Biochem.* 14(1):18.
124. Lin S-J, Chang K-P, Hsu C-W, Chi L-M, Chien K-Y, Liang Y, Tsai M-H, Lin Y-T, **Yu J-S***. (2013) Low-molecular-mass secretome profiling identifies C-C motif chemokine 5 as a potential plasma biomarker and therapeutic target for nasopharyngeal carcinoma. *J. Proteomics* 94:186-201.
125. Tseng S-P, Teng S-H, Lee P-S, Wang C-F, **Yu J-S**, Lu P-L*. (2013) Rapid identification of *M. abscessus* and *M. massiliense* by MALDI-TOF mass spectrometry with a comparison to sequencing methods and antimicrobial susceptibility patterns. *Future Microbiol.* 8:1381-9.
126. Wang H-J, Hsieh Y-J, Cheng W-C, Lin C-P, Lin Y-S, Yang S-F, Chen C-C, Izumiya Y, **Yu J-S**, Kung H-J*, Wang W-C*. (2014) JMJD5 regulates PKM2 nuclear translocation and reprograms HIF-1 α -mediated glucose metabolism. *Proc Natl Acad Sci U S A* 111(1):279-84.
127. Hsu C-W, **Yu J-S**, Peng P-H, Liu S-C, Chang Y-S, Chang K-P*, and Wu C-C* (2014) Secretomic profiling of primary cells reveals THBS2 as a salivary biomarker of oral cavity squamous cell carcinoma. *J. Proteome Res.* 13(11): 4796-807.
128. Chen C-D, *Wang C-L*, Yu C-J, Chien K-Y, Chen Y-T, Chen M-C, Chang Y-S, Wu C-C*, and **Yu J-S*** (2014) Targeted proteomic pipeline reveals diagnostic biomarkers for malignant pleural effusion of lung cancer. *J. Proteome Res.* 13(6): 2818-29.
129. Fang K-H, Kao H-K, Chi L-M, Liang Y, Liu S-C, Hseuh C, Liao C-T, Yen T-C, **Yu J-S**, Chang K-P*. (2014) Overexpression of BST2 is associated with nodal metastasis and poorer prognosis in oral cavity cancer. *Laryngoscope* 124(9):E354-60.
130. Wu C-C*#, Chang Y-T#, Chang K-P, Liu Y-L, Liu H-P, Lee I-L, **Yu J-S**, and Chiang W-F*. (2014) Salivary auto-antibodies as noninvasive diagnostic markers of oral cavity squamous cell carcinoma. *Cancer Epidemiol Biomarkers Prev* 23(8): 1569-78.
131. Juo C-G*, Chen C-L, Fu S-H, Lin S-T, Chen Y-T, Chang Y-S, and **Yu J-S**. (2014) Post-run calibration with sodium formate cluster ions improves the mass accuracy of

- ESI-RPLC-MS based urinary metabolomic analysis. *Rapid Commun. Mass Spectrom.* 28, 1813–1820.
132. Hsu R-M, Hiesh Y-J, Yang T-H, Chiang Y-C, Kan C-Y, Lin Y-T, Chen J-T, and **Yu J-S***. (2014) Binding of the extreme carboxyl-terminus of PAK-interacting exchange factor β (β PIX) to myosin 18A (MYO18A) is required for epithelial cell migration. *BBA-Mol Cell Res.* 1843 (11), 2513-2527.
133. Chiang S-F, Tsai M-H, Tang R, Hsieh L-L, Chiang J-M, Yeh C-Y, Hsieh P-S, Tsai W-S, Liu Y-P, Liang Y, Chen J-S* and **Yu J-S*** (2014) Membrane proteins as potential colon cancer biomarkers: verification of 4 candidates from a secretome dataset. *Surgical Science* 5, 418-438.
134. Gopinath RK[†], You ST[†], Chien KY[†], Swamy KB, **Yu JS**, Schuyler SC*, Leu JY*. (2014) The Hsp90-dependent proteome is conserved and enriched for hub proteins with high levels of protein-protein connectivity. *Genome Biol. Evol.* 6(10):2851–2865. ([†]equal contribution)
135. Chao M*, Wang HN, Lu YJ, Chang YS, **Yu, JS**. (2004) A V-val subtype Epstein-Barr virus nuclear antigen 1 promotes cell survival after serum withdrawal. *Oncol. Rep.* 2014 Nov 25. doi: 10.3892/or.2014.3625. [Epub ahead of print]