*邱全芊副教授

所有發表期刊論文

- 1. Yang SC, Lin JG, Chiou CC, Chen LY, Yang JL(1994) Mutation specificity of 8-methoxypsoralen plus two doses of UVA irradiation in the *hprt* gene in diploid human fibroblasts. *Carcinogenesis*, 15(2): 201-207,.
- 2. Chiou CC, Yang JL. (1995) Mutagenicity and specific mutation spectrum induced by 8-methoxypsoralen plus a low dose of UVA in the *hprt* gene in diploid human fibroblasts. *Carcinogenesis*, 16(6): 1357-1362,
- 3. Shih SR, Li YS, Chiou CC, Suen PC, Lin TY, Chang LY, Huang YC, Tsao KC, Ning HC, Wu TZ, Chan EC (2000) Expression of caspid protein VP1 for use as antigen for the diagnosis of enterovirus 71 infection. *J Med Virol*,61(2): 228-34.
- 4. Chan EC, Chang CC, Li YS, Chang CA, Chiou CC, Wu TZ (2000) Purification and characterization of neutral sphingomyelinase from Helicobacter pylori. *Biochemistry*, 39(16): 4838-45.
- 5. Chiou CC, Chan CC, Sheu DL, Chen KT, Li YS, Chan EC (2001) *Helicobacter pylori* infection induced alteration of gene expression in human gastric cells. *Gut*, 48(5): 598-604.
- 6. Chiou CC, Chan CC, Kuo YP, Chan EC (2003) *Helicobacter pylori* inhibits activity of cdc2 kinase and delays G2/M to G1 progression in gastric adenocarcinoma cell-line. *Scand J Gastroenterol*, 38(2): 147-52.
- 7. Chiou CC, Chang PY, Chan EC, Wu JL, Wu JT (2003) Urinary 8-hydroxydeoxyguanosine and its analogs as DNA marker of oxidative stress: development of an ELISA and measurement in both bladder and prostate cancers. Clinica Chimica Acta, 334(1-2):87-94
- 8. Wu LL, Chiou CC, Cheng PY, Wu, JT (2004) Urinary 8-OHdG: a marker of oxidative stress to DNA and a risk factor for cancer, atherosclerosis and diabetes. *Clinica Chimca Acta*, 339:1-9
- 9. Luo JD, Chan EC, Shih CL, Chen TL, Liang Y, Hwang TL, Chiou CC* (2006) Detection of rare mutant K-ras DNA in a single-tube reaction using peptide nucleic acid as both PCR clamp and sensor probe. *Nucleic Acids Research*,34(2):e12. (*Corresponding author)
- 10. Chiou CC*, Luo JD, Chen TL (2007) Single-tube reaction using peptide nucleic acid as both PCR clamp and sensor probe for the detection of rare mutations. *Nature Protocols*, 1(6):2604-12. (*Corresponding author)
- 11. Lo FS, Luo JD, Lee YJ, Shu SG, Kuo MT and Chiou CC* (2009). High resolution melting analysis for mutation detection for ptpn11 gene: Applications of this method for diagnosis of noonan syndrome. *Clinica Chimica Acta*, 409:75-77.

(*Corresponding author)

- 12. Chiou CC, Chen TL, Tsao KC, Shih SR, Huang CG, Huang YL, and Chang CM (2010). Detection of pandemic (H1N1) 2009 influenza virus by allele discrimination. *Clinica Chimica Acta*, 411:1080-1083.
- 13. Chiou CC*, Chen SW, Luo JD, Chien YT (2011) Monitoring triplex DNA formation with fluorescence resonance energy transfer between a fluorophore-labeled probe and intercalating dyes. (*Corresponding author) *Analytical Biochemistry*, 416:1-7.
- 14. Lin YH, Chiang CC, Wu MH, Pan TM, Luo JD, Chiou CC (2011) Solid-state sensor incorporated in microfluidic chip and magnetic-bead enzyme immobilization approach for creatinine and glucose detection in serum. *Applied Physics Letters*, 99:253704.
- 15. Li YC, Chiou CC, Luo JD, Chen WJ, Su LC, Chang YF, Chang YS, Lai CS, L CC, Chou C (2012) Sensitive detection of unlabeled oligonucleotides using a paired surface plasma waves biosensor. *Biosensors and Bioelectronics*, 35(1):342-8.

 16. Lin YT, Luo JD, Chiou CC, Yang CM, Wang CY, Chou C, Lai CS (2013) Detection of KRAS mutation bycombination of polymerase chain reaction (PCR) and EIS sensor with new amino group functionalization. *Sensors & Actuator B: Chemical.*, 186:374-379
- 17. Lin YH, Wang SH, Wu MH, Pan TM, Lai CS, Luo JD, Chiou CC(2013) Integrating solid-state sensor and microfluidic devices for glucose, Urea and creatinine detection based on enzyme-carrying alginate microbeads. *Biosensors and Bioelectronics*, 43(1): 328-335.
- 18. Tsao KC, Chiou CC, Chen TL, Huang CG, Hsieh EF, Shih SR.(2014) Detection of low copies of drug-resistant influenza viral gene by a single-tube reaction using peptide nucleic acid as both PCR clamp and sensor probe. *J Microbiol Immunol Infect*, 47:254-256

(B)

- 1. Chiou CC, Chang CP, Li CC, Wu TL, Tsao KC, Sun CF, Wu JT (2003) Urinary 8-OH-dG: A nucleic acid marker of oxidative stress and a risk factor for carcinogenesis. 55th AACC Annual Meeting. *Clinical Chemistry* 49(S6): A11.
- 2. Chiou CC, Luo JD (2004) Detection of trace amounts of mutant K-ras DNA by peptide nucleic acid as both PCR clamp and sensor probe. 19th AACC San Diego Conference on Molecular and Genetic Technologies. *ClinicalChemistry* 50(11):2227.
- 3. Chiou CC, (2007) Rapid detection of low abundant mutations and

- itsapplications on cancer diagnostics. 11th Asian-Pacific Congress of Clinical Biochemistry. Bejing, China (Invited speaker).
- 4. Chiou CC, Tsao KC, Chen TL, Shih SR (2008) Use of peptide nucleic acidprobe for homogenous detection of low abundant, Amantadine-resistant influenza A virus. 1st UK-Taiwan International Networking for Young Scientists Symposium. Taipei, Taiwan.
- 5. Chiou CC, Hsu SC, Chien HJ, Shih SL (2009) Collection of circulating apoptotic bodies as a target for molecular diagnostics. Molecular Diagnostics Europe, Stockholm, Sweden.
- 6. Chiou CC (2009) Detection of DNA markers in body fluids for cancer diagnostics. 4th China Medical Biotech Forum. Dalian, China. (Invited Speaker)
- 7. Luo JD and Chiou CC (2010) Identification of somatic mitochondrial DNA variations in colorectal cancer by next generation sequencing. AACC 42nd Annual Oak Ridge Conference. San Jose, CA, USA
- 8. Chiou CC, Shih CL, Chang JWC, Wang CL (2011). Discovery of circulating nucleic acids markers for non-small cell lung adenocarcinoma detection, Molecular Diagnostics Europe, London, UK
- 9. Chen TL and Chiou CC (2012). Development of sensitive assays for detecting EGFR and KRAS mutations using peptide nucleic acid probes. AACC 2012 annual meeting, USA.