

\*盧主欽助理教授

所有發表期刊論文

1. Hsu, L-C., Hu, M-C., Cheng, H-C., **Lu, J-C.**, and Chung, B-c., 1993, July, The N-terminal hydrophobic domain of P450c21 is required for membrane insertion and enzyme stability, *J. Biol. Chem.* 268 (20): 14682-14686.
2. Schuler, L.A., **Lu, J-C.**, and Brockman, J.L., 2001, May, Prolactin receptor heterogeneity: processing and signaling of the long and short isoforms during development. *Biochem. Soc. Trans.* 29 (Pt2): 52-56.
3. **Lu, J-C.**, Scott, P., Strous, G.J., and Schuler, L.A., 2002, November. Multiple internalization motifs differentially used by prolactin receptor isoforms mediate similar endocytic pathways, *Mol. Endocrinol.* 16 (11): 2515-2527.
4. Wang, C-T., **Lu, J-C.**, Bai, J., Chang, P.Y., Martin, T.F., Chapman, E.R., and Jackson, M.B., 2003, August, Different domains of synaptotagmin control the choice between kiss-and-run and full fusion, *Nature* 424 (6951): 943-947.
5. **Lu, J-C.**, Piazza, T.M., and Schuler, L.A., 2005, October, Proteasomes mediate prolactin-induced receptor downregulation and fragment generation in breast cancer, *J. Biol. Chem.* 280 (40):33909-33916.
6. Usui, I., Imamura, T., Babendure, J.L., Satoh, H., **Lu, J-C.**, Hupfeld, C.J., and Olefsky, J.M., 2005, November, G Protein-coupled Receptor Kinase 2 (GRK2) mediates endothelin-1-induced insulin resistance via the inhibition of both  $G\alpha q/11$  and IRS-1 pathways in 3T3-L1 adipocytes. *Mol. Endocrinol.* 19(11): 2760-2768.
7. Huang J., Imamura T., Babendure J.L., **Lu J-C.**, and Olefsky J.M., 2005, December, Disruption of microtubules ablates the specificity of insulin signaling to GLUT4 translocation in 3T3-L1 adipocytes. *J. Biol. Chem.* 280 (51): 42300-42306.
8. Yoshizaki, T., Imamura, T., Babendure, J., **Lu, J-C.**, Sonoda, N., and Olefsky, J.M., 2007, July, Myosin 5a is an insulin-stimulated Akt2 (protein kinase  $B\beta$ ) substrate modulating GLUT4 vesicle translocation. *Mol. Cell. Biol.* 27(14): 5172-5183.
9. Kawamata, Y., Imamura, T., Babendure, J.L., **Lu, J-C.**, Yoshizaki, T., and Olefsky, J.M., 2007, September, Tumor necrosis factor receptor-1 can function through a  $G\alpha q/11/\beta$ -arrestin-1 signaling complex. *J. Biol. Chem.* 282(39): 28549-28556.
10. Sonoda, N., Imamura, T., Yoshizaki, T., Babendure, J.L., **Lu, J-C.**, and Olefsky, J.M., 2008, May,  $\beta$ -Arrestin-1 mediates glucagons-like peptide-1 signaling

- to insulin secretion in cultured pancreatic  $\beta$  cells, Proc. Natl. Acad. Sci. USA, 105(18): 6614-6619.
11. Piazza, T.M., **Lu, J-C.**, Carver, K.C., and Schuler, L.A., 2009, February, SRC family kinases accelerate prolactin receptor internalization, modulating trafficking and signaling in breast cancer cells, Mol. Endocrinol. 23(2): 202-212.
12. Yoshizaki, T., Milne, J.C., Imamura, T., Schenk, S., Sonoda, N., Babendure, J.L., **Lu, J-C.**, Smith, J.J., Jirousek, M.R., and Olefsky, J.M., 2009, March, SIRT1 exerts anti-inflammatory effects and improves insulin sensitivity in adipocytes, Mol. Cell. Biol. 29(5):1363-1374.
13. Saberi, M., Woods, N-B., de Luca, C., Schenk, S., **Lu, J-C.**, Bandyopadhyay, G., Verma, I.M., and Olefsky, J.M., 2009, November, Hematopoietic cell-specific deletion of Toll-like receptor 4 ameliorates hepatic and adipose tissue insulin resistance in high-fat-fed mice, Cell Metab. 10(5): 419-429.
14. Kao, D-J., Li, A.H., Chen, J-C., Luo, R-S., Chen, Y-L., **Lu, J-C.**, Wang, H-L., 2012, August, CC chemokine ligand 2 upregulates the current density and expression of TRPV1 channels and Nav1.8 sodium channels in dorsal root ganglion neurons, J. Neuroinflamm. 9(1):189.
15. Chiang, C-W., Chen, Y-C., **Lu, J-C.**, Hsiao, Y-T., Chang, C-W., Huang, P-C., Chang, Y-T., Chang, P. Y., Wang, C-T., 2012, October, Synaptotagmin I regulates patterned spontaneous activity in the developing rat retina via calcium binding to the C2AB domains, PLoS ONE, 7(10): e47465.
16. **Lu, J-C.\***, Chang, Y-T., Wang, C-T., Lin, Y-C., Lin, C-K., Wu, Z-S., 2013, August, Trichostatin A modulates thiazolidinedione-mediated suppression of tumor necrosis factor  $\alpha$ -induced lipolysis in 3T3-L1 adipocytes, PLoS ONE, 8(8): e71517. (\*correspondence)
17. Huang, C-Y., Chen, Y-L., Li, A-H., **Lu, J-C.**, and Wang, H-L., 2014, January, Monocycline, a microglial inhibitor, blocks spinal CCL2-induced heat hyperalgesia and augmentation of glutamatergic transmission in substantia gelatinosa neurons, J. Neuroinflam. 11(1): 7.
18. **Lu, J-C.**, Hsiao, Y-T., Chiang, C-W., and Wang, C-T., 2014, April, GABA<sub>A</sub> receptor- mediated tonic depolarization in developing neural circuits, Mol. Neurobiol. 49 (2):702-723.
19. Huang, P-C., Hsiao, Y-T., Kao, S-Y., Chen, C-F., Chen, Y-C., Chiang, C-W., Lee, C-f., **Lu, J-C.**, Chern, Y., and Wang, C-T., 2014, April, Adenosine A2A receptor up-regulates retinal wave frequency via starburst amacrine cells in the developing rat retina, PLoS ONE, 9(4): e95090.

20. Chiang, N., Hsiao, Y-T., Yang, H-J., Lin, Y-C., **Lu, J-C.\***, and Wang, C-T\*, 2014, June, Phosphomimetic mutation of cysteine string protein- $\alpha$  increases the rate of calcium-dependent exocytosis by modulating fusion pore dynamics in PC12 cells, PLoS One, 9(6): e99180. (\*correspondence)