

* 江逸群教授

所有發表期刊論文

A:期刊論文

1. Z.-P. Yang and Y. C. Chiang, " Vital Signal Radar with Adaptive Compensation Circuits to Effectively Eliminate DC Offsets", IEEE Microwave and Wireless Component Letters, Vol. 28, No. 1, Jan 2018, pp. 88-90.
2. H.-S. Peng, Y.-H. Cheng and Y. C. Chiang, "Design of Quad-channel Diplexer adopting Channel Filters with Impedance Transformers", Microwave and Optical Technology Letters. Vol. 59, No. 4, pp. 883-888, April 2017
3. H. S. Peng and Y. C. Chiang, " Microstrip Diplexer Constructed with New Types of Dual-mode Ring Filters", IEEE Microwave and Wireless Component Letters, Vol. 25, No. 1, Jan 2015, pp. 7-9.
4. J. G. Zhou, Y. C. Chiang and W. Q. Che, "Compact Wideband Balanced Bandpass Filter with High Common-Mode Suppression Based on Cascade Parallel Coupled Lines," IET Proceedings-Microwaves, Antennas and Propagation, Vol. 8, No. 8, pp. 564-569, June 2014.
5. J. G. Zhou, Y. C. Chiang and W. Q. Che, " Wideband bandpass filter based on ring resonator with high selectivity and multiple transmission zeroes," Electronics Letters, Vol. 50, No. 5, pp. 384 – 386, Feb. 2014.
6. C. L. Yang, M.-J. Chiang and Y. C. Chiang, "Integration of Miniaturized Balun and Low Noise Amplifier for Single-in Differential-out Applications", Microwave and Optical Technology Letters, vol. 54, Issue 9, pp. 2117–2121, Sep. 2012.
7. C. L. Yang, M. C. Chiang, H. C. Chiu and Y. C. Chiang, "Design and Analysis of a Tri-band Dual-mode Chip Filter for 60-/77-/100-GHz Applications" IEEE Transactions on Microwave Theory and Technique, Vol. 60, No. 4, pp. 989-997, Apr. 2012.
8. C. I. Shie, J. C. Cheng, S. C. Chou and Y. C. Chiang, " Design of A New Type Planar Balun by Using Trans-directional Couplers" IEEE Transactions on Microwave Theory and Technique, Vol. 60, No. 3, pp. 471-477, Mar. 2012.
9. Z.-Y. Yeh and Y.-C. Chiang, "A miniature CPW balun constructed with length-reduced 3db couples and a short redundant transmission line," Progress in Electromagnetics Research, Vol. 117, pp. 195-208, Jun. 2011.
10. C. I. Shie, Y. H. Pan, K. S. Chin and Y. C. Chiang, " A Miniaturized Microstrip Balun Constructed with two $\lambda/8$ Coupled lines and a Redundant Line", IEEE Microwave and Wireless Component Letters, Vol. 20, No. 12, pp. 663-665, Dec. 2010.
11. C. L. Yang, S.Y. Shu, M. C. Chiang, H. C. Chiu and Y. C. Chiang, "A Dual-Mode Dual-Band Filter Constructed on GaAs Substrate for Unlicensed 60- AND 77-GHz

applications", Journal of Electromagnetic Wave and Applications, Vol. 24, No. 17/18, pp. 2431-2444, Nov. 2010.

12. C. I. Shie, J. C. Cheng, S. C. Chou and Y. C. Chiang, " Design of CMOS Quadrature VCO Using On-chip Trans-directional Couplers," Progress in Electromagnetics Research, Vol. 106, pp. 91-106, 2010.

13. C. L. Yang , S. Y. Shu, and Y. C. Chiang, " Design of a K-Band Chip Filter with Three Tunable Transmission Zeros Using a Standard 0.13- μm CMOS Technology," IEEE Transactions on circuits and systems. II, Express briefs, Vol.57, No. 7, pp. 522-526, July 2010.

14. C. Y. Hsiao and Y. C. Chiang," A Miniaturized Open-loop Resonator Filter Constructed with Floating-Plate Overlays," Progress in Electromagnetics Research C, Vol. 14, pp. 131-145, 2010.

15. C. L. Yang , C. H. Peng, and Y. C. Chiang, " Low Phase Noise and High Conversion Gain Oscillator Mixer Constructed with 0.18- μm CMOS Technology," International Journal of Microwave Science and Technology, Mar. 2010.

16. C. L. Yang, S. Y. Shu, and Y. C. Chiang, " Analysis and Design of a Chip Filter with Low Insertion Loss and Two Adjustable Transmission Zeros Using 0.18- μm CMOS Technology," IEEE Transactions on Microwave Theory and Technique, Vol. 58, No. 1, pp. 176-184, Jan. 2010.

17. C. I. Shie, J. C. Cheng, S. C. Chou and Y. C. Chiang, " Trans-directional Coupled-line Couplers Implemented by Periodical Shunt Capacitors," IEEE Transactions on Microwave Theory and Technique, Vol. 57, No. 12, pp. 2981-2988, Dec. 2009.

18. K. S. Chin, Y. P. Chen, K. M. Lin and Y. C. Chiang, "Compact parallel-coupled line bandpass filter with wide bandwidth and suppression of spurious", Microwave and Optical Technology Letters, Vol. 51, Issue 8, pp. 1795-1800, Aug. 2009.

19. Y. C. Chiang and M. C. Ma," Wide-Band Single-side Band Subharmonic Mixer Constructed With Re-entrant Couplers and Lumped-element Coupler", IEEE Microwave and Wireless Component Letters, Vol. 18, No. 12, pp. 806-808, Dec. 2008.

20. C. I. Shie and Y. C. Chiang, "A CMOS Colpitts Voltage Controlled Oscillator with an enhanced transconductance method", Microwave and Optical Technology Letters, Vol. 50, Issue 12, pp. 3160-3164, Dec. 2008.

21. K. S. Chin, M. C. Ma, Y. P. Chen and Y. C. Chiang, " Closed-Form Equations of Conventional Microstrip Couplers Applied to Design Couplers and Filters Constructed with Floating-Plate Overlay," IEEE Transactions on Microwave Theory and Technique, Vol. 56, No. 5 pp. 1172-1179, May 2008.

22. C. L. Yang, and Y. C. Chiang, "Low Phase-Noise and Low-Power VCO Constructed in Current-Reused Configuration", IEEE Microwave and Wireless Component Letters, Vol. 18, No. 2, pp. 136-138, Feb. 2008.
23. C. I. Shie, Y. C. Chiang, and J. M. Lin, "Low Power and High Efficiency VCO and Quadrature VCO Circuits Constructed with Transconductance-Enhanced Colpitts Oscillator", IEICE Transactions on Electronics, Vol. E91-C, No. 2, pp. 193-199, Feb. 2008.
24. Y. C. Chiang and M.-A. Chung, "Design of Asymmetrical Compact Microstrip Resonator Filter with Four Controllable Transmission Zeros", Microwave and Optical Technology Letters, Vol. 50, No.1, pp. 42-45, Jan. 2008.
25. K. S. Chin, Y. C. Chiang and J. T. Kuo, "Microstrip Open-loop Resonator with Multisuppression", IEEE Microwave and Wireless Component Letters, Vol. 17, No. 8, pp. 574-576, Aug. 2007.
26. Y. C. Chiang and C. H. Hsieh "Wideband Microwave Filter Constructed by Asymmetrical Compact Microstrip Resonator and Floating Plate Coupling Structure", IET Electronics Letters, Vol. 43, No. 14, July 2007.
27. Y. C. Chiang, W. L. Hsieh and M. A. Chung "A Method of Synthesizing Microwave Bandpass Filters Constructed with Symmetrical or Asymmetrical Compact Microstrip Resonators," IEEE Transactions on Microwave Theory and Technique, Vol. 54, No. 11, pp. 3947-3953, Nov. 2006.
28. H. C. Chiu, Y.-C. Chiang, C. S. Wu, "High Breakdown Voltage (Al_{0.3}Ga_{0.7})_{0.5}In_{0.5}P/InGaAs Quasi Enhancement-Mode pHEMT with Field-Plate Technology", IEEE Electron Device Letters, Vol. 26, No. 10, pp.701-703, Oct. 2005.
29. W. S. Tung, Y. C. Chiang and J. C. Cheng, "A New Compact LTCC Bandpass Filter Using Negative Coupling", IEEE Microwave and Wireless Component Letters, Vol. 15, No. 10, pp.641-643, Oct. 2005.
30. H. C. Chiu, Y. C. Chiang, C. S. Wu, "A Low Insertion Loss Switch Using Ordering InGaP/AlGaAs/InGaAs pHEMT Technology", Solid-State Electronics, Vol. 49, pp. 1391-1395, Aug. 2005.
31. W. S. Tung, H. C. Chiu and Y. C. Chiang, "Implementation of a Millimeter-wave Band-pass Filter with MMIC Technology", IEE Electronics Letters, Vol. 41, No. 13, pp. 744-745, Jun. 2005.
32. H. H. Lin, W. S. Tung, J. C. Cheng and Y. C. Chiang, "Design of Second Order Band-pass Filter with Inductive π -network Coupling", IEICE Transactions on Communication, Vol. E88-8, No. 6, pp. 2629-2631, June 2005.
33. Y. C. Chiang, T. F. Han and H. H. Hsu, "Design of a CMOS Quadrature VCO with Current Reuse Method", Microwave and Optical Technology Letters, Vol. 44, No.2, pp.202-204, Feb. 2005.

34. W. S. Tung and Y. C. Chiang, "Wide band lumped-element directional coupler with arbitrary coupling coefficient," IEE Proceedings-Microwaves, Antennas and Propagation, Vol. 151, No. 4, pp. 303-306, Aug. 2004.
35. K. K. Chang and Y. C. Chiang, "The design of RF monolithic CMOS down-converter," Journal of Chinese Institute of Engineers, Vol. 27, No. 1, pp. 161-164, Jan. 2004.
36. W. S. Tung, S. S. Wu and Y. C. Chiang, "Design of microwave wide band quadrature hybrid using planar transformer coupling method," IEEE Transaction on Microwave Theory and Technique, Vol. 51, No.7, pp. 1852-1856, July 2003.
37. Y. C. Chiang and C. Y. Chen, "Design of a wide-band lumped-element 3dB quadrature coupler," IEEE Transaction on Microwave Theory and Technique, Vol. 49, No.3, pp. 476-479, Mar. 2001.
38. Y. C. Chiang, C.C. Lin and Y. J. Chan "The design of a narrow band MIC lumped element coupled-resonator bandpass filter", Microwave and Optical Technology Letters, Vol. 18, No.6, pp. 414-417, Aug. 1998.
39. C.F. Liao, Y. J. Chan, Y. C. Chiang, "2.4GHz Monolithic Microwave mixers with Lumped Balanced Circuits", Microwave and Optical Technology Letters, Vol. 17, No. 6, pp. 357-359, Apr. 1998.
40. Y. C. Chiang and C. Y. Chen, "Design of lumped element quadrature hybrid", IEE Electronics Letters, Vol. 34, No. 5, pp. 465~466, Mar. 1998.
41. L. W. Ke, Y. J. Chan, Y. C. Chiang, "Monolithic microwave AlGaAs/InGaAs Doped-Channel FET switches" Microwave and Optical Technology Letters, Vol.13, No.1, pp.47-49, Sep. 1996.
42. T. H. Hsieh, H. Wang, T. Wang, T. H. Chen, Y. C. Chiang, S.T. Tseng, A. Chen and Y. Chang, "A Ultra Low Cost and Miniature 950-2050MHz GaAs MMIC Downconverter-I: Design Approach and Simulation," Journal of Chinese Institute of Engineers, Vol. 18, pp. 437-444, 1995.
43. Y. C. Chiang, C. K. C. Tzuang, and S. Su, "Design of a three-dimensional gap-coupled suspended substrate stripline bandpass filter," IEE Proceedings-H, Vol.139, No.4, pp.376-384, Aug. 1992.
44. C. K. C. Tzuang, Y. C. Chiang, and S. Su, "A compressed-length 90°-bent offset broadside-end coupled bandpass filter," IEEE Microwave and Guided Wave Letters, Vol. 1, No. 10, pp.285-287, Oct. 1991.

B. 國際研討會論文

1. Bharani Samrat Elesela and Yi-Chyun Chiang, "Design of Reconfigurable Dual-band Branch-line Coupler", 2016 IEEE International Workshop on Electromagnetics, May 16-18, 2016, Nanjing, Jiangsu, China

2. T. P. Young, T. A. Chen and Y. C. Chiang, "Appropriate Reflected Power Control for Vital Signal Radar Adopting Phase Shifting Method", 2015 IEEE International Microwave Workshop Series on RF and Wireless Technologies for Biomedical and Healthcare Applications, Sep. 21-23, 2015, Taipei, Taiwan, R. O. C.
3. Y. H. Cheng, H. S. Peng and Y. C. Chiang, "Design of Tunable Dual-band Filter with Multiple Types of Resonators", 45th European Microwave Conference, Sep. 7~10, 2015, Paris, France.
4. Y. P. Chen, T. A. Chen, K. T. Sun and Y. C. Chiang, "Null Point Elimination Using Bi-phase States in a Direct Conversion Vital Signal Detection Radar" 2014 IEEE International Microwave Workshop Series on RF and Wireless Technologies for Biomedical and Healthcare Applications, Dec. 8-10, 2014, London, UK.
5. Y. C. Chiang and J. P. Chen, "Design of Miniature Tri-band Filter with Multiple Types of Resonators", 43th European Microwave Conference, Oct. 8~10, 2013, Nuremberg, Germany.
6. Y. C. Chiang, C. L. Yang, Y. H. Pan and J. P. Chen, "A Dual-band Dual-mode Filter Constructed by Using Floating-plate Overlay Structures" 2012 Asia-Pacific Microwave Conference, Dec. 4~7, Kaohsiung, Taiwan, R. O. C.
7. C. L. Yang, M. C. Chiang, H. C. Chiu and Y. C. Chiang, "Design of A MMIC Tri-band Filter for 60-/77-/100-GHz Applications", Digest of 2011 International Microwave symposium, June 5~10, Baltimore, Maryland, U.S.A.
8. C.-I. Shie, C.-H. Hsieh and Y. C. Chiang, "UWB LNA and mixer with an active balun in 0.18 μ m CMOS process" 2009 International Asia-Pacific Microwave Conference, Dec. 7~10, Singapore, Singapore.
9. C.-L. Yang, C.-H. Hsieh and Y. C. Chiang, "A novel self-biased low noise amplifier with current-reused technique for X Band applications" 2009 International Asia-Pacific Microwave Conference, Dec. 7~10, Singapore, Singapore.
10. H.-Y. La and Y. C. Chiang, "A Novel Structure of Single-Side-Band Mixer with Adopting Dual-Band Quadrature Coupler" 2009 International Asia-Pacific Microwave Conference, Dec. 7~10, Singapore, Singapore.
11. C.-L. Yang, H.-C. Chiu, and Y. C. Chiang, "Design of a Ka-Band Bandpass Filter with Asymmetrical Compact Resonator", Digest of 2009 International Microwave symposium, June 7~12, Boston, Massachusetts, U.S.A.
12. C.-L. Yang, W.-L. Hsieh and Y. C. Chiang, "A Fully Integrated UWB LNA Implemented with Self-Biased Current-reused Technique" 2007 European Conference on Wireless Technology, Oct. 8~10, Munich Germany.
13. C.-I. Shie, J.-M. Lin and Y. C. Chiang, "Design of Low Power and High Efficient Colpitts VCO with Cascading NMOS Cross-Coupled pair" 2006 International Asia-Pacific Microwave Conference, Dec. 12~16, Yokohama, Japan.

14. Y. C. Chiang, H.-C. Chiu and W.-L. Hsieh, "Implementation of Second-order Ku-band Chip Filter on Si Substrate with Commercial 0.18 μ m CMOS Technology" , Digest of 2006 International Microwave symposium, June 11~16, San Francisco, California, U.S.A.
15. W. S. Tung, J.-C. Cheng and Y. C. Chiang, "Analysis and Design of Impedance-Transforming Couplers", 2005 International Symposium on Microwave and Optical Technology, Aug. 22~25, Fukuoka, Japan
16. W. S. Tung and Y. C. Chiang, "A New Configuration of the Asynchronously Tuned Bandpass Filter for Narrow-band Application" 2003 International Asia-Pacific Microwave Conference, Seoul, Korea.
17. C.-C. Hsiao, M. S. Chen and Y. C. Chiang, "A low noise NMOSFET with overlaid-metal gate" , Digest of 1998 International Microwave symposium, IF-31, June 7~12, Baltimore, Maryland, U.S.A..
18. Y. C. Chiang, C. C. Lin, L. W. Ko, Y. J. Chan, 1995 "The design of the miniature S-band bandpass filter utilizing the monolithic lumped resonators," 1995 International Laser, Light- wave and Microwave Conference, Shang-Hai, China.
19. L. W. Ke, Y. J. Chan, T. H. Gan, Y. C. Chiang "2.4GHz single-pole-double-through (SPDT) GaAs MESFET switches" Proceedings of 1995 Electronic Devices and Material Symposium.
20. T. H. Chen, Y. C. Chiang, E.Y. Chang and John Chen "A large signal FET model for use in the design of nonlinear microwave circuits" 1993 International Asia-Pacific Microwave Conference, Hsin-Chu, Taiwan, R.O.C..
21. Y. C. Chiang, C. K. C. Tzuang, and S. Su "A millimeter-wave three-dimensional broadside-gap-coupled bandpass filter," 1992 International Conference on Millimeter-wave and Far-Infrared Technology.
22. Y. C. Chiang, C. K. C. Tzuang, and S. Su "Design of a millimeter-wave 90°-bent offset broadside-end-coupled bandpass filter," 1992 International Conference on Microwaves and Communications.