\* 潘同明教授

所有發表期刊論文

1. <u>Tung Ming Pan</u>, Tan Fu Lei, Chao Chyi Chen, Tien Sheng Chao, Ming Chi Liaw, Wen Lu Yang, Ming Shih Tsai, C. P. Lu and W. H. Chang, "Novel cleaning solutions for polysilicon film post chemical mechanical polishing," *IEEE Electron Device Lett.*, vol. 21, no. 7, pp. 338-340, 2000.

2. <u>Tung Ming Pan</u>, Tan Fu Lei, and Tien Sheng Chao, "Robust ultra-thin oxynitride dielectrics by  $NH_3$  nitridation and  $N_2O$  RTA treatment," *IEEE Electron Device Lett.*, vol. 21, no. 8, pp. 378-380, 2000.

3. <u>Tung Ming Pan</u>, Tan Fu Lei, Tien Sheng Chao, Kuo Lih Chang, and Kuang Chien Hsieh, "High quality ultra-thin  $CoTiO_3$  high-k gate dielectrics," *Electrochem. Solid-State Lett.*, vol. 3, no. 9, pp. 433-434, 2000.

4. <u>Tung Ming Pan</u>, Tan Fu Lei, Tien Sheng Chao, Ming Chi Liaw, and Chih Peng Lu, "Optimum condition of novel one-step cleaning solutions for pre-gate oxide cleaning using the robust design methodology," *Jpn. J. Appl. Phys.*, vol. 39, no. 10, pp. 5805-5808, 2000.

5. <u>Tung Ming Pan\*</u>, Tan Fu Lei, Wen Luh Yang, Chun Ming Cheng, and Tien Sheng Chao, "High quality interpoly-oxynitride grown by  $NH_3$  nitridation and  $N_2O$  RTA treatment," *IEEE Electron Device Lett.*, vol. 22, no. 2, pp. 68-70, 2001.

6. <u>Tung Ming Pan</u>, Tan Fu Lei and Tien Sheng Chao, "High-k CoTiO<sub>3</sub> dielectrics formed by oxidation of sputtered Co/Ti or Ti/Co films," *Appl. Phys. Lett.*, vol. 78, no. 10, pp. 1439-1441, 2001.

7. <u>Tung Ming Pan</u>, Tan Fu Lei and TienShengChao, "Comparison of ultrathin  $CoTiO_3$ and NiTiO<sub>3</sub> high-k gate dielectrics," *J. Appl. Phys.*, vol. 89, no. 6, pp. 3447-3452, 2001.

8. <u>Tung Ming Pan</u>, Tan Fu Lei, Huang Chun Wen, and Tien Sheng Chao, "Characterization of ultrathin oxynitride (18-21 Å) gate dielectrics by  $NH_3$  nitridation and  $N_2O$  RTA treatment," *IEEE Trans. on Electron Devices*, vol. 48, no. 8, pp. 907-912, 2001.

9. <u>Tung Ming Pan</u>, Tan Fu Lei, Fu Hsiang Ko, Tien Sheng Chao, Ming Chi Liaw, and Chih Peng Lu, "One-step cleaning solution to replace the conventional RCA two-step cleaning recipe for pre-gate oxide cleaning," *J. Electrochem. Soc.*, vol. 148, no. 6, pp. G315-G320, 2001.

10. Wen Luh Yang, Tien Sheng Chao, Chun-Ming Cheng, <u>Tung Ming Pan</u>, and Tan Fu Lei, "High quality interpoly dielectrics deposited on the nitrided-polysilicon for nonvolatile memory devices," *IEEE Trans. on Electron Devices*, vol. 48, no. 7, pp. 1304-1309, 2001.

11. <u>Tung Ming Pan\*</u>, Chao Hsin Chien, Tan Fu Lei, Tien Sheng Chao, and Tiao Yuan Huang, "Electrical characteristics of thin cerium oxide film on silicon substrate by

reactive DC sputtering," *Electrochem. Solid-State Lett.*, vol. 4, no. 9, pp. F15-F17, 2001.

12. <u>Tung Ming Pan</u>, Tan Fu Lei, Fu Hsiang Ko, Tien Sheng Chao, Tzu Huan Chiu, Ying Hao Lee, and Chih Peng Lu, "Comparison of novel cleaning solutions with various chelating agents for post-CMP cleaning on poly-Si film," *IEEE Trans. on Semiconduct. Manufact.*, vol. 14, no. 11, pp. 365-371, 2001.

13. <u>Tung Ming Pan</u>, Tan Fu Lei, Fu Hsiang Ko, Tien Sheng Chao, Ming Chi Liaw, and Chih Peng Lu, "Performance evaluation of cleaning solutions enhanced with tetraalkylammonium hydroxide substituents for post-CMP Cleaning on poly-Si film," *J. Electrochem. Soc.*, vol. 149, no. 6, pp. G336-G342, 2002.

14. <u>Tung-Ming Pan\*</u>, Hsiu-Shan Lin, Main-Gwo Chen, Chuan-Hsi Liu, and Yih-Jau Chang, "Comparison of electrical and reliability characteristics of different 14Å oxynitride gate dielectrics," *IEEE Electron Device Lett.*, vol. 23, no. 7, pp. 416-418, 2002.

15. T. S. Chao, C. H. Yeh, <u>T. M. Pan</u>, T. F. Lei, and Y. H. Li, "One step single cleaning solution for CMOS processes," *J. Electrochem. Soc.*, vol. 150, no. 9, pp. G503-G507, 2003.

16. <u>Tung Ming Pan</u>, Tan Fu Lei, Fu Hsiang Ko, Tien Sheng Chao, Tzu Huan Chiu, and Chih Peng Lu, "Novel one-step aqueous solutions to replace pregate oxide cleans," *IEEE Trans. on Semiconduct. Manufact.*, vol. 17, no. 8, pp. 470-476, 2004.

17. <u>Tung-Ming Pan\*</u>, Fu-Hsiang Ko, Tien-Sheng Chao, Chieh-Chuang Chen, and Kuei-Shu Chang-Liao, "Effects of metallic contaminants on the electrical characteristics of ultrathin gate oxides," *Electrochem. Solid-State Lett.*, vol. 8, no. 8, pp. G201-G203, 2005.

<u>Tung-Ming Pan\*</u> and Chuan-Hsi Liu, "Reliability scaling limit of 14Å oxynitride gate dielectrics by different processing treatments," *J.Electrochem. Soc.*, vol. 152, no. 11, pp. G851-G855, 2005.

19. <u>Tung-Ming Pan\*</u> and Chuan-Hsi Liu, "Mechanism of dynamic negative bias temperature instability of pMOSFETs with 13Å oxynitride gate dielectric," *Electrochem. Solid-State Lett.*, vol. 8, no. 12, pp. G348-G351, 2005.

20. <u>Tung-Ming Pan\*</u>, Chao-Sung Liao, Hui-Hsin Hsu, Chun-Lin Chen, Jian-Der Lee, Kuan-Ti Wang, and Jer-Chyi Wang, "Excellent frequency dispersion of thin gadolinium oxide high-k gate dielectrics," *Appl. Phys. Lett.*, vol. 87, no. 26, p. 262908, 2005.

21. <u>Tung-Ming Pan\*</u> and Chia-Cheng Yang, "Electrical characterization of 256 Mbit DRAM with carbon-implanted drain," *Electrochem. Solid-State Lett.*, vol. 9, no. 1, pp. G7-G9, 2006.

22. <u>Tung-Ming Pan\*</u>, "Electrical characterization of 13Å in-situ steam generated oxynitride gate dielectrics," *Electrochem. Solid-State Lett.*, vol. 9, no. 2, pp. G66-G68,

2006.

23. <u>Tung-Ming Pan\*</u>, "Excellent electrical and reliability characteristics of 11Å oxynitride gate dielectrics by remote plasma nitridation treatment," *Appl. Phys. Lett.*, vol. 88, no. 11, p. 112904, 2006.

24. Chao-Sung Lai, Shing-Kan Peng, <u>Tung-Ming Pan</u>, Jer-Chyi Wang, andKung-Ming Fan, "Work function adjustment by nitrogen incorporationin HfN<sub>x</sub>gate electrode with post metal annealing," *Electrochem. Solid-State Lett.*, vol. 9, no. 7, pp. G239-G241, 2006.

25. <u>Tung-Ming Pan\*</u>, "Channel length dependence of negative bias temperature instability on pMOSFETs with either B- or BF<sub>2</sub>-implanted source/drain," *J.Electrochem. Soc.*, vol. 153, no. 7, pp. G707-G711, 2006.

26. <u>Tung-Ming Pan\*</u>, Chun-Lin Chen, Wen-Wei Yeh, and Sung-Ju Hou, "Structural and electrical characteristics of thin erbium oxide gate dielectrics," *Appl. Phys. Lett.*, vol. 89, no. 22, p. 222912, 2006.

27. <u>Tung-Ming Pan\*</u>, "Carrier mobility characteristics and NBTI reliability in strained-Si pMOSFETs," *Electrochem. Solid-State Lett.*, vol. 9, no. 12, pp. G351-G353, 2006.

28. <u>Tung-Ming Pan\*</u>, Jian-Der Lee, Wei-Hao Shu, and Tsung-Te Chen, "Structural and electrical properties of neodymium oxide high-k gate dielectrics," *Appl. Phys. Lett.*, vol. 89, no. 23, p. 232908, 2006.

29. <u>Tung-Ming Pan\*</u>, Jian-Der Lee and Wen-Wei Yeh, "Influence of oxygen content on the structural and electrical characteristics of thin neodymium oxide gate dielectrics," *J. Appl. Phys.*, vol. 101, no. 2, p. 024110, 2007.

30. <u>Tung-Ming Pan\*</u>, Chun-Lin Chen, Wen-Wei Yeh, and Wen-Jen Lai, "Physical and electrical properties of thin lanthanum oxide gate dielectrics for Al and Al/TaN metal gate," *Electrochem. Solid-State Lett.*, vol. 10, no. 3, pp. H101-H103, 2007.

31. <u>Tung-Ming Pan\*</u>, Feng-Ji Tsai, Chun-I Hsieh, and Tin-Wei Wu, "Structural properties and electrical characteristics of praseodymium oxide gate dielectrics,"*Electrochem. Solid-State Lett.*, vol. 10, no. 4, pp. G21-G24, 2007.

32. <u>Tung-Ming Pan\*</u>, Wei-Hao Shu and Jia-Liang Hong, "Structural and electrical characteristics of Er<sub>2</sub>TiO<sub>5</sub> gate dielectrics," *Appl. Phys. Lett.*, vol. 90, no. 22, p. 222906, 2007.

33. Chuan-Hsi Liu and <u>Tung-Ming Pan\*</u>, "Hot carrier and negative bias temperature instability reliabilities of strained-Si MOSFETs," *IEEE Trans. on Electron Devices*, vol. 54, no. 7, pp. 1799-1803, 2007.

34. <u>Tung-Ming Pan\*</u>, Jian-Der Lee, and Chun-LinChen, "Physical and electrical properties of yttrium oxide gate dielectric on Si Substrate with NH<sub>3</sub> plasma treatment," *J.Electrochem. Soc.*, vol. 154, no. 8, pp. H698-H703, 2007.

35. Chuan-Hsi Liu, <u>Tung-Ming Pan\*</u>, Wei-Hao Shu, and Kuo-Chan Huang, "Physical and electrical properties of Ti-doped  $Er_2O_3$  films for high-k gate dielectrics," *Electrochem. Solid-State Lett.*, vol. 10, no. 8, pp. G54-G57, 2007.

36. <u>Tung-Ming Pan\*</u>, Wen-Wei Yeh, and Jing-Wei Chen, "Formation of stacked oxide/Y<sub>2</sub>TiO<sub>5</sub>/oxide layers for flash memory application,"*Appl. Phys. Lett.*, vol. 91, no. 6, p. 062909, 2007.

37. <u>Tung-Ming Pan\*</u> and Jian-Der Lee, "Influence of oxygen content on the physical and electrical properties of thin yttrium oxide dielectrics deposited by reactive rf sputtering on Si substrate," *J. Electron. Mater.*, vol. 36, no. 10, pp. 1395-1403, 2007.

38. <u>Tung-Ming Pan\*</u>, Te-Yi Yu and Yu-Yi Hsieh, "Comparison of structural and electrical properties of praseodymium oxide and praseodymium titanium oxide charge trapping layer memories, "*J. Appl. Phys.*, vol. 102, no. 7, p. 074111, 2007.

39. <u>Tung-Ming Pan\*</u> and Wei-Hao Shu, "Structural and electrical characteristics of a high-k NdTiO<sub>3</sub> gate dielectric,"*Appl. Phys. Lett.*, vol. 91, no. 17, p. 172904, 2007.

40. <u>Tung-Ming Pan\*</u>, Chun-I Hsieh, Tsai-Yu Huang, Jian-Ron Yang, and Pin-Sun Kuo, "Good high-temperature stability of TiN/Al<sub>2</sub>O<sub>3</sub>/WN/TiN capacitors," *IEEE Electron Device Lett.*, vol. 28, no. 11, pp. 954-956, 2007.

41. <u>Tung-Ming Pan\*</u>, "Electrical and reliability characteristics of 12Å oxynitride gate dielectrics by different processing treatments," *IEEE Trans. on Semiconduct. Manufact.*, vol. 20, no. 4, pp. 476-481, 2007.

42. <u>Tung-Ming Pan\*</u> and Kao-Ming Liao, "Structural properties and sensing characteristics of  $Y_2O_3$  sensing membrane for pH-ISFET," *Sen. Actuators B*, vol. 127, no. 2, pp. 480-485, 2007.

43. <u>Tung-Ming Pan\*</u> and Kao-Ming Liao, "Influence of oxygen content on the structural and sensing characteristics of  $Y_2O_3$  sensing membrane for pH-ISFET," *Sen. Actuators B*, vol. 128, no. 1, pp. 245-251, 2007.

44. <u>Tung-Ming Pan\*</u> and Sung-Ju Hou, "Effect of postdeposition anneal on the interfacial and electrical properties of high-k NdO<sub>x</sub>N<sub>y</sub> gate dielectrics," *Appl. Phys. Lett.*, vol. 92, no. 7, p. 072907, 2008.

45. <u>Tung-Ming Pan\*</u> and Te-Yi Yu, "Silicon-oxide-nitride-oxide-silicon type flash memory with a high-k NdTiO<sub>3</sub> charge trapping layer,"*Appl. Phys. Lett.*, vol. 92, no. 11, p. 112906, 2008.

46. <u>Tung-Ming Pan\*</u> and Wei-Hao Shu, "Influence of neodymium content on structural properties and electrical characteristics of high-k NdTiO<sub>3</sub> gate dielectrics," *J.Electrochem. Soc.*, vol. 155, no. 4, pp. G72-G77, 2008.

47. <u>Tung-Ming Pan\*</u> and Wei-Hao Shu, "Influence of titanium content on the structural and electrical properties of  $Er_{1-x}Ti_xO_y$  gate dielectrics," *J.Electrochem. Soc.*, vol. 155, no. 4, pp. H247-H253, 2008.

48. <u>Tung-Ming Pan\*</u> and Tin-Wei Wu, "High-performance poly-silicon TFTs using stacked Pr<sub>2</sub>O<sub>3</sub>/oxynitride gate dielectric," *IEEE Electron Device Lett.*, vol. 29, no. 4, pp. 353-356, 2008.

49. <u>Tung-Ming Pan\*</u> and Te-Yi Yu, "Physical and electrical properties of high-k PrTi<sub>x</sub>O<sub>y</sub> nanocrystal memories,"*J.Electrochem. Soc.*, vol. 155, no. 5, pp. G124-G127, 2008.

50. <u>Tung-Ming Pan\*</u> and Wen-Wei Yeh, "A high-k Y<sub>2</sub>O<sub>3</sub> charge trapping layer for nonvolatile memory application,"*Appl. Phys. Lett.*, vol. 92, no. 17, p. 173506, 2008.

51. <u>Tung-Ming Pan\*</u> and Tin-Wei Wu, "Effects of oxynitride buffer layer on the electrical characteristics of poly-silicon TFTs using  $Pr_2O_3$  gate dielectric," *IEEE Trans.* on Electron Devices, vol. 55, no. 6, pp. 1379-1385, 2008.

52. <u>Tung-Ming Pan\*</u>, Sung-Ju Hou, and Chih-Hwa Wang, "Effects of nitrogen content on the structure and electrical properties of high-k NdO<sub>x</sub>N<sub>y</sub> gate dielectrics,"*J. Appl. Phys.*, vol. 103, no. 12, p. 124105, 2008.

53. <u>Tung-Ming Pan\*</u> and Wen-Wei Yeh, "Polysilicon-oxide-nitride-oxide-silicon-type flash memory using an  $Y_2O_3$  film as a charge trapping layer,"*Electrochem. Solid-State Lett.*, vol. 11, no. 7, pp. G37-G39, 2008.

54. <u>Tung-Ming Pan\*</u> and Kao-Ming Liao, "Comparison of structural and sensing characteristics of  $Pr_2O_3$  and  $PrTiO_3$  sensing membrane for pH-ISFET application,"*Sen. Actuators B*, vol. 133, no. 1, pp. 97-104, 2008.

55. <u>Tung-Ming Pan\*</u> and Wen-Wei Yeh, "High-performance high-k Y<sub>2</sub>O<sub>3</sub> SONOS-type flash memory," *IEEE Trans. on Electron Devices*, vol. 55, no. 9, pp. 2354-2360, 2008.

56. <u>Tung-Ming Pan\*</u>, Te-Yi Yu, and Ching-Chi Wang, "High-k Nd<sub>2</sub>O<sub>3</sub> and NdTiO<sub>3</sub> charge trapping layers for nonvolatile memory metal-SiO<sub>2</sub>-high-k-SiO<sub>2</sub>-silicon devices, "*J.Electrochem. Soc.*, vol. 155, no. 10, pp. G218-G223, 2008.

57. <u>Tung-Ming Pan\*</u> and Kao-Ming Liao, "Development of a high-k Pr<sub>2</sub>O<sub>3</sub> sensing membrane for pH-ISFET application," *IEEE Sensors J.*, vol. 8, no. 11, pp. 1856-1861, 2008.

58. <u>Tung-Ming Pan\*</u> and Jing-Wei Chen, "Metal-oxide-high-k-oxide-silicon memory structure using anYb<sub>2</sub>O<sub>3</sub> charge trapping layer," *Appl. Phys. Lett.*, vol. 93, no. 18, p. 183510, 2008.

59. <u>Tung-Ming Pan\*</u> and Chun-Chin Huang, "Effect of annealing on the structural and electrical properties of high-k  $Sm_2O_3$  dielectrics," *Electrochem. Solid-State Lett.*, vol. 11, no. 12, pp. G62-G65, 2008.

60. Chun-I Hsieh, <u>Tung-Ming Pan\*</u>, Jian-Chyi Lin, Yan-Bo Peng, Tsai-Yu Huang, Chang-Rong Wu, and Steven Shih, "Structural properties of  $Al_2O_3$  dielectrics grown on TiN metal substrates by atomic layer deposition," *Appl. Surf. Sci.*, vol. 255, no. 6, pp. 3769-3772, 2009.

61. <u>Tung-Ming Pan\*</u>, Ching-Lin Chan, and Tin-Wei Wu, "High-performance poly-silicon TFTs using a high-k PrTiO<sub>3</sub> gate dielectric," *IEEE Electron Device Lett.*, vol. 30, no. 1, pp. 39-41, 2009.

62. <u>Tung-Ming Pan\*</u> and Wei-Shiang Huang, "Effects of oxygen content on the structural and electrical properties of thin  $Yb_2O_3$  gate dielectrics," *J.Electrochem. Soc.*, vol. 156, no. 1, pp. G6-G11, 2009.

63. <u>Tung-Ming Pan\*</u> and Kao-Ming Liao, "Structural and sensing properties of high-k  $PrTiO_3$  sensing membranes for pH-ISFET applications,"*IEEE Trans. on Biomed. Eng.*, vol. 56, no. 2, pp. 471-476, 2009.

64. <u>Tung-Ming Pan\*</u> and Wei-Shiang Huang, "Physical and electrical characteristics of a high-k Yb<sub>2</sub>O<sub>3</sub> gate dielectric," *Appl. Surf. Sci.*, vol. 255, no. 9, pp. 4979-4982, 2009.

65. Fu-Chien Chiu, Chun-Yen Lee, and <u>Tung-Ming Pan</u>, "Current conduction mechanisms of  $Pr_2O_3$ /oxynitride laminated gate dielectrics," *J. Appl. Phys.*, vol. 105, no. 7, p. 074103, 2009.

66. Min-Hsien Wu, Chih-Hung Cheng, Chao-Sung Lai, and <u>Tung-Ming Pan\*</u>, "Structural properties and sensing performance of high-k Sm<sub>2</sub>O<sub>3</sub> membrane-based electrolyte-insulator-semiconductor for pH and urea detection,"*Sen. Actuators B*, vol. 138, no. 1, pp. 221-227, 2009.

67. <u>Tung-Ming Pan\*</u>, Chih-HungCheng and Cheng-Da Lee, "Yb<sub>2</sub>O<sub>3</sub> thin films as a sensing membrane for pH-ISFET application," *J.Electrochem. Soc.*, vol. 156, no. 5, pp. J108-J111, 2009.

68. <u>Tung-Ming Pan\*</u> and Jian-Chi Lin, "A  $TiO_2/Er_2O_3$  stacked electrolyte-insulator-semiconductor film pH-sensor for detection of urea,"*Sen. Actuators B*, vol. 138, no. 2, pp. 474-479, 2009.

69. <u>Tung-Ming Pan\*</u>, Jian-Chi Lin, Min-Hsien Wu, and Chao-Sung Lai, "Study of high-k Er<sub>2</sub>O<sub>3</sub> thin layers as ISFET sensitive insulator surface for pH detection,"*Sen. Actuators B*, vol. 138, no. 2, pp. 619-624, 2009.

70. <u>Tung-Ming Pan\*</u>, Jian-Chi Lin, Min-Hsien Wu, and Chao-Sung Lai, "Structural properties and sensing performance of high-k Nd<sub>2</sub>TiO<sub>5</sub> thin layer-based electrolyte-insulator-semiconductor for pH detection and urea biosensing,"*Biosens. Bioelectron.*, vol. 24, no. 9, pp. 2864-2870, 2009.

71. <u>Tung-Ming Pan\*</u>, Li-Chen Yen, Chun-Chin Huang, and Wu-Ching Lin, "Structural and electrical characteristics of high-k Sm<sub>2</sub>TiO<sub>5</sub> gate dielectrics," *Electrochem. Solid-State Lett.*, vol. 12, no. 6, pp. G27-G29, 2009.

72. <u>Tung-Ming Pan\*</u> and Wen-Wei Yeh, "Silicon-oxide-high-k-oxide-silicon memory using a high-k Y<sub>2</sub>O<sub>3</sub> nanocrystal film for flash memory application,"*J. Vac.Sci. Technol. A*, vol. 27, no. 4, pp. 700-705, 2009.

73. <u>Tung-Ming Pan\*</u>, Ching-Lin Chan, and Tin-Wei Wu, "High performance  $CF_4$  plasma treated-polysilicon TFTs using a high-k PrTiO<sub>3</sub> gate dielectric," *Electrochem. Solid-State Lett.*, vol. 12, no. 8, pp. G44-G46, 2009.

74. <u>Tung-Ming Pan\*</u> and Te-Yi Yu, "Comparison of the structural properties and electrical characteristics of  $Pr_2O_3$ ,  $Nd_2O_3$  and  $Er_2O_3$  charge trapping layer memories,"*Semiconduct. Sci. Technol.*, vol. 24, no. 9, p. 095022, 2009.

75. Min-Hsien Wu, Cheng-Da Lee, and <u>Tung-Ming Pan\*</u>, "High-k PrY<sub>x</sub>O<sub>y</sub> sensing films electrolyte-insulator-semiconductor pH-sensor for the detection of urea," *Anal. Chim. Acta* vol. 651, no. 1, pp. 36-41, 2009.

76. <u>Tung-Ming Pan\*</u> and Jian-Chi Lin, "Effects of post-deposition annealing and oxygen content on the structural and pH-sensitive properties of thin  $Nd_2O_3$  films,"*IEEE Sensors J.*, vol. 9, no. 10, pp. 1173-1180, 2009.

77. <u>Tung-Ming Pan\*</u>, Chao-Wen Lin, Jian-Chi Lin, and Min-Hsien Wu, "Structural properties and sensing characteristics of thin Nd<sub>2</sub>O<sub>3</sub> sensing films for pH detection," *Electrochem. Solid-State Lett.*, vol. 12, no. 10, pp. J96-J99, 2009.

78. <u>Tung-Ming Pan\*</u>, Li-Chen Yen and Sheng-Han Su, "Effect of post-deposition annealing on structural and electrical properties of high-k HoTiO<sub>3</sub> gate dielectrics," *Appl. Surf. Sci.*, vol. 256, no. 5, pp. 1534-1537, 2009.

79. <u>Tung-Ming Pan\*</u>, Cheng-Da Lee and Min-Hsien Wu, "High-k  $Tm_2O_3$  sensing membrane-based electrolyte-insulator-semiconductor for pH detection," *J. Phys. Chem. C*, vol. 113, no. 52, pp. 21937-21940, 2009.

80. <u>Tung-Ming Pan\*</u> and Li-Chen Yen, "Structural properties and electrical characteristics of high-k Tm<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> gate dielectrics," *Appl. Surf. Sci.*, vol. 256, no. 6, pp. 1845-1848, 2010.

81. <u>Tung-Ming Pan\*</u>, Ming-De Huang, Chao-Wen Lin, and Min-Hsien Wu, "Development of high-kHoTiO<sub>3</sub> sensing membrane for pH detection and glucose biosensing,"*Sen. Actuators B*, vol. 144, no. 1, pp. 139-145, 2010.

82. <u>Tung-Ming Pan\*</u> and Li-Chen Yen, "Influence of postdeposition annealing on structural properties and electrical characteristics of thin  $Tm_2O_3$  and  $Tm_2Ti_2O_7$  dielectrics," *Appl. Surf. Sci.*, vol. 256, no. 9, pp. 2786-2791, 2010.

83. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen, and Ji-Shing Jung, "A high-k  $Tb_2TiO_5$  nanocrystal memory," *Appl. Phys. Lett.*, vol. 96, no. 10, p. 102904, 2010.

84. <u>Tung-Ming Pan\*</u> and Zhi-Hong Li, "High-performance  $CF_4$  plasma treated polycrystalline silicon thin-film transistors using a high-k  $Tb_2O_3$  gate dielectric," *Appl. Phys. Lett.*, vol. 96, no. 11, p. 113504, 2010.

85. Min-Hsien Wu, Tsung-Wu Lin, Ming-De Huang, Hsin-Yao Wang, <u>Tung-Ming Pan\*</u>,
"Label-free detection of serum uric acid using novel high-k Sm<sub>2</sub>TiO<sub>5</sub> membrane-based electrolyte-insulator-semiconductor," *Sen. Actuators B*, vol. 146, no. 1, pp. 342-348,

2010.

86. <u>Tung-Ming Pan\*</u>, Ji-Shing Jung, and Xin-Chang Wu, "Effect of postdeposition annealing on the structural and electrical characteristics of Yb<sub>2</sub>TiO<sub>5</sub> charge trapping layers," *Appl. Phys. Lett.*, vol. 96, no. 16, p. 162901, 2010.

87. <u>Tung-Ming Pan\*</u> and Cheng-Da Lee, "Influence of oxygen content and post-deposition annealing on structural and sensing characteristics of  $Tm_2O_3$  thin membranes for pH detection," *IEEE Sensors J.*, vol. 10, no. 5, pp. 1004-1011, 2010.

88. <u>Tung-Ming Pan\*</u>, Li-Chen Yen and Xin-Chang Wu, "A comparative study on the structural properties and electrical characteristics of thin  $HoTi_xO_y$ ,  $TmTi_xO_y$  and  $YbTi_xO_y$  dielectrics," *Semiconduct. Sci. Technol.* vol. 25, no. 5, p. 055015, 2010.

89. <u>Tung-Ming Pan\*</u>, Ming-De Huang, Wan-Ying Lin, and Min-Hsien Wu, "A urea biosensor based on pH-sensitive  $Sm_2TiO_5$  electrolyte-insulator-semiconductor," *Anal. Chim. Acta* vol. 669, no. 1, pp. 68-74, 2010.

90. <u>Tung-Ming Pan\*</u>, Zhi-Hong Li, and Chih-Kang Deng, "Effects of  $CF_4$  plasma treatment on the electrical characteristics of poly-silicon TFTs using a  $Tb_2O_3$  gate dielectric," *IEEE Trans. on Electron Devices*, vol. 57, no. 7, pp. 1519-1526, 2010.

91. <u>Tung-Ming Pan\*</u>, Ji-Shing Jung, and Fa-Hsyang Chen, "Metal-oxide-high-k-oxide-silicon memory structure incorporating a  $Tb_2O_3$  charge trapping layer," *Appl. Phys. Lett.*, vol. 97, no. 1, p. 012906, 2010.

92. <u>Tung-Ming Pan\*</u>, Ming-De Huang, and Chao-Wen Lin, "Thin  $Sm_2TiO_5$ film electrolyte-insulator-semiconductor for pH detection and urea biosensing,"*J. Electrochem. Soc.*, vol. 157, no. 8, pp. J275-J280, 2010.

93. <u>Tung-Ming Pan\*</u>andChun-Chin Huang, "Effects of oxygen content and postdeposition annealing on the physical and electrical properties of thin Sm<sub>2</sub>O<sub>3</sub> gate dielectrics," *Appl. Surf. Sci.*, vol. 256, no. 23, pp. 7186-7193, 2010.

94. <u>Tung-Ming Pan\*</u>, Xin-Chang Wu and Li-Chen Yen, "Effects of postdeposition annealing on physical and electrical properties of high-k Yb<sub>2</sub>TiO<sub>5</sub> dielectrics," *J. Vac.Sci. Technol. A*, vol. 28, no. 5, pp. 1084-1088, 2010.

95. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen and Ji-Shing Jung, "Structural and electrical characteristics of high-k  $Tb_2O_3$  and  $Tb_2TiO_5$  charge trapping layers for nonvolatile memory applications," *J. Appl. Phys.*, vol. 108, no. 7, p. 074501, 2010.

96. <u>Tung-Ming Pan\*</u> and Chao-Wen Lin, "Structural and sensing characteristics of  $Dy_2O_3$  and  $Dy_2TiO_5$  electrolyte-insulator-semiconductor pH-sensors," *J. Phys. Chem. C*, vol. 114, no. 41, pp. 17914-17919, 2010.

97. <u>Tung-Ming Pan\*</u>, Wei-Tsung Chang, and Fu-Chien Chiu, "Structural and electrical properties of thin Ho<sub>2</sub>O<sub>3</sub> gate dielectrics," *Thin Solid Films*, vol. 519, no. 2, pp. 923-927, 2010.

98. Min-Hsien Wu, Yu-Fang Lee, Chao-Wen Lin, Shiao-Wen Tsai, Hsin-Yao Wang, and

<u>Tung-Ming Pan\*</u>, "Development of high-k Tm<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> sensing membrane-based electrolyte-insulator-semiconductor for pH detection and its application for glucose biosensing using poly (N-isopropylacrylamide) as an enzyme encapsulation material,"*J. Mater. Chem.*, vol. 21, no. 2, pp. 539-547, 2011.

99. <u>Tung-Ming Pan\*</u>, Kai-Ming Chen and Chih-Hung Lu, "Resistive switching behavior in the Ru/Y<sub>2</sub>O<sub>3</sub>/TaN nonvolatile memory device," *Electrochem. Solid-State Lett.*, vol. 14, no. 1, pp. H27-H29, 2011.

100. <u>Tung-Ming Pan\*</u>, Wei-Tsung Chang and Fu-Chien Chiu, "Structural properties and electrical characteristics of high-k Dy<sub>2</sub>O<sub>3</sub> gate dielectrics," *Appl. Surf. Sci.*, vol. 257, no. 9, pp. 3964-3968, 2011.

101. <u>Tung-Ming Pan\*</u> and Fa-Hsyang Chen, "Al/Al<sub>2</sub>O<sub>3</sub>/Sm<sub>2</sub>O<sub>3</sub>/SiO<sub>2</sub>/Si structure memory for nonvolatile memory application," *Semiconduct. Sci. Technol.*, vol. 26, no. 4, p. 045004, 2011.

102. <u>Tung-Ming Pan\*</u> and Chao-Wen Lin, "Structural and sensing properties of high-k Lu<sub>2</sub>O<sub>3</sub> electrolyte-insulator-semiconductor pH sensors," *J. Electrochem. Soc.*, vol. 158, no. 4, pp. J96-J99, 2011.

103. <u>Tung-Ming Pan\*</u> and Chao-Wen Lin, "High-k  $Dy_2TiO_5$  electrolyte-insulator-semiconductor urea biosensors," *J. Electrochem. Soc.*, vol. 158, no. 4, pp. J100-J105, 2011.

104. Jer-Chyi Wang, Tseng-Fu Lu, Hui-Yu Shih, Chia-Ming Yang, Chao-Sung Lai, Chyuan-Haur Kao, and <u>Tung-Ming Pan</u>, "Reference electrode-insulator-nitride-oxide-semiconductor structure with Sm<sub>2</sub>O<sub>3</sub> sensing membrane for pH-sensor application,"*Jpn. J. Appl. Phys.*, vol. 50, no. 4, p. 04DL09, 2011.

105. Min-Hsien Wu, Yu-Han Chang, Yen-Ting Liu, Yan-Ming Chen, Shih-Siou Wang, Hsin-Yao Wang, Chao-Sung Lai, and <u>Tung-Ming Pan</u>, "Development of high throughput microfluidic cell culture chip for perfusion 3-dimensional cell culture-based chemosensitivity assay,"*Sen. Actuators B*, vol. 155, no. 1, pp. 397-407, 2011.

106. <u>Tung-Ming Pan\*</u> and Chih-Jen Chang, "High-performance poly-silicon TFTs with high-k Y<sub>2</sub>O<sub>3</sub> gate dielectrics,"*Semicond. Sci. Technol.*, vol. 26, no. 7, p. 075004, 2011.

107. <u>Tung-Ming Pan\*</u> and Chih-Hung Lu, "Effect of postdeposition annealing on the structural and electrical properties of thin  $Dy_2TiO_5$  dielectrics," *Thin Solid Films*, vol. 519, no. 22, pp. 8149-8153, 2011.

108. <u>Tung-Ming Pan\*</u> and Chih-Hung Lu, "Forming-free resistive switching behavior in  $Nd_2O_3$ ,  $Dy_2O_3$  and  $Er_2O_3$  filmsfabricated in full room temperature," *Appl. Phys. Lett.*, vol. 99, no. 11, p. 113509, 2011.

109. Tung-Ming Pan\*, Chao-Wen Lin, Wan-Ying Lin, and Min-Hsien Wu, "High-κ

 $Tm_2Ti_2O_7$  electrolyte-insulator-semiconductor creatinine biosensor,"*IEEE Sensors J.*, vol. 11, no. 10, pp. 2388-2394, 2011.

110. Jer-Chyi Wang, Tseng-Fu Lu, Hui-Yu Shih, Chia-Ming Yang, Chao-Sung Lai, Chyuan-Haur Kao, and <u>Tung-Ming Pan</u>, "pH sensing characterization of programmable  $Sm_2O_3/Si_3N_4/SiO_2/Si$  electrolyte- insulator-semiconductor sensor with rapid thermal annealing," *Jpn. J. Appl. Phys.*, vol. 50, no. 10, p. 10PG04, 2011.

111. <u>Tung-Ming Pan\*</u> and Ming-De Huang, "Structural properties and sensing characteristics of high-k Ho<sub>2</sub>O<sub>3</sub> sensing film-based electrolyte-insulator-semiconductor," *Mater. Chem. Phys.*, vol. 129, no. 3, pp. 919-924, 2011.

112. Somnath Mondal and <u>Tung-Ming Pan\*</u>, "High-performance Ni/Lu<sub>2</sub>O<sub>3</sub>/TaN metal-insulator-metal capacitors," *IEEE Electron Device Lett.*, vol. 32, no. 11, pp. 1576-1578, 2011.

113. Fa-Hsyang Chen,<u>Tung-Ming Pan\*</u> and Fu-Chien Chiu, "Metal-oxide-high-k-oxide-silicon memory device using a Ti-doped  $Dy_2O_3$ charge-trapping layer and  $Al_2O_3$  blocking layer," *IEEE Trans. on Electron Devices*, vol. 58, no. 11, pp. 3847-3851, 2011.

114. Chi-Chang Wu, Fu-Ken Liu, Ling-Hung Lin, See-Tong Pang, Cheng-Keng Chuang, <u>Tung-Ming Pan</u>, Keng-Liang Ou, and Fu-Hsiang Ko, "Surface cleaning of the nanowire field-effect transistor for gene detection,"*J. Nanosci. Nanotechnol.*, vol. 11, no. 12, pp. 10639-10643, 2011.

115. <u>Tung-Ming Pan\*</u>, Kung-Yuan Chang, Chao-Wen Lin, Shiao-Wen Tsai, and Min-Hsien Wu, "Label-free detection of uric acid using a disposable poly-N-isopropylacrylamide as an encapsulating enzyme material based on high- $\kappa$  Eu<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> electrolyte–insulator–semiconductor devices,"*Sen. Actuators B*, vol. 160, no. 1, pp. 850-857, 2011.

116. Yen-Heng Lin, Chien-Hung Chiang, Min-Hsien Wu, <u>Tung-Ming Pan</u>, Ji-Dung Luo, and Chiuan-Chian Chiou,"Solid-state sensor incorporated in microfluidic chip and magnetic-bead enzyme immobilization approach for creatinine and glucose detection in serum," *Appl. Phys. Lett.*, vol. 99, no. 25, p. 253704, 2011.

117. Kin Fong Lei, Min-Hsien Wu, Pei-You Liao, Yan-Ming Chen, and <u>Tung-Ming</u> <u>Pan</u>,"Development of a micro-scale perfusion 3D cell culture biochip with an incorporated electrical impedance measurement scheme for the quantification of cell number in a 3D cell culture construct," *Microfluid. Nanofluid.*, vol. 12, no. 1-4, pp. 117-125, 2012.

118. <u>Tung-Ming Pan\*</u>, Chao-Wen Lin, and Ben-Ker Hsu,"Postdeposition anneal on structural and sensing characteristics of high- $\kappa$  Er<sub>2</sub>TiO<sub>5</sub> electrolyte–insulator–semiconductor pH sensors," *IEEE Electron Device Lett.*, vol. 33,

no. 1, pp. 116-118, 2012.

119. <u>Tung-Ming Pan\*</u>, Kung-Yuan Chang, Chao-Wen Lin, Shiao-Wen Tsai, and Min-Hsien Wu, "Label-free detection of DNA using high-κ Lu<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> electrolyte-insulator-semiconductors,"*J. Mater. Chem.*, vol. 22, no. 4, pp. 1358-1363, 2012.

120. Jim-Long Her, Chao-Wen Lin, Kung-Yuan Chang, and <u>Tung-Ming Pan\*</u>, "Label-free detection of creatinine using a disposable poly-N-isopropylacrylamide as an encapsulating creatinine deiminase based Eu<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub> electrolyte-insulator-semiconductors," *Int. J. Electrochem. Sci.,* vol. 7, no. 1, pp. 387-404, 2012.

121. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen and Ji-Shing Jung, "Structural and electrical characteristics of a high-k Lu<sub>2</sub>O<sub>3</sub> charge trapping layer for nonvolatile memory application," *Mater. Chem. Phys.*, vol. 133, no. 2-3, pp. 1066-1070, 2012.

122. <u>Tung-Ming Pan\*</u> and Chih-Hung Lu, "Switching behavior in rare-earth films fabricated in full room temperature," *IEEE Trans. on Electron Devices*, vol. 59, no. 4, pp. 956-961, 2012.

123. Li-Chen Yen, Chia-Wei Hu, Tsung-Yu Chiang, Tien-Sheng Chao, and <u>Tung-Ming Pan\*</u>, "Electrical and reliability characteristics of polycrystalline silicon thin-film transistors with high-kEu<sub>2</sub>O<sub>3</sub> gate dielectrics," *Appl. Phys. Lett.*, vol. 100, no. 17, p. 173509, 2012.

124. Chi-Chang Wu, <u>Tung-Ming Pan</u>, Chung-Shu Wu, Li-Chen Yen, Cheng-Keng Chuang, See-Tong Pang, Yuh-Shyong Yang, and Fu-Hsiang Ko, "Label-free detection of prostate specific antigen using a silicon nanobelt field-effect transistor," *Int. J. Electrochem. Sci.*, vol. 7, no. 5, pp. 4432-4442, 2012.

125. Fa-Hsyang Chen and <u>Tung-Ming Pan\*</u>, "Structural and electrical properties of a high-k SmAlO<sub>3</sub> charge trapping flash memory," *J. Phys. Chem. Solids*, vol. 73, no. 6, pp. 793-796, 2012.

126. Somnath Mondal, Shao-Ju Shih, Fa-Hsyang Chen, and <u>Tung-Ming Pan\*</u>, "Structural and electrical characteristics of Lu<sub>2</sub>O<sub>3</sub> embedded MIM capacitors for analog IC applications," *IEEE Trans. on Electron Devices*, vol. 59, no. 6, pp. 1750-1756, 2012.

127. Somnath Mondal, Jim-Long Her, Shao-Ju Shih, and <u>Tung-Ming Pan\*</u>, "Structural and electrical characterization of Lu<sub>2</sub>O<sub>3</sub> dielectric layer for high performance analog metal–insulator–metal capacitors," *J. Electrochem. Soc.*, vol. 159, no. 6, pp. H589-H594, 2012.

128. Cheng-Han Chao, Kun-Lin Li, Chung-Shu Wu, Cheng-Che Lee, Han-Ping Chiang, Yuh-Shyong Yang, <u>Tung-Ming Pan</u>, and Fu-Hsiang Ko, "Surface effect of assembling enzyme and modulation of surface enzyme activity with electric potential stress," *Int*. J. Electrochem. Sci., vol. 7, no. 6, pp. 5100-5114, 2012.

129. Jim-Long Her, <u>Tung-Ming Pan\*</u> and Chih-Hung Lu, "Unipolar resistive switching behavior in  $Dy_2O_3$  films for nonvolatile memory applications," *Thin Solid Films*, vol. 520, no. 6, pp. 5706-5709, 2012.

130. Somnath Mondal, Jim-Long Her, Fa-Hsyang Chen, Shao-Ju Shih, and <u>Tung-Ming Pan\*</u>, "Improved resistance switching characteristics in Ti-doped Yb<sub>2</sub>O<sub>3</sub> for resistive nonvolatile memory devices," *IEEE Electron Device Lett.*, vol. 33, no. 7, pp. 1069-1071, 2012.

131. Fa-Hsyang Chen and <u>Tung-Ming Pan\*</u>, "Physical and electrical properties of  $Dy_2O_3$  and  $Dy_2TiO_5$  metal oxide-high-k oxide-silicon-type nonvolatile memory devices," *J. Electron. Mater.*, vol. 41, no. 8, pp. 2197-2203, 2012.

132. Somnath Mondal, Jim-Long Her, Fu-Hsiang Ko, and <u>Tung-Ming Pan\*</u>, "The effect of Al and Ni top electrodes in resistive switching behaviors of Yb<sub>2</sub>O<sub>3</sub>-based memory cells," *ECS Solid State Lett.*,vol. 1, no. 2, pp. P22-P25, 2012.

133. Somnath Mondal, Hung-Yu Chen, Jim-Long Her, Fu-Hsiang Ko, and <u>Tung-Ming Pan\*</u>, "Effect of Ti doping concentration on resistive switching behaviors of  $Yb_2O_3$  memory cell," *Appl. Phys. Lett.*, vol. 101, no. 8, p. 083506, 2012.

134. <u>Tung-Ming Pan\*</u>, Chih-Hung Lu, Somnath Mondal, and Fu-Hsiang Ko, "Resistive switching characteristics of Tm<sub>2</sub>O<sub>3</sub>, Yb<sub>2</sub>O<sub>3</sub> and Lu<sub>2</sub>O<sub>3</sub>-based metal-insulator-metal memory devices," *IEEE Trans. on Nanotechol.*, vol. 11, no. 5, pp. 1040-1046, 2012.

135. Jim-Long Her, Min-Hsien Wu, Yen-Bo Peng, <u>Tung-Ming Pan</u><sup>\*</sup>, Wen-Hui Weng, See-Tong Pang, and Lifeng Chi, "High performance GdTi<sub>x</sub>O<sub>y</sub> electrolyte-insulator-semiconductor pH sensor and biosensor," *Int. J. Electrochem. Sci.*, vol. 8, no. 1, pp. 606-620, 2013.

136. Fa-Hsyang Chen, Jim-Long Her, Yu-Hsuan Shao, Yasuhiro H. Matsuda, and <u>Tung-Ming Pan\*</u>, "Structural and electrical characteristics of high-k  $Er_2O_3$  and  $Er_2TiO_5$  gate dielectrics for a-IGZO thin-film transistors," *Nanoscale Res. Lett.*, vol. 8, no. 1, p. 18, 2013.

137. <u>Tung-Ming Pan\*</u>, Pei-You Liao, Kung-Yuan Chang, and Lifeng Chi, "Structural and sensing characteristics of  $Gd_2Ti_2O_7$ ,  $Er_2TiO_5$  and  $Lu_2Ti_2O_7$  sensing membrane electrolyte-insulator-semiconductor for bio-sensing applications," *Electrochim. Acta*, vol. 89, no. 1, pp. 798-806, 2013.

138. Fa-Hsyang Chen, Meng-Ning Hung, Jui-Fu Yang, Shou-Yi Kuo,Jim-Long Her, Yasuhiro H. Matsuda, and <u>Tung-Ming Pan\*</u>, "Effect of surface roughness on electrical characteristics in amorphous InGaZnO thin-film transistors with high-k Sm<sub>2</sub>O<sub>3</sub> dielectrics," *J. Phys. Chem. Solids*, vol. 74, no. 4, pp. 570-574, 2013.

139. Yen-Heng Lin, Anirban Das, Min-Hsien Wu, <u>Tung-Ming Pan</u>, and Chao-Sung Lai, "Microfluidic chip integrated with an electrolyte-insulator-semiconductor sensor for pH and glucose level measurement," *Int. J. Electrochem. Sci.,* vol. 8, no. 4, pp. 5886-5901, 2013.

140. <u>Tung-Ming Pan\*</u> and Chih-Hung Lu,"Structural properties and electroforming-free resistive switching characteristics of GdO<sub>x</sub>, TbO<sub>x</sub>, and HoO<sub>x</sub> memory devices," *Mater. Chem. Phys.*, vol. 139, no. 2-3, pp. 437-442, 2013.

141. Fa-Hsyang Chen, <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Jiang-Hung Liu, Wu-Hsiung Lin, and Po-Hsueh Chen, "Two-step electrical degradation behavior in -InGaZnO thin-film transistor under gate-bias stress," *IEEE Electron Device Lett.*, vol. 34, no. 5, pp. 635-637, 2013.

142. Fa-Hsyang Chen, Jim-Long Her, Somnath Mondal, Meng-Ning Hung, and <u>Tung-Ming Pan\*</u>, "Impact of Ti doping in Sm<sub>2</sub>O<sub>3</sub> dielectric on electrical characteristics of a-InGaZnO thin-film transistors," *Appl. Phys. Lett.*, vol. 102, no. 19, p. 193515, 2013.

143. Yen-Heng Lin, Shih-Hao Wang, Min-Hsien Wu, <u>Tung-Ming Pan</u>, Chao-Sung Lai, Ji-Dung Luo, Chiuan-Chian Chiou, "Integrating solid-state sensor and microfluidic devices for glucose, urea and creatinine detection based on enzyme-carrying alginate microbeads," *Biosens. Bioelectron.*, vol. 43, no. 1, pp. 328-335, 2013.

144. Jim-Long Her, <u>Tung-Ming Pan\*</u>, Wan-Ying Lin, Kai-Sheng Wang, and Lain-Jong Li, "Label-free detection of alanine aminotransferase using a graphene field-effect biosensor," *Sen. Actuators B*, vol. 182, no. 1, pp. 396-400, 2013.

145. <u>Tung-Ming Pan\*</u>, Li-Chen Yen, Sheng-Hao Huang, Chieh-Ting Lo, and Tien-Sheng Chao, "High-k  $Eu_2O_3$  and  $Y_2O_3$  poly-Si thin-film transistor nonvolatile memory devices," *IEEE Trans. on Electron Devices*, vol. 60, no. 7, pp. 2251-2255, 2013.

146. Fa-Hsyang Chen, Jim-Long Her, Yu-Hsuan Shao, Wei-Chen Li, Yasuhiro H. Matsuda, and <u>Tung-Ming Pan\*</u>, "Structural and electrical characteristics of high-k ErTi<sub>x</sub>O<sub>y</sub> gate dielectrics on InGaZnO thin-film transistors," *Thin Solid Films*, vol. 539, no. 1, pp. 251-255, 2013.

147. Fa-Hsyang Chen, Jim-Long Her, Meng-Ning Hung, and <u>Tung-Ming Pan\*</u>, "Investigation of tow-step electrical degradation behavior in a-InGaZnO thin-film transistors with  $Sm_2O_3$  gate dielectrics," *Appl. Phys. Lett.*, vol. 103, no. 3, p. 033517, 2013.

148. Yu-Wen Huang, Chung-Shu Wu, Cheng-Keng Chuang, See-Tong Pang, <u>Tung-Ming Pan\*</u>, Yuh-Shyong Yang, and Fu-Hsiang Ko, "Real-time and label-free detection of the prostate-specific antigen in human serum by a polycrystalline silicon nanowire field-effect transistor biosensor," *Anal. Chem.*, vol. 85, no. 16, pp. 7912-7918, 2013.

149. Min-Hsien Wu, Hung-Wei Yang, Mu-Yi Hua, Yen-Bo Peng, and <u>Tung-Ming Pan\*</u>, "High-k GdTi<sub>x</sub>O<sub>y</sub> sensing membrane–based electrolyte–insulator–semiconductor with magnetic nanoparticles as enzyme carriers for protein contamination–free glucose biosensing," Biosens. Bioelectron., vol. 47, no. 1, pp. 99-105, 2013.

150. Somnath Mondal, Ching-Hao Chueh, and <u>Tung-Ming Pan\*</u>, "High-performance flexible Ni/Sm<sub>2</sub>O<sub>3</sub>/ITO ReRAM device for low-power nonvolatile memory applications," *IEEE Electron Device Lett.*, vol. 34, no. 9, pp. 1145-1147, 2013.

151. <u>Tung-Ming Pan\*</u>,Li-Chen Yen, Somnath Mondal, Chieh-Ting Lo, and Tien-Sheng Chao, "Al-SiO<sub>2</sub>-Y<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-poly-Si thin-film transistor nonvolatile memory incorporating a Y<sub>2</sub>O<sub>3</sub> charge trapping layer," *ECS Solid-State Lett.*, vol. 2, no. 10, pp. P83-P85, 2013.

152. Fu-Chien Chiu, Chih-Yao Huang, Wen-Yuan Chang, and <u>Tung-Ming Pan</u>, "Negative resistance characterisation and defective trap exploration in ZnO nonvolatile memory devices," *Int. J. Nanotechnol.*, vol. 11, no. 1-4, pp. 145-155, 2014.

153. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Jiang-Hung Liu, Jim-Long Her, andKeiichi Koyama, "Electrical and reliability characteristics of high-k HoTiO<sub>3</sub>a-InGaZnO thin-film transistors," *IEEE Electron Device Lett.*, vol. 35, no. 1, pp. 66-68, 2014.

154. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Jiang-Hung Liu, Fa-Hsyang Chen, Jim-Long Her, and Keiichi Koyama, "Comparison of high-k  $Gd_2O_3$  and  $GdTiO_3a$ -InGaZnO thin-film transistors," *IEEE Trans. on Electron Devices*, vol. 61, no. 1, pp. 87-91, 2014.

155. Somnath Mondal, Ching-Hao Chueh, and <u>Tung-Ming Pan\*</u>, "Current conduction and resistive switching characteristics of Sm<sub>2</sub>O<sub>3</sub> and Lu<sub>2</sub>O<sub>3</sub> thin films for low-power flexible memory applications," *J. Appl. Phys.*, vol. 115, no. 1, p. 014501, 2014.

156. Somnath Mondal, Jim-Long Her, Keiichi Koyama, and <u>Tung-Ming Pan\*</u>, "Resistive switching behavior in Lu<sub>2</sub>O<sub>3</sub> thin film for advanced flexible memory applications," *Nanoscale Res. Lett.*, vol. 9, no. 1, p. 3, 2014.

157. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang, Somnath Mondal, and Yu-Han Chang, "Effect of titanium content on the sensing and impedance characteristics of high-κ TbTi<sub>x</sub>O<sub>y</sub> electrolyte-insulator-semiconductor pH sensors," *J. Phys. Chem. C*, vol. 118, no. 8, pp. 4501-4508, 2014.

158. Li-Chen Yen, Ming-Tsyr Tang, Fang-Yu Chang, <u>Tung-Ming Pan\*</u>, Tien-Sheng Chao, and Chiang-Hsuan Lee, "Improvement in pH sensitivity of low-temperature polycrystalline-silicon thin-film transistor sensors using H<sub>2</sub> sintering," *Sensors*, vol. 14, no. 3, pp. 3825-3832, 2014.

159. <u>Tung-Ming Pan\*</u> and Kung-Yuan Chang, "Structural properties and sensing characteristics of high-k Eu<sub>2</sub>O<sub>3</sub> film for electrolyte-insulator-semiconductor pH sensors," *Sci. Adv. Mat.*, vol. 6, no. 8, pp. 1845-1850, 2014.

160. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen, Meng-Ning Hung, Jim-Long Her, and Keiichi Koyama, "Structural properties and electrical characteristics of high-k  $Tm_2O_3$  gate dielectrics for InGaZnO thin film transistors," *Sci. Adv. Mat.*, vol. 6, no. 9, pp. 1973-1978, 2014.

161. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, and Jiang-Hung Liu, "Structural properties and electrical characteristics of  $Ho_2O_3$  and  $HoTiO_3$  gate dielectrics for a-InGaZnO thin-film transistors," *RSC Adv.*, vol. 4, no. 55, pp. 29300-29304, 2014.

162. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang, Wen-Hui Weng, and See-Tong Pang, "Impact of titanium content and postdeposition annealing on the structural and sensing properties of TbTi<sub>x</sub>O<sub>y</sub> sensing membranes," *J. Mater. Chem. C*, vol. 2, no. 36, pp. 7575-7582, 2014.

163. Jim-Long Her, <u>Tung-Ming Pan\*</u>, Jiang-Hung Liu, Hong-Jun Wang, Ching-Hung Chen, and Keiichi Koyama, "Electrical characteristics of  $GdTiO_3$  gate dielectric for amorphous InGaZnO thin-film transistors," *Thin Solid Films*, vol. 569, no. 1, pp. 6-9, 2014.

164. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Jim-Long Her, and Keiichi Koyama, "Comparison of structural and electrical properties of  $Lu_2O_3$  and  $Lu_2TiO_5$  gate dielectrics for a-InGaZnO thin-film transistors," *J. Appl. Phys.*, vol. 116, no. 19, p. 194510, 2014.

165. Li-Chen Yen, Ming-Tsyr Tang, Chia-Ying Tan, <u>Tung-Ming Pan\*</u>, and Tien-Sheng Chao, "Effect of sensing film thickness on sensing characteristics of dual-gate poly-Si ion-sensitive field-effect-transistors," *IEEE Electron Device Lett.*, vol. 35, no. 12, pp. 1302-1304, 2014.

166. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen, and Meng-Ning Hung, "Effect of annealing temperature on structural and electrical properties of high-k YbTi<sub>x</sub>O<sub>y</sub> gate dielectrics for InGaZnO thin film transistors," *Semicond. Sci. Technol.*, vol. 30, no. 1, p. 015004, 2015.

167. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Fa-Hsyang Chen, and Jim-Long Her, "Structural and electrical characteristics of Yb<sub>2</sub>O<sub>3</sub> and YbTi<sub>x</sub>O<sub>y</sub> gate dielectrics for -InGaZnO thin-film transistors," *J. Disp. Technol.*, vol. 11, no. 3, pp. 248-254, 2015.

168. Jim-Long Her, Fa-Hsyang Chen, Ching-Hung Chen, and <u>Tung-Ming</u> <u>Pan\*</u>,"Electrical characteristics of gallium-indium-zinc oxide thin-film transistor non-volatile memory with  $Sm_2O_3$  and  $SmTiO_3$  charge trapping layers," *RSC Adv.*, vol. 5, no. 12, pp. 8566-8570, 2015.

169. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang, Yu-Shu Huang, Wen-Hui Weng, and See-Tong Pang, "Effect of postdeposition annealing on the structural and sensing characteristics  $Tb_2O_3$  and  $Tb_2Ti_2O_7$  sensing films for electrolyte-insulator-semiconductor pH sensors," *J. Electrochem. Soc.*, vol. 162, no. 4, pp. B83-B88, 2015.

170. Jim-Long Her, Fa-Hsyang Chen, Wei-Chen Li, and <u>Tung-Ming</u> <u>Pan\*</u>, "High-performance amorphous InGaZnO thin-film transistors with HfO<sub>2</sub>/Lu<sub>2</sub>O<sub>3</sub>/HfO<sub>2</sub> sandwich gate dielectrics," *IEEE Trans. on Electron Devices*, vol. 62, no. 5, pp. 1659-1662, 2015.

171. Fa-Hsyang Chen, Ching-Hung Chen, and <u>Tung-Ming Pan\*</u>, "Structural and electrical characteristics of high-k SmTiO<sub>3</sub> gate dielectrics for InGaZnO thin-film transistors," *IEEE Trans. on Dielectrics and Electrical Insulation*, vol. 22, no. 3, pp. 1337-1342, 2015.

172. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen, and Meng-Ning Hung, "Influence of annealing temperature on structural and electrical characteristics of high-k  $Yb_2O_3$  gate dielectrics for InGaZnO thin film transistors," *Sci. Adv. Mat.*, vol. 7, no. 6, pp. 1108-1113, 2015.

173. <u>Tung-Ming Pan\*</u>, Fa-Hsyang Chen and Yu-Hsuan Shao, "High-performance InGaZnO thin-film transistor incorporating a HfO<sub>2</sub>/Er<sub>2</sub>O<sub>3</sub>/HfO<sub>2</sub> stacked gate dielectric," *RSC Adv.*, vol. 5, no. 63, pp. 51286-51289, 2015.

174. <u>Tung-Ming Pan\*</u>, Ting-Wei Lin, and Ching-Yi Chen, "Label-free detection of rheumatoid factor using YbY<sub>x</sub>O<sub>y</sub> electrolyte-insulator-semiconductor devices," *Anal. Chim. Acta* vol. 891, no. 1, pp. 304-311, 2015.

175. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang, and Sheng-Yu Pan,"High-performance electrolyte–insulator–semiconductor pH sensors using of high-κ CeO<sub>2</sub> sensing films," *IEEE Electron Device Lett.*, vol. 36, no. 11, pp. 1195-1197, 2015.

176. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Yi-Hsiang Hu, Hung-Chun Wang, and Jim-Long Her, "Comparison of structural and electrical properties of  $Er_2O_3$  and  $ErTi_xO_y$  charge-trapping layers for InGaZnO thin-film transistor nonvolatile memory devices," *IEEE Electron Device Lett.*, vol. 37, no. 2, pp. 179-181, 2016.

177. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang, Ching-Yi Chen, and Jim-Long Her, "Impact of yttrium content and thermal annealing on the structural and sensing characteristics of YbY<sub>x</sub>O<sub>y</sub> sensing membranes," *J. Appl. Phys.*, vol. 119, no. 7, p. 074503, 2016.

178. Li-Chen Yen, <u>Tung-Ming Pan\*</u>, Chiang-Hsuan Lee, and Tien-Sheng Chao, "Label-free and real-time detection of ferritin using a horn-like polycrystalline-silicon nanowire field-effect transistor biosensor," *Sen. Actuators B*, vol. 230, no. 1, pp. 398-404, 2016.

179. <u>Tung-Ming Pan\*</u>, Ching-Hung Chen, Yi-Hsiang Hu, and Jim-Long Her, "Effect of Ti content on the structural and electrical characteristics of ErTi<sub>x</sub>O<sub>y</sub> charge storage layer on InGaZnO thin-film transistor nonvolatile memories," *IEEE Trans. on Electron Devices*, vol. 63, no. 4, pp. 1539-1544, 2016.

180. Wen-Hui Weng, Chih-Wei Wang, See-Tong Tung-Ming Pang, and Pan\*,"Enzymatic glucose biosensor based on TbY<sub>x</sub>O<sub>v</sub> electrolyte-insulator-semiconductor," J. Electrochem. Soc., vol. 163, no. 8, pp. B445-B452, 2016.

181. Tung-Ming Pan\* and Chia-Ying Tan, "Influence of praseodymium content and

postdeposition annealing on the structural and sensing characteristics of  $PrTi_xO_y$  sensing films using the sol-gel spin-coating method," *J. Mater. Chem. C,* vol. 4, no. 31, pp. 7436-7442, 2016.

182. <u>Tung-Ming Pan\*</u>, Ching-Yi Chen, Tung-Yu Wu, and See-Tong Pang,"Impact of postdeposition annealing on the sensing and impedance characteristics of  $TbY_xO_y$  electrolyte-insulator-semiconductor pH sensors," *RSC Adv.*, vol. 6, no. 80, pp. 76673-76678, 2016.

183. Sankar Prasad Bag, Jim-Long Her and <u>Tung-Ming Pan\*</u>, "Effect of excess lead on the structural and electrical characteristics of sol-gel synthesized  $RuO_2/Pb(Zr_xTi_{1-x})O_3/RuO_2$ ," *Ceram. Int.*, vol. 42, no. 16, pp. 18402-18410, 2016.

184. Wen-Hui Weng, Cheng-Han Jhou, Han-Xuan Xie, and <u>Tung-Ming Pan</u>,"Label-free detection of AR-V7 mRNA in prostate cancer usingYb<sub>2</sub>Ti<sub>2</sub>O<sub>7</sub>—based electrolyte-insulator-semiconductor biosensors," *J. Electrochem. Soc.*, vol. 164, no. 14, pp. B710-B717, 2016.

185. Chih-Hung Lu, Tuo-Hung Hou, and <u>Tung-Ming Pan\*</u>, "Low-voltage InGaZnO ion-sensitive thin-film transistors fabricated by low-temperature process," *IEEE Trans. on Electron Devices*, vol. 63, no. 12, pp. 5060-5063, 2016.

186. <u>Tung-Ming Pan\*</u>, Bo-Jung Peng, Hung-Chun Wang, Jim-Long Her, andBih-Show Lou, "Impact of Ti content on structural and electrical characteristics of high-k Yb<sub>2</sub>TiO<sub>5</sub>a-InZnSnO thin-film transistors," *IEEE Electron Device Lett.*, vol. 38, no. 3, pp. 341-344, 2017.

187. <u>Tung-Ming Pan\*</u>, Bo-Jung Peng, Jim-Long Her, andBih-Show Lou, "Effect of In and Zn content on structural and electrical properties of InZnSnO thin-film transistors using an  $Yb_2TiO_5$  gate dielectric," *IEEE Trans. on Electron Devices*, vol. 64, no. 5, pp. 2233-2238, 2017.

188. Sankar Prasad Bag, Jim-Long Her and <u>Tung-Ming Pan\*</u>, "Frequency-independent coercive field in the RuO<sub>2</sub>/Pb(Zr<sub>0.53</sub>Ti<sub>0.47</sub>)O<sub>3</sub>/RuO<sub>2</sub> capacitor," *Mater. Sci. Semicond. Process.*, vol. 64, no. 1, pp. 24-28, 2017.

189. <u>Tung-Ming Pan\*</u> and Chia-Ying Tan, "Effect of Ti content on structural properties and sensing performance of sol-gel synthesized PrTi<sub>x</sub>O<sub>y</sub> sensing membranes," *J. Electrochem. Soc.*, vol. 167, no. 7, pp. B330-B335, 2017.

190. Sankar Prasad Bag, Jim-Long Her, and <u>Tung-Ming Pan\*</u>, "Impact of Sr-doping on structural and electrical properties of Pb( $Zr_{0.52}Ti_{0.48}$ )O<sub>3</sub> thin films on RuO<sub>2</sub> electrodes," *Ceram. Int.*, vol. 43, no. 13, pp. 9806-9814, 2017.

191. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang and Ching-Yi Chen, "Structural and sensing characteristics of  $CeY_xO_y$  sensing films for electrolyte-insulator-semiconductor pH sensors," *Sci. Rep.*, vol. 7, no. 6, p. 2945, 2017.

192. <u>Tung-Ming Pan\*</u>, Bo-Jung Peng, and Ching-Hung Chen, "Structural and electrical

properties of high-k CeTi<sub>x</sub>O<sub>y</sub>,  $ErTi_xO_y$  and  $YbTi_xO_y$  gate dielectrics for InZnSnO thin film transistors," *J. Alloy Comp.*, vol. 722, no. 1, pp. 637-643, 2017.

193. Sankar Prasad Bag, Jim-Long Her, Bih-Show Lou, See-Tong Pang, and <u>Tung-Ming Pan\*</u>, "Structural and sensing properties of sol-gel synthesized Ce<sub>2</sub>(Zr<sub>1-x</sub>Ti<sub>x</sub>)O<sub>y</sub> sensing films for pH sensors," *IEEE Trans. on Electron Devices*, vol. 64, no. 9, pp. 3971-3975, 2017.

194. Chih-Hung Lu, Tuo-Hung Hou, and <u>Tung-Ming Pan\*</u>, "High performance double-gate a-InGaZnO ISFET pH sensor using a HfO<sub>2</sub> gate dielectric," *IEEE Trans. on Electron Devices*, vol. 65, no. 1, pp. 237-242, 2018.

195. <u>Tung-Ming Pan\*</u>, Chih-Wei Wang, Somnath Mondal, and See-Tong Pang, "Super-Nernstian sensitivity in microfabricated electrochemical pH sensor based on CeTi<sub>x</sub>O<sub>y</sub> film for biofluid monitoring," *Electrochim. Acta*, vol. 261, no. 1, pp. 482-490, 2018