

\* 王哲麒教授

所有發表期刊論文

1. **J. C. Wang**, S. H. Chiao, C. L. Lee, T. F. Lei, Y. M. Lin, M. F. Wang, S. C. Chen, C. H. Yu, and M. S. Liang, "A Physical Model for the Hysteresis Phenomenon of the Ultra-thin ZrO<sub>2</sub> Film," *Journal of Applied Physics*, vol. 92, no. 7, pp. 3936-3940, 1 Oct., 2002.
2. **Jer Chyi Wang**, De Ching Shie, Tan Fu Lei, and Chung Len Lee, "Characterization of Temperature Dependence for HfO<sub>2</sub> Gate Dielectrics Treated in NH<sub>3</sub> Plasma," *Electrochemical and Solid-State Letters*, vol. 6, no. 10, pp. F34-F36, Oct., 2003.
3. **Jer Chyi Wang**, Jam Wem Lee, Liang Tai Kuo, Tan Fu Lei, and Chung Len Lee, "High Reliability Ultra-Thin Interpoly-Oxynitride Dielectrics Prepared by N<sub>2</sub>O Plasma Annealing," *Journal of the Electrochemical Society*, vol. 150, no. 12, pp. G730-734, Dec., 2003.
4. **Jer Chyi Wang**, Yen Ping Hung, Chung Len Lee, and Tan Fu Lei, "Improved Characteristics of Ultra-Thin CeO<sub>2</sub> by Using Post Nitridation Annealing," *Journal of the Electrochemical Society*, vol. 151, no. 2, pp. F17-F21, Feb., 2004.
5. **J. C. Wang**, D. C. Shie, T. F. Lei, and C. L. Lee, "Turnaround of hysteresis for capacitance-voltage characteristics of hafnium oxynitride dielectrics," *Applied Physics Letters*, vol. 84, no. 9, pp. 1531-1533, 1 Mar., 2004.
6. **Jer Chyi Wang**, Kuo Cheng Chiang, Tan Fu Lei, and Chung Len Lee, "Carrier Transportation of Rapid Thermal Annealed CeO<sub>2</sub> Gate Dielectrics," *Electrochemical and Solid-State Letters*, vol. 7, no. 12, pp. E55-E57, Dec., 2004.
7. Chao Sung Lai, Woei Cherng Wu, Kung Ming Fan, **Jer Chyi Wang**, and Shian Jyh Lin, "Effects of Post CF<sub>4</sub> Plasma Treatment on the HfO<sub>2</sub> Thin Film," *Japanese Journal of Applied Physics*, vol. 44, no. 4B, pp. 2307-2310, April, 2005.
8. Chao Sung Lai, Woei Cherng Wu, **Jer Chyi Wang**, and Tien sheng Chao, "Characterization of CF<sub>4</sub>-plasma Fluorinated HfO<sub>2</sub> Gate Dielectrics with TaN Metal Gate," *Applied Physics Letters*, vol. 86, no. 22, p. 222905, 30 May, 2005.
9. **Jer Chyi Wang**, De Ching Shie, Tan Fu Lei, and Chung Len Lee, "Soft Breakdown of Hafnium Oxynitride Gate Dielectrics," *Journal of Applied Physics*, vol. 98, no. 2, p. 024503, 15 July, 2005.
10. Tung Ming Pan, Chao Sung Lai, Hui Hsin Hsu, Chun Lin Chen, Jian Der Lee, Kuan Ti Wang, and **Jer Chyi Wang**, "Excellent Frequency Dispersion of Thin Gadolinium Oxide High-k Gate Dielectrics," *Applied Physics Letters*, vol. 87, no. 26, p. 262908, 26 Dec., 2005.
11. Chao Sung Lai, Woei Cherng Wu, **Jer Chyi Wang**, and Tien Sheng Chao, "Characteristics of Fluorine Implantation for HfO<sub>2</sub> Gate Dielectrics with

- High-Temperature Post-deposition Annealing," *Japanese Journal of Applied Physics*, vol. 45, no. 4B, pp. 2893–2897, April, 2006.
12. Chao Sung Lai, Shing Kan Peng, Tung Ming Pan, **Jer Chyi Wang**, and Kung Ming Fan, "Work Function Adjustment by Nitrogen Incorporation in HfN<sub>x</sub> Gate Electrode with Post Metal Annealing," *Electrochemical and Solid-State Letters*, vol. 9, no. 7, pp. G239-G241, July, 2006.
  13. Chao Sung Lai, Woei Cherng Wu, Tien Sheng Chao, Jian Hao Chen, **Jer Chyi Wang**, Li Lin Tay, and Nelson Rowell, "Suppression of Interfacial Reaction for HfO<sub>2</sub> on Silicon by Pre-CF<sub>4</sub> Plasma Treatment," *Applied Physics Letters*, vol. 89, no. 7, p. 072904, 14 Aug., 2006.
  14. Woei-Cherng Wu, Tien-Sheng Chao, Wu-Ching Peng, Wen-Luh Yang, **Jer-Chyi Wang**, Jain-Hao Chen, Chao-Sung Lai, and Tsung-Yu Yang, "Highly reliable multilevel and 2-bit/cell operation of wrapped select gate (WSG) SONOS memory," *IEEE Electron Device Letters*, vol. 28, no.3, pp. 214-216, Mar. 2007.
  15. Woei-Cherng Wu, Chao-Sung Lai, **Jer-Chyi Wang**, Jian Hao Chen, Ming Wen Ma and Tien-Sheng Chao "High Performance HfO<sub>2</sub> Gate Dielectrics Fluorinated by Post-deposition CF<sub>4</sub> Plasma Treatment," *Journal of the Electrochemical Society*, vol. 154, no. 7, pp. H561-H565, July 2007.
  16. Woei-Cherng Wu, Chao-Sung Lai, Zhu Ming Wang, **Jer-Chyi Wang**, Ming Wen Ma, and Tien-Sheng Chao "Current Transport Mechanism for HfO<sub>2</sub> Gate Dielectric with Fluorine Incorporation," *Electrochemical and Solid-State Letters*, vol. 11, no. 1, pp. H15-H18, Jan. 2008.
  17. Woei Cherng Wu, Chao-Sung Lai, Tzu-Ming Wang, **Jer-Chyi Wang**, Chih Wei Hsu, Ming Wen Ma, Wen-Cheng Lo, and Tien Sheng Chao, "Carrier Transportation Mechanism of the TaN/HfO<sub>2</sub>/IL/Si Structure with Silicon Surface Fluorine Implantation," *IEEE Trans. on Electron Devices*, vol. 55, no. 7, pp. 1639-1646, July 2008.
  18. Woei-Cherng Wu, Tien-Sheng Chao, Te-Hsin Chiu, **Jer-Chyi Wang**, Chao-Sung Lai, Ming-Wen Ma, and Wen-Cheng Lo, "Performance and Interface Characterization for Contact Etch Stop Layer–Strained nMOSFET with HfO<sub>2</sub> Gate Dielectrics under Pulsed-IV Measurement," *Electrochemical and Solid-State Letters*, vol. 11, no. 8, pp. H230-H232, Aug. 2008.
  19. Woei-Cherng Wu, Tien-Sheng Chao, Te-Hsin Chiu, **Jer-Chyi Wang**, Chao-Sung Lai, Ming-Wen Ma, and Wen-Cheng Lo, "Positive Bias Temperature Instability (PBTI) Characteristics of Contact-Etch-Stop-Layer-Induced Local-Tensile-Strained HfO<sub>2</sub> nMOSFET," *IEEE Electron Device Letters*, vol. 29, no. 12, pp. 1340-1343, Dec. 2008.

20. Pai-Chi Chou, Chao-Sung Lai, **Jer-Chyi Wang**, Woei-Cherng Wu, Li-Chi Liu, Yu-Ching Fang, Li Hsu, and Hui-Chun Wang, "High-k  $\text{Hf}_x\text{Gd}_y\text{O}_z$  Charge Trapping Layer in Silicon–Oxide–Nitride–Silicon Type Nonvolatile Memory by In situ Radio Frequency Dual-Sputtering Method," *Japanese Journal of Applied Physics*, vol. 48, no. 5, p. 05DF01, May 2009.
21. **Jer-Chyi Wang**, Chao-Sung Lai, Yu-Kai Chen, Chih-Ting Lin, Chuan-Pu Liu, Michael R. S. Huang, and Yu-Ching Fang, "Characteristics of Gadolinium Oxide Nanocrystal Memory with Optimized Rapid Thermal Annealing," *Electrochemical and Solid-State Letters*, vol. 12, no. 6, pp. H202-H204, June 2009.
22. Cheng-En Lue, Chao-Sung Lai, **Jer-Chyi Wang**, Ching-Mie Wu, and Chia-Ming Yang, "Differential Light Addressable Potentiometric Sensor with Poly(vinyl chloride) and  $\text{HfO}_2$  Membranes for pH Sensors," *Japanese Journal of Applied Physics*, vol. 49, no. 4S, p. 04DL10, Apr. 2010.
23. Hsing-Kan Peng, Chao-Sung Lai, **Jer-Chyi Wang**, "Threshold Voltage Tunability of p-Channel Metal Oxide Semiconductor Field-Effect Transistor with Ternary  $\text{Hf}_x\text{Mo}_y\text{N}_z$  Metal Gate and  $\text{Gd}_2\text{O}_3$  High-k Gate Dielectric," *Japanese Journal of Applied Physics*, vol. 49, no. 4S, p. 04DA15, Apr. 2010.
24. **Jer-Chyi Wang**, Pai-Chi Chou, Chao-Sung Lai, Wen-Hui Lee, and Chi-Fong Ai, "Characteristics optimization of  $\text{N}_2\text{O}$  annealing on tungsten nanocrystal with W/Si dual-sputtered method for nonvolatile memory application," *Microelectronics Reliability*, vol. 50, no. 5, pp. 639-642, May 2010.
25. Tseng-Fu Lu, **Jer-Chyi Wang**, Chia-Ming Yang, Chung-Po Chang, Kuan-I Ho, Chi-Fong Ai, and Chao-Sung Lai, "Non-ideal effects improvement of  $\text{SF}_6$  plasma treated hafnium oxide film based on electrolyte–insulator–semiconductor structure for pH-sensor application," *Microelectronics Reliability*, vol. 50, no. 5, pp. 742-746, May 2010.
26. Cheng-En Lue, **Jer-Chyi Wang**, Dorota G. Pijanowska, Chia-Ming Yang, I-Shun Wang, Huang-Chia Lee, and Chao-Sung Lai, "Hysteresis effect on traps of  $\text{Si}_3\text{N}_4$  sensing membranes for pH difference sensitivity," *Microelectronics Reliability*, vol. 50, no. 5, pp. 738-741, May 2010.
27. **Jer-Chyi Wang**, Chih-Ting Lin, Chao-Sung Lai, and Jui-Lin Hsu, "Nano-Structure Band Engineering of Gadolinium Oxide Nanocrystal Memory by  $\text{CF}_4$  plasma Treatment," *Applied Physics Letters*, vol. 97, no. 2, p. 023513, 12 July, 2010. (Also appeared in Virtual Journal of Nanoscale Science & Technology)
28. **Jer-Chyi Wang**, Chih-Ting Lin, Chao-Sung Lai, Jui-Lin Hsu, and Chi-Fong Ai, "Improved Characteristics of  $\text{Gd}_2\text{O}_3$  Nanocrystal Memory with Substrate

High-Low Junction," *Solid-State Electronics*, vol. 54, no. 12, pp. 1493-1496, Dec.

36. **Jer-Chyi Wang**, Tseng-Fu Lu, Hui-Yu Shih, Chia-Ming Yang, Chao-Sung Lai, Chyuan-Haur Kao and Tung-Ming Pan, "Reference Electrode-Insulator-Nitride-Oxide- Semiconductor (RINOS) Structure with  $\text{Sm}_2\text{O}_3$  Sensing Membrane for pH-Sensor Application," *Japanese Journal of Applied Physics*, vol. 50, no. 4S, p. 04DL09, Apr. 2011.  
2010.
33. **Jer-Chyi Wang**, Pai-Chi Chou, Chao-Sung Lai, and Li-Chi Liu, "Dual-sputtered Process Sensitivity of HfGdO Charge Trapping Layer in SONOS-Type Nonvolatile Memory," *Journal of Vacuum Science & Technology B*, vol. 29, no. 1, p. 011009, Jan./Feb. 2011.
34. **Jer-Chyi Wang**\* and Chih-Ting Lin, "CF<sub>4</sub> Plasma Treatment on Nano-Structure Band Engineered Gd<sub>2</sub>O<sub>3</sub>-Nanocrystal Nonvolatile Memory," *Journal of Applied Physics*, vol. 109, no. 6, p. 064506, 15 Mar., 2011.
35. Tseng-Fu Lu, Chia-Ming Yang, **Jer-Chyi Wang**, Kuan-I Ho, Chi-Hung Chin, Dorota G. Pijanowska, Bohdan Jaroszewicz, and Chao-Sung Lai, "Characterization of K<sup>+</sup> and Na<sup>+</sup>-Sensitive Membrane Fabricated by CF<sub>4</sub> plasma Treatment on Hafnium Oxide Thin Films for ISFET," *Journal of the Electrochemical Society*, vol. 158, no. 4, pp. J91-J95, Apr. 2011.
37. 33. Chi-Hang Chin, Tseng-Fu Lu, **Jer-Chyi Wang**, Jung-Hsiang Yang, Cheng-En Lue, Chia-Ming Yang, Sheng-Shian Li, and Chao-Sung Lai, "Effect of CF<sub>4</sub> plasma treatment on pH- and pNa-sensing properties of light-addressable potentiometric sensor with 2 nm-thick HfO<sub>2</sub> sensitive layer grown by atomic layer deposition," *Japanese Journal of Applied Physics*, vol. 50, no. 4S, p. 04DL06, Apr. 2011.
38. Chyuan Haur Kao, **Jer Chyi Wang**, Chao Sung Lai, Chuan Yu Huang, Jiun Cheng Ou, and Hsin Yuan Wang, "Ti-doped Gd<sub>2</sub>O<sub>3</sub> Sensing Membrane for Electrolyte-Insulator-Semiconductor pH Sensor," *Thin Solid Films*, vol. 520, no. 10, pp. 3760-3763, 1 Mar. 2012.
39. **Jer-Chyi Wang**, Chih-Ting Lin, and Chia-Hsin Chen, "Gadolinium Oxide Nanocrystal Nonvolatile Memory with HfO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> Nanostructure Tunneling Layers," *Nanoscale Research Letters*, vol. 7, no. 1, p. 177, 8 Mar. 2012.
40. I-Shun Wang, Yi-Ting Lin, Chi-Hsien Huang, Tseng-Fu Lu, Cheng-En Lue, Polung Yang, Dorota G Pijanswska, Chia-Ming Yang, **Jer-Chyi Wang**, Jau-Song Yu, Yu-Sun Chang, Chien Chou, and Chao-Sung Lai, "Immobilization of enzyme and antibody on ALD HfO<sub>2</sub>-EIS structure by NH<sub>3</sub> plasma treatment," *Nanoscale Research Letters*, vol. 7, no. 1, p. 179, 8 Mar. 2012.

41. **Jer-Chyi Wang**, Chih-Ting Lin, Pai-Chi Chou, and Chao-Sung Lai, "Gadolinium-Based Metal Oxide for Nonvolatile Memory Applications," *Microelectronics Reliability*, vol. 52, no. 4, pp. 635-641, Apr. 2012.
42. **Jer-Chyi Wang**, Chih-Ting Lin, Chia-Hsin Chen, Po-Wei Huang, and Chao-Sung Lai, "Dynamic Charge Centroid on Data Retention of Double-Nanostructure Nonvolatile Memory," *Applied Physics Express*, vol. 5, no. 4, p. 044201, Apr. 2012.
43. Michael R.S. Huang, Chuan-Pu Liu, **Jer-Chyi Wang**, Yu-Kai Chen, Chao-Sung Lai, Yu-Ching Fang, and Li Shu, "Microstructural effect of gadolinium oxide nanocrystals upon annealing on electrical properties of memory devices," *Thin Solid Films*, vol. 520, no. 17, pp. 5579-5583, 30 Jun. 2012.
44. **Jer-Chyi Wang**, Chih-Ting Lin, Chi-Hsien Huang, Chao-Sung Lai, and Chin-Hsiang Liao, "Charge storage and data retention characteristics of forming gas-annealed Gd<sub>2</sub>O<sub>3</sub>-nanocrystal nonvolatile memory cell," *Microelectronics Reliability*, vol. 52, no. 8, pp. 1627-1631, Aug. 2012.
45. Chyuan-Haur Kao, Hsiang Chen, Chiao Sung Lai, **Jer Chyi Wang**, Shih Po Lin, Kung Shao Chen, Chuan-Yu Huang, and Jiun-Cheng Ou, "Erbium Oxide as pH-sensing Membranes in Extended Gate Field Effect Transistors," *Advanced Science Letters*, vol. 17, p. 122, Oct. 2012.
46. Chao-Sung Lai, **Jer-Chyi Wang\***, Li-Chun Chang, Yi-Kai Liao, Pai-Chi Chou, Wei-Cheng Chang, Chi-Fong Ai, and Wen-Fa Tsai, "Characteristics of Plasma Immersion Ion Implantation Treatment on Tungsten Nanocrystal Nonvolatile Memory," *Solid-State Electronics*, vol. 77, pp. 31-34, Nov. 2012.
47. Chi-Hsien Huang, Chih-Ting Lin, **Jer-Chyi Wang**, Chien Chou, Yu-Ren Ye, Bing-Ming Cheng and Chao-Sung Lai, "Tunable bandgap energy of fluorinated nanocrystals for flash memory applications produced by low-damage plasma treatment," *Nanotechnology*, vol. 23, no. 47, p. 475201, 30 Nov. 2012.
48. Wen-Kuan Yeh, Po-Ying Chen, Kwang-Jow Gan, **Jer-Chyi Wang**, and Chao Sung Lai, "The impact of interface/border defect on performance and reliability of high-k/metal-gate CMOSFET," *Microelectronics Reliability*, vol. 53, no. 2, pp. 265-269, Feb. 2013.
49. **Jer-Chyi Wang\***, Chih-Ting Lin, Po-Wei Huang, Chao-Sung Lai, Li-Chun Chang, Chih-I Wu, and Jung-Hung Chang, "Hybrid polarity and carrier injection of gold and gadolinium oxide bi-nanocrystals structure," *Applied Physics Letters*, vol. 102, no. 8, p. 083507, 25 Feb., 2013.
50. **Jer-Chyi Wang\***, Yu-Ren Ye, Jhih-Sian Syu, Pin-Ru Wu, Chih-I Wu, Po-Sheng Wang, and Jung Hung Chang, "Low-Power and High-Reliability Gadolinium

- Oxide Resistive Switching Memory with Remote Ammonia Plasma Treatment," *Japanese Journal of Applied Physics*, vol. 52, no. 4S, p. 04CD07, Apr. 2013.
51. Chih-Ting Lin, **Jer-Chyi Wang\***, Po-Wei Huang, Yu-Yen Chen, and Li-Chun Chang, "Performance Revelation and Optimization of Gold Nanocrystal for Future Nonvolatile Memory Application," *Japanese Journal of Applied Physics*, vol. 52, no. 4S, p. 04CJ09, Apr. 2013.
  52. Jung-Hsiang Yang, Tseng-Fu Lu, **Jer-Chyi Wang**, Chia-Ming Yang, Dorota G. Pijanowska, Chi-Hang Chin, Cheng-En Lue, and Chao Sung Lai, "LAPS with nanoscaled and highly polarized HfO<sub>2</sub> by CF<sub>4</sub> plasma for NH<sub>4</sub><sup>+</sup> detection," *Sensors & Actuators B: Chemical*, vol. 180, pp. 71-76, Apr. 2013.
  53. **Jer-Chyi Wang\***, Yu-Ren Ye, Chao-Sung Lai, Chih-Ting Lin, Hsin-Chun Lu, Chih-I Wu, and Po-Sheng Wang, "Characterization of gadolinium oxide thin films with CF<sub>4</sub> plasma treatment for resistive switching memory applications," *Applied Surface Science*, vol. 276, pp. 497-501, 1 July, 2013.
  54. **Jer-Chyi Wang\***, De-Yuan Jian, Yu-Ren Ye, Li-Chun Chang, and Chao-Sung Lai, "Characteristics of gadolinium oxide resistive switching memory with Pt-Al alloy top electrode and post-metallization annealing," *Journal of Physics D: Applied Physics*, vol. 46, no. 27, pp. 275103, 10 July, 2013.
  55. **Jer-Chyi Wang\***, Chia-Hsin Chen, Hsiang-Yu Liu, Chih-Ting Lin, and Hsin-Chun Lu, "Zero interface dipole induced threshold voltage shift of HfO<sub>2</sub>/SiO<sub>2</sub> gate dielectric stacks with NH<sub>3</sub> plasma treatment," *Microelectronic Engineering*, vol. 109, pp. 120-122, Sept. 2013.
  56. Chia-Ming Yang, **Jer-Chyi Wang**, Wei-Ping Lee, Chien-Chi Lee, Chih-Hung Lin, Chung Yuan Lee, Jo-Hui Lin, Hsin-Huei Chen, Chih-Yuan Hsiao, Ruey-Dar Chang, and Chao-Sung Lai, "Superior Improvements in GIDL and Retention by Fluorine Implantation in Saddle-Fin Array Devices for Sub-40-nm DRAM Technology," *IEEE Electron Device Letters*, vol. 34, no. 9, pp. 1124-1126, Sept. 2013.
  57. **Jer-Chyi Wang\***, De-Yuan Jian, Yu-Ren Ye, and Li-Chun Chang, "Platinum 鋁 aluminum alloy electrode for retention improvement of gadolinium oxide resistive switching memory," *Applied Physics A*, vol. 113, no. 1, pp. 37-40, Oct. 2013.
  58. Chyuan-Haur Kao, Hsiang Chen, **Jer-Chyi Wang**, Yu-Cheng Chu, Chiao-Sung Lai, Shih-Po Lin, Chuan-Yu Huang, and Jiun-Cheng Ou, "Deposition of High-k Samarium Oxide Membrane on Polysilicon for the Extended-Gate Field-Effect Transistor (EGFET) Applications," *Journal of New Materials for Electrochemical Systems*, vol. 17, pp. 13-16, Jan. 2014.
  59. Fang Yuan, Yu-Ren Ye, Chao-Sung Lai, **Jer-Chyi Wang\***, Zhigang Zhang, Liyang Pan, and Jun Xu, "Retention behavior of graphene oxide resistive switching

- memory," *International Journal of Nanotechnology*, vol. 11, nos. 1/2/3/4, pp. 106–115, Jan. 2014.
60. **Jer-Chyi Wang\***, Yu-Ren Ye, Ying-Huei Wu, Chi-Fong Ai, and Wen-Fa Tsai, "Characteristics of nitrogen plasma immersion ion implantation treatment on gadolinium oxide resistive switching random access memory," *International Journal of Nanotechnology*, vol. 11, nos. 1/2/3/4, pp. 135–144, Jan. 2014.
  61. Chia-Ming Yang, **Jer-Chyi Wang**, Tzu-Wen Chiang, Yi-Ting Lin, Teng-Wei Juan, Tsung-Cheng Chen, Ming-Yang Shih, Cheng-En Lue, and Chao-Sung Lai, "Hydrogen ion sensing characteristics of IGZO/Si electrode in EGFET," *International Journal of Nanotechnology*, vol. 11, nos. 1/2/3/4, pp. 15–26, Jan. 2014.
  62. **Jer-Chyi Wang\***, Yu-Hsuan Lin, Yu-Ren Ye, Chao-Sung Lai, Chi-Fong Ai, and Wen-Fa Tsai, "Hybrid anion and cation ion sensors with samarium oxide sensing membrane treated by nitrogen plasma immersion ion implantation," *Sensors & Actuators B: Chemical*, vol. 191, pp. 666–672, Feb. 2014.
  63. Fang Yuan, **Jer-Chyi Wang\***, Zhigang Zhang, Yu-Ren Ye, Liyang Pan, Jun Xu, and Chao-Sung Lai, "Hybrid aluminum and indium conducting filaments for non-polar resistive switching of Al/AIO<sub>x</sub>/ITO flexible device," *Applied Physics Express*, vol. 7, no. 2, p. 024204, Feb. 2014.
  64. **Jer-Chyi Wang\***, Chih-Ting Lin, and Chi-Feng Chang, "Effects of charge storage dielectric thickness on hybrid gadolinium oxide nanocrystal and charge trapping nonvolatile memory," *Current Applied Physics*, vol. 14, no. 3, pp. 232–236, Mar. 2014.
  65. **Jer-Chyi Wang\***, Chih-Hsien Hsu, Yu-Ren Ye, Chi-Fong Ai, and Wen-Fa Tsai, "Performance improvement of gadolinium oxide resistive random access memory treated by hydrogen plasma immersion ion implantation," *Journal of Vacuum Science & Technology A*, vol. 32, no. 2, p. 02B108, Mar. 2014.
  66. **Jer-Chyi Wang\***, Wei-Cheng Chang, Chao-Sung Lai, Li-Chun Chang, Chi-Fong Ai, and Wen-Fa Tsai, "Oxygen plasma immersion ion implantation treatment to enhance data retention of tungsten nanocrystal nonvolatile memory," *Journal of Vacuum Science & Technology A*, vol. 32, no. 2, p. 02B112, Mar. 2014.
  67. Chyuan-Haur Kao, Hsiang Chen, Lien-Tai Kuo, **Jer-Chyi Wang**, Yun-Ti Chen, Yu-Cheng Chu, Chian-You Chen, Chao-Sung Lai, Shan Wei Chang, Che Wei Chang, "Multi-analyte biosensors on a CF<sub>4</sub> plasma treated Nb<sub>2</sub>O<sub>5</sub>-based membrane with an extended gate field effect transistor structure," *Sensors & Actuators B: Chemical*, vol. 194, pp. 419–426, Apr. 2014.
  68. **Jer-Chyi Wang\***, Chih-Hsien Hsu, Yu-Ren Ye, Chao-Sung Lai, Chi-Fong Ai, and Wen-Fa Tsai, "High-Performance Multilevel Resistive Switching Gadolinium

- Oxide Memristors With Hydrogen Plasma Immersion Ion Implantation Treatment," *IEEE Electron Device Letters*, vol. 35, no. 4, pp. 452–454, Apr. 2014.
69. Fang Yuan, Zhigang Zhang, **Jer-Chyi Wang\***, Liyang Pan, Jun Xu\*, and Chao-Sung Lai, "Total ionizing dose (TID) effects of  $\gamma$  ray radiation on switching behaviors of Ag/AlO<sub>x</sub>/Pt RRAM device," *Nanoscale Research Letters*, vol. 9, no. 1, p. 452, 29 Aug. 2014.
  70. Chia-Ming Yang, Tseng-Fu Lu, Kuan-I Ho, **Jer-Chyi Wang**, Dorota G. Pijanowska, Bohdan Jaroszewicz, and Chao-Sung Lai, "HfO<sub>x</sub>F<sub>y</sub> Based ISFETs with Reactive Fluorine Doping for K<sup>+</sup> ion Detection," *International Journal of Electrochemical Science*, vol. 9, no. 12, pp. 7069–7082, Dec. 2014.
  71. **Jer-Chyi Wang\***, Rajat Subhra Karmakar, Yu-Jen Lu, Chiung-Yin Huang, and Kuo-Chen Wei, "Characterization of Piezoresistive PEDOT:PSS Pressure Sensors with Inter-Digitated and Cross-Point Electrode Structures," *Sensors*, vol. 15, no. 1, pp. 818–831, Jan. 2015.
  72. **Jer-Chyi Wang\***, Yu-Ren Ye, and Yu-Hsuan Lin, "Light-Addressable Potentiometric Sensor with Nitrogen Incorporated Ceramic Sm<sub>2</sub>O<sub>3</sub> Membrane for Chloride Ions Detection," *Journal of the American Ceramic Society*, vol. 98, no. 2, pp. 443–447, Feb. 2015.
  73. **Jer-Chyi Wang\***, Chin-Hsiang Liao, Chih-Ting Lin, Ruey-Dar Chang, Li-Chun Chang, Chih-I Wu, and Jung-Hung Chang, "Charge storage characteristics of nonvolatile memories with chemically-synthesized and vacuum-deposited gold nanoparticles," *Current Applied Physics*, vol. 15, no. 4, pp. 535–540, Apr. 2015.
  74. **Jer-Chyi Wang\***, Chia-Hsin Chen, and Chih-Ting Lin, "Thickness dependence of Al<sub>2</sub>O<sub>3</sub>/HfO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> stacked tunneling layers on gadolinium oxide nanocrystal nonvolatile memory," *Microelectronic Engineering*, vol. 138, pp. 52–56, 20 Apr. 2015.
  75. Yu-Ren Ye, **Jer-Chyi Wang\***, and Ya-Ting Chan, "Anion sensing and interfering behaviors of electrolyte-insulator-semiconductor sensors with nitrogen plasma-treated samarium oxide," *Japanese Journal of Applied Physics*, vol. 54, no. 4S, p. 04DL04, Apr. 2015.
  76. **Jer-Chyi Wang\***, Chun-Hsiang Chiu, and Wei-Fan Chen, "Thickness-Optimized Multilevel Resistive Switching of Silver Programmable Metallization Cells With Stacked SiO<sub>x</sub>/SiO<sub>2</sub> Solid Electrolytes," *IEEE Transactions on Electron Devices*, vol. 62, no. 5, pp. 1478–1483, May 2015.
  77. **Jer-Chyi Wang\***, Chun-Hsiang Chiu, and Yu-Ren Ye, "Ultra-large resistance ratio of silver programmable metallization cell with stacked silicon oxide films," *Vacuum*, vol. 118, pp. 80–84, Aug. 2015.



78. Chang Ren, Chia-Ming Yang, Chengang Lyu, Chin-Yuan Hsu, Tsung-Cheng Chen, Hau-Cheng Wang, Hao Yang, Wei-Tse Lin, Pi-Chun Juan, Chi-Hsien Huang, Dorota G. Pijanowska, **Jer-Chyi Wang**, Jung-Ruey Tsai, "Nitrogen ratio and RTA optimization on sputtered TiN/SiO<sub>2</sub>/Si electrolyte-insulator-semiconductor structure for pH sensing characteristics," *Vacuum*, vol. 118, pp. 113–117, Aug. 2015.
79. **Jer-Chyi Wang\***, Kai-Ping Chang, Chin-Hsiang Liao, Ruey-Dar Chang, Chao-Sung Lai, and Li-Chun Chang, "Low-damage NH<sub>3</sub> plasma treatment on SiO<sub>2</sub> tunneling oxide of chemically-synthesized gold nanoparticle nonvolatile memory," *Current Applied Physics*, vol. 16, no. 5, pp. 605–610, May 2016.
80. **Jer-Chyi Wang\***, Rajat Subhra Karmakar, Yu-Jen Lu, Ming-Chung Wu, and Kuo-Chen Wei, "Nitrogen Plasma Surface Modification of Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) Films to Enhance the Piezoresistive Pressure-Sensing Properties," *Journal of Physical Chemistry C*, vol. 120, no. 45, pp. 25977–25984, 17 Nov. 2016.
81. **Jer-Chyi Wang**, Kai-Ping Chang, Chih-Ting Lin, Ching-Yuan Su, Fethullah Güneş, Mohamed Boutchich, Chang-Hsiao Chen, Ching-Hsiang Chen, Ching-Shiun Chen, Lain-Jong Li\*, and Chao-Sung Lai\*, "Integration of ammonia-plasma-functionalized graphene nanodiscs as charge trapping centers for nonvolatile memory applications," *Carbon*, vol. 113, pp. 318–324, Mar. 2017.
82. Ya-Ting Chan, Wei-Fan Chen, **Jer-Chyi Wang\***, and Chao-Sung Lai, "Effects of bottom electrode on resistive switching of silver programmable metallization cells with Gd<sub>x</sub>O<sub>y</sub>/Al<sub>x</sub>O<sub>y</sub> solid electrolytes," *Vacuum*, vol. 140, pp. 30–34, June 2017.
83. Rajat Subhra Karmakar, Yu-Jen Lu, Yi Fu, Kuo-Chen Wei, Shun-Hsiang Chan, Ming-Chung Wu, Jyh-Wei Lee, Tzu-Kang Lin, and **Jer-Chyi Wang\***, "Cross-Talk Immunity of PEDOT:PSS Pressure Sensing Arrays with Gold Nanoparticle Incorporation," *Scientific Reports*, vol. 7, p. 12252, 25 Sept. 2017.
84. **Jer-Chyi Wang\***, Ya-Ting Chan, Wei-Fan Chen, Ming-Chung Wu, and Chao-Sung Lai, "Interface Modification of Bernal- and Rhombohedral-Stacked Trilayer-Graphene/Metal Electrode on Resistive Switching of Silver Electrochemical Metallization Cells," *ACS Applied Materials & Interfaces*, vol. 9, no. 42, pp. 37031–37040, 25 Oct. 2017.
85. Yu-Hua Liu, Chyuan-Haur Kao, Tsung-Chin Cheng, Chih-I Wu, and **Jer-Chyi Wang\***, "Data Retention Characterization of Gate-Injected Gold-Nanoparticle Non-Volatile Memory with Low-Damage CF<sub>4</sub>-Plasma-Treated Blocking Oxide Layer," *Nanomaterials*, vol. 7, no. 11, p. 385, 10 Nov. 2017.

86. Ming Ling Lee, **Jer Chyi Wang**, Chyuan Haur Kao, Hsiang Chen, Chan Yu Lin, Che Wei Chang, Rama Krushna Mahanty, Chun Fu Lin, and Kow Ming Chang, "Comparison of ZnO and Ti-doped ZnO sensing membrane applied in electrolyte-insulator-semiconductor structure," *Ceramics International*, vol. 44, no. 6, pp. 6081–6088, 15 Apr. 2018.