＊ 高瑄苓教授

所有發表期刊論文

1. C.-L. Cho, **H.-L. Kao*,** Y.-H. Wu, L.-C. Chang, and C.-H. Cheng, "Direct Fabrication of inkjet-printed dielectric film for metal–insulator–metal capacitors," *Journal of Electronic Materials*, vol. 47, Issue 1, 2018, pp.677-683.
2. **H.-L. Kao*,** C.-S. Yeh, H.-C. Chiu, C.-L. Cho, and C.-H. Cheng "A High Output Power and Low Phase Noise GaN HEMT VCO With Array of Switchable Inductors," *International Journal of Circuit Theory and Application*, vol. 45, Issue 11, 2017, pp.1621-1636.
3. H.-C. Chiu, L.-Y. Peng, H.-C. Wang, **H.-L. Kao**, H.-Y. Wang, J.-I. Chyi, "Improved Reverse Recovery Characteristics of InAlN/GaN Schottky Barrier Diode Using a SOI Substrate," *was accepted on Semiconductor Science and Technology*, 2017.
4. H.-C. Chiu, M.-L. Chou, C.-H. Cheng, **H.-L. Kao***, and C.-L. Cho, "Effect of Body Bias and Temperature on Low-Frequency Noise in 40-nm nMOSFETs," *Microelectronics Reliability,* vol. 78, 2017, pp. 267-271.
5. C.-L. Cho, **H.-L. Kao*,** L.-C. Chang, Y.-H. Wu, and H.-C. Chiu, "Fully Inkjet-Printing of Metal-Polymer-Metal Multilayer on a Flexible Liquid Crystal Polymer Substrate," *Surface and Coatings Technology*, vol. 320, 2017, pp. 568-573.
6. **H.-L. Kao***, C.-L. Cho, P.-C. Lee, C.-L. Tseng, Y.-Y. Chen, and H.-C. Chiu, "A Coupled Inductor Dual-mode Switched voltage controlled oscillator Using GaN-on-Si HEMT Technology," *International Journal of Electronics*, vol. 104, Issue 2, 2017, pp. 228-237.
7. H.-C. Chiu, H.-Y. Wang, L.-Y. Peng, H.-C. Wan, **H.-L. Kao,** C.-W. Hu, and R. Xua, "RF Performance of in-situ SiNx Gate Dielectric AlGaN/GaN MISHEMT on 6-inch Silicon-on-Insulator (SOI) Substrate," *IEEE Trans. Electron Device*, vol.64, Issue 10, 2017, pp. 4065-4070.
8. K.-P. Hsueh, L.-Y. Peng, Y.-H. Cheng, H.-Y. Wang, H.-C. Wang, **H.-L. Kao**, H.-C. Chiu, "Improved Reverse Recovery Characteristics of Low Turn-On Voltage AlGaN/GaN Schottky Barrier Diodes with Anode Edge AlON Spacers," *Journal of Alloys and Compounds*, vol. 703, 2017, pp. 204–209.
9. M.-L. Chou, H.-C. Chiu, **H.-L. Kao**, F.-H. Huang, "A 60 GHz CMOS Frequency Tripler With Broadband Performance," *IEEE Microwave and Wireless Components Letters*, vo. 27, no. 3, 2017, pp. 281-283.
10. Y. C. Chiu, P. C. Chen, S. L. Chang, Z. W. Zheng, C. H. Cheng, G. L. Liou, **H. L. Kao**, Y. H. Wu, and C. Y. Chang, "Channel modification engineering by plasma processing in tin-oxide thin film transistor: experimental results and first-principles calculation," *Electronic and Photonic Devices and Systems section of ECS Journal of Solid State Science and Technology*, vol. 6, no. 4, 2017, pp. Q53-Q57.
11. P.-C. Chen, Y.-C. Chiu, Z.-W. Zheng, M.-H. Lin, G.-L. Liou, H.-H. Hsu, C.-H. Cheng, **H.-L. Kao**, Y. H. Wu, and C. Y. Chang, "Fast Low-Temperature Plasma Process for the Application of Flexible Tin-Oxide-Channel Thin Film Transistors," *IEEE Transactions on Nanotechnology*, vol. 16, Issue 5, 2017, pp. 876 - 879.
12. Y. C. Chiu. Z. W. Zheng. C. H. Cheng, P. C. Chen, S. S. Yen, C. C. Fan, H. H. Hsu, **H. L. Kao**, C. Y. Chang, "Electrical instability of InGaZnO thin-film transistors with and without titanium sub-oxide layer under light illumination," *Applied Physics A* , vol. 123, 2017, pp. 181.

13. C.-L. Cho, **H.-L. Kao*,** L.-C. Chang, and H.-C. Chiu, "Inkjet-Printed Multilayer Bandpass Filter Using Liquid Crystal Polymer System-on-Package Technology," *IEEE Transactions on Components, Packaging and Manufacturing Technology*, vol. 6, Issue 4, April 2016, pp. 622 - 629.
14. **H.-L. Kao***, C.-L. Cho, C.-L. Tseng, H.-C. Chiu, and Y.-Y. Chen, "67-80-GHz Double-Balanced Gilbert-Cell Mixer in 0.1 um GaAs pHEMT Technology," *Electronics Letters*, vol. 52, Issue 4, 2016, pp. 291-293.
15. Z.-X. Du, K.-X. Wang, X. Y. Zhang, **H.-L. Kao**, and X.-L. Zhao, "Unequal Wilkinson Power Divider With Reduced Arm Length For Size Miniaturization," *IEEE Transactions on Components, Packaging and Manufacturing Technology*, vol. 6, Issue 2, 2016, pp. 282 -289.
16. H.-C. Chiu, L.-Y. Peng, H.-Y. Wang, H.-C. Wang, **H.-L. Kao**, G.-Y. Lee and J.-I. Chyi, "The Characterization of InAlN/AlN/GaN 1N HEMTs using Silicon-on-Insulator (SOI) Substrate Technology, *Journal of The Electrochemical Society*, vol. 164, Issue 2, 2016, pp. H110-H114. (SCI)
17. L.-C. Chang, C.-Y. Chang , Y.-I Chen, and **H.-L. Kao**, "Mechanical properties and oxidation resistance of ZrxN thin films by high power impulse magnetron sputtering," *Journal of Vacuum Science and Technology A*, vol. 34, Issue 2, 2016, pp. 02D107.
18. H.-C. Chiu, L.-Y. Peng, H.-Y. Wang, H.-C. Wang, **H.-L. Kao**, F.-T. Chien, J.-C. Lin, K.-J. Chang, Y.-C. Cheng, "Improved Temperature Dependency and Reliability of Through Substrate Via InAlN/GaN High Electron Mobility Transistors as Determined Using Low Frequency Noise Measurement," *Journal of Japan Applied Physics*, vol. 55, no. 5, 2016, pp. 05650.
19. H.-C. Chiu, L.-Y. Peng, C.-W. Yang, H.-C. Wang, K.-D. Mai, **H.-L. Kao**, "Normally-off Matrix Layout p-GaN GATE AlGaN/GaN Power HEMT with Through Substrate Via Process," *Journal of Vacuum Science & Technology B: Nanotechnology and Microelectronics*, vol. 34, 2016, pp. 021205.
20. **H.-L. Kao***, C.-L. Cho, L.-C. Chang, and Y.-H. Wu, "Inkjet-Printed Silver Film on Multilayer Liquid Crystal Polymer for Fabricating a Miniature Stub-Loaded Bandpass Filter," *Thin Solid Films*, Vol. 584, 2015, pp. 198–203.
21. **H.-L. Kao***, P.-C. Lee and H.-C. Chiu, "A Wide Tuning-Range CMOS VCO with a Tunable Active Inductor," *Mathematical Problems in Engineering*, vol. 2015, Article ID 382483, 7 pages, 2015.
22. Hsien-Chin Chiu, Chih-Wei Yang, Hsiang-Chun Wang, **Hsuan-Ling Kao**, Nai-Chuan Chen, Feng-Tso Chien and Ming-Chi Kan, "High-performance, micromachined GaN-on-Si high-electron-mobility transistor with backside diamondlike carbon/titanium heat-dissipation layer," *Appl. Phys. Express*, vol. 8, no. 1, 2015, pp. 011001-1~5.
23. **Hsuan-Ling Kao,** Cheng-Lin Cho, Xiu Yin Zhang, Li-Chun Chang, Bai-Hong Wei, Xin Dai, and Hsien-Chin Chiu, "Bending Effect of an Inkjet-Printed Series-Fed Two-Dipole Antenna on a Liquid Crystal Polymer Substrate," *IEEE Antennas and Wireless Propagation Letters*, vol. 13, Dec. 2014, pp. 1172-1175.
24. **Hsuan-Ling Kao,** Chih-Sheng Yeh, Xiu Yin Zhang, Cheng-Lin Cho, Xin Dai, Bai-Hong Wei, Li-Chun Chang, and Hsien-Chin Chiu, "Inkjet Printed Series-Fed Two-Dipole Antenna Comprising a Balun Filter on Liquid Crystal Polymer

Substrate," *IEEE Transactions on Components, Packaging and Manufacturing Technology*, Vol. 4, Issue 7, July 2014, pp. 1128-1236.

25. **Hsuan-Ling Kao*,** Chih-Sheng Yeh, Shao-Ping Shih, Hsien-Chin Chiu, and Yung-Yu Chen, "High Microwave Power Source for 2.45 GHz Wireless Power Charger Applications," *International Journal of Electronics*, vol. 101, no. 4, 2014, pp. 469-478.
26. Xiu Yin Zhang, Xin Dai, **Hsuan-Ling Kao***, Bai-Hong Wei, Ze Yu Cai and Quan Xue, "Compact LTCC Bandpass Filter with Wide Stopband Using Discriminating Coupling," *IEEE Transactions on Components, Packaging and Manufacturing Technology*, Vol. 4, Issue 4, April 2014, pp. 656-663.
27. Xin Dai, Xiu Yin Zhang*, **Hsuan-Ling Kao**, Bai-Hong Wei, Jin-Xu Xu and Xiaohuan Li, "LTCC Bandpass Filter with Wide Stopband Based on Electric and Magnetic Coupling Cancellation,"*IEEE Transactions on Components, Packaging and Manufacturing Technology*, vol. 4, Issue 10, 2014, pp. 1705-1713.
28. Li-Chun Chang, **Hsuan-Ling Kao**, Keng-Hao Liu, "The effect of annealing treatment on the electrical characteristics of Pt/Cr-embedded ZnO/Pt RRAM," *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, vol. 32, Issue 2, March 2014, pp. 02B119 - 02B119-5 .
29. Hsien-Chin Chiu, Hsiang-Chun Wang, Yi-Cheng Luo, Fan-Hsiu Huang and **Hsuan-Ling Kao**, and Kuang-Po Hsueh, "Band offsets and electrical stability characterization of Zr-doped ZnO thin-film transistors with a Gd2O3 gate insulator," *Microelectronics Reliability*, vol. 118, April 2014, pp. 20-24.
30. Hsien-Chin Chiu, Hsiang-Chun Wang, Chia-Hsuan Wu, Fan-Hsiu Huang and **Hsuan-Ling Kao**, and Feng-Tso Chien, "An investigation of device reliability for a micro-machined AlGaN/GaN/Si high electron mobility transistor using low frequency noise measurement," *Microelectronics Reliability*, vol. 114, Feb. 2014, pp. 117-120.
31. Hsien-Chin Chiu, Hsiang-Chun Wang, Chih-Wei Yang, Fan-Hsiu Huang,**Hsuan-ling Kao**, and Heng-Kuang Lin, "A Novel Micromachined AlGaN/GaN Power HEMT with Air-Bridged Matrix Heat Redistribution Layer Design," *IEEE Electron Device Letters*, vol. 35, Issue 2, Feb. 2014. pp. 163 - 165.
32. **Hsuan-ling Kao***, Cheng-Lin Cho, and Li-Chun Chang, "Inkjet-Printed Interdigital Coupled Line Filter on Liquid Crystal Polymer Substrate," *IEEE Electron Device Letters*, Vol. 34, Issue 12, 2013, pp. 1584 - 1586 .
33. **Hsuan-ling Kao***, Xin Dai, Xiu Yin Zhang, Cheng-Lin Cho, Chih-Sheng Yeh, and Hsien-Chin Chiu, "An on-chip dual-band bandpass filter on a GaAs substrate," *Electronics Letters*, Volume 49, Issue 18, 29 August 2013, p. 1157 – 1159.

34. **Hsuan-ling Kao***, Cheng-Lin Cho, Li-Chun Chang, Chih-Sheng Yeh, Bo-Wen Wang, and Hsien-Chin Chiu, "Inkjet Printing RF Bandpass Filters on Liquid Crystal Polymer Substrates," *Thin Solid Films*, Vol. 544, 2013, pp. 64–68.
35. **Hsuan-ling Kao***, Chih-Sheng Yeh, Meng-Ting Chen, Hsien-Chin Chiu, and Li-Chun Chang, "Characteristics and Reliabilities on the Dicing before Grinding (DBG) Process in nMOSFETs," *Solid State Electronics*, vol. 76, 2013, pp. 111-116.
36. S. Y. Liao, **Hsuan-ling Kao***, T. Chang, H. M. Chang, C. S. Yeh, C. L. Wu, K. Y. Horng, L. B. Chang, "Pulsed Characterization of GaN HEMTs on Si (111) Substrate," *International Journal of Electronics*, Vol. 100, Issue 7, 2013 .
37. Hsien-Chin Chiu, Hsiang-Chun Wang, Chao-Wei Lin, Yi-Cheng Luo, **Hsuan-Ling Kao**, Feng-Tso Chien, Ping-Kuo Weng, Yan-Tang Gau, Hao-Wei Chuang, "Low gate interface traps AlGaN/GaN HEMTs using a lattice matched ZrZnO transparent gate design," *Microelectronics Reliability*, vol. 53, no. 8, pp. 1130-1136, 2013.
38. Hsien-Chin Chiu, Chao-Wei Lin, Fan-Hsiu Huang and **Hsuan-Ling Kao**, Feng-Tso Chien, Hao-Wei Chuang, Kuo-Jen Chang, Yau-Tang Gau, "Low Frequency Noise in Field-plate Multigate AlGaN/GaN Single-Pole-Single-Throw RF Switches on Silicon Substrate," *Microelectronics Reliability*, vol. 53, Issue 3, March 2013, pp. 405-408.
39. Po-Yu Ke, Fan-Hsiu Huang, **Hsuan-Lin Kao**, and Hsien-Chin Chiu, "A Wide Tuning Range CMOS Oscillator Mixer Using a Push-Push Technique for V-band Applications," *Microwave and Optical Technology Letters*, vol. 55, Issue 8, August 2013, pp. 1934-1937.
40. Po-Yu Ke, Fan-Hsiu Huang, **Hsuan-Lin Kao**, and Hsien-Chin Chiu, "A V-Band GaAs Low LO Power Driven Double Balanced Gilbert Mixer Based on Dual Meandering Baluns Design," *Microwave and Optical Technology Letters*, vol. 56, Issue 1, January 2013, pp.60-64.
41. Hsien-Chin Chiu, Chih-Wei Yang, Hsiang-Chun Wang, Fan-Hsiu Huang, **Hsuan-Ling Kao** and Feng-Tso Chien, "Characteristics of AlGaN/GaN HEMTs with Various Field-Plate and Gate-to-Drain Extensions," *IEEE Trans. Electron Device*, vol. 60, no. 11, pp. 3877-3882, 2013.
42. H.C. Chiu, C.H. Chen, C.W. Yang, **H.L. Kao**, F.H. Huang, S.W. Peng, H.K. Lin, "Highly Thermally Stable In Situ SiNX Passivation AlGaN/GaN Enhancement-Mode High Electron Mobility Transistors Using TiW Refractory Gate Structure," *J. Vac. Sci. Technol. B.*, vol. 31, issue.5, 051212, 2013.
43. Po-Yu Ke, Hsien-Chin Chiu*, Fan-Hsiu Huang, **Hsuan-Liang Kao**, Feng-Tsun Chien" V-band Push-Push VCO Using Slow-Wave CPW Resonators For Low

Phase Noise Reduction," *Microwave and Optical Technology Letter*, vol 55, issue 10, , pp.2373–2377, 2013.

44. **Hsuan-ling Kao**, S. P. Shih and C. S. Yeh, "Low Phase noise V-Band Push-Push Voltage Controlled Oscillator using 0.15 um GaAs pHEMT Technology," *IET Microwaves, Antennas & Propagation*, Volume 6, Issue 6, 2012, p.653–657.
45. **H. L. Kao**, C. S. Yeh, M. T. Chen, Hsien-Chin Chiu, Li-Chun Chang, "Characterization and Reliability of nMOSFETs on Flexible Substrates under Mechanical Strain," *Microelectronics Reliability*, vol. 52, Issue 6, 2012, pp. 999-1004.
46. **Hsuan-ling Kao**, J. Y. Ke, C. S. Yeh, Hsien-Chin Chiu, and Jeffrey S. Fu, "A 30 to 65 GHz Wideband Double-Balanced Gilbert-Cell Mixer using GaAs pHEMT Technology," *Microwave and Optical Technology Letters*, vol. 54, no.5, May 2012, pp. 1196-1200.
47. Li-Chun Chang, Yung-I Chen, **Hsuan-Ling Kao,** "Annealing of sputter-deposited nanocrystalline Cr-Ta coatings in a low-oxygen-containing atmosphere," *Thin Solid Films*, Vol. 520, Issue 23, 2012, pp. 6929–6934.
48. Hsien-Chin Chiu, Jia-Hsuan Wu, Chih-Wei Yang, Fan-Hsiu Huang and **Hsuan-Ling Kao**, "Low Frequency Noise in Enhancement-mode GaN MOS-HEMTs by Using Stacked Al2O3/Ga2O3/Gd2O3 Gate Dielectric," *IEEE Electron Device Letters*, Vol. 33 , Issue 7, 2012, pp. 958 - 960.
49. Che-Kai Lin, Hsien-Chin Chiu, Chao-Wei Lin, **Hsuan-ling Kao**, Feng-Tso Chien, "Investigation on the thermal behavior of 0.15<mu>m Gate-Length In0.4Al0.6As/In0.4Ga0.6As MHEMT Microelectronics Reliability," *Microelectronics Reliability*, Vol. 52, Issue 6, 2012, pp. 969–973.
50. **Hsuan-ling Kao**, C. S. Yeh, Li-Chun Chang and Jeffrey S. Fu, Hsien-Chin Chiu, "Improvement of the Q-factor, for an Adjustable Inductor using a 90 um Silicon substrate on Plastic," *International Journal of Electronics*, vol. 98, no. 11, 2011, pp.1597-1602.
51. **Hsuan-ling Kao**, Li-Chun Chang and Jeffrey S. Fu, "A Wide Tuning Range and Low Phase Noise 20 GHz 0.18 um CMOS Voltage Controlled Oscillator," *International Journal of Electronics and Communications*, Vol. 65, Issue, 2011, pp.763-766.
52. **H. L. Kao**, J. Y. Ke, M. T. Chen, Y. C. Lee, C. S. Yeh, and S. P. Shih, "Mechanical Strain for 0.16 um nMOSFET on 30 um Si-Substrate," *Applied Mechanics and Manufactureing Technology*, vol. 87, 2011, pp.129-131.
53. Hsien-Chin Chiu, Hsiang-Chun Wang, Che-Kai Lin, **Hsuan-Ling Kao**, Jeffrey S. Fu, and Kuang-Po Hsueh, "High Breakdown Voltage Enhancement-Mode

MgxZn1-xO Thin-Film Transistor Using CF4 Plasma Treatment," *Electrochemical and Solid-State Letters*, volume 15, issue 2, 2011, H20-H22.

54. Hsien-Chin Chiu, Chia-Shih Cheng, **Hsuan-Ling Kao**, Jeffrey S. Fu, Qiang Cui, Juin J. Liou, "A fully on-chip ESD protection UWB-band low noise amplifier using GaAs enhancement-mode dual-gate pHEMT technology," *Microelectronics Reliability*, vol. 51, 2011, pp. 2137-2142.
55. Hsien-Chin Chiu, Chao-Wei Lin, Che-Kai Lin, **Hsuan-Ling Kao,** Jeffrey S. Fu, "Thermal Stability Investigations of AlGaN/GaN HEMTs with Various High Work Function Gate Metal Designs," *Microelectronics Reliability*, vol. 51, pp. 2163-2167, 2011.
56. Szu-Ling Liu, Hao-Ming Chang, Tsu Chang, **Hsuan-Ling Kao**, Chun-Hu Cheng, and Albert Chin, "The Reliability Study and Device Modeling for p HEMT Microwave Power Transistors," *Trans. Electrochemical Society*, vol. 41, issue 6, 2011, pp. 175-187. (EI)
57. Li-Chun Chang, Cheng-Huan Yang, and **Hsuan-Ling Kao**, "Influence of carrier injection on resistive switching of CaCu3Ti4O12 thin films with Ni electrode," *Thin Solid Films*, vol. 519, no. 15, 2011, pp. 5095-5098.
58. **H. L. Kao** and T. Chang, "Integrated the Inductors on Ultra Thin Si-Substrate to Improve the RF Performance for Low Noise Amplifier Applications," *Microwave and Optical Technology Letters*, vol. 52, Issue 7, 2010, pp. 1576-1579.
59. T. Chang, **Hsuan-ling Kao**, Y. J. Chen, and Albert Chin, "Improved RF Power Characteristics of CMOS-Compatible Asymmetric-Lightly-Doped-Drain Metal-Oxide-Semiconductor Transistor," *Journal of Japan Applied Physics* , vol. 49, no. 3, 2010, pp.034201.
60. T. Chang, **Hsuan-ling Kao**, S. L. Liu, Joseph D.S. Deng, K. Y. Horng, and Albert Chin, "Radio Frequency Power Performance Enhancement for Asymmetric-Lightly-Doped-Drain Metal-Oxide-Semiconductor Field-Effect Transistors on SiC-Substrate," *Journal of Japan Applied Physics*, vol. 49, no. 1, 2010, pp.014104.
61. **Hsuan-ling Kao**, Chia-Ling Lu, and Yung-Cheng Chang, "Improvement with Drain bias and Limiting Factors of 65-nm-node Radio Frequency Metal-Oxide-Semiconductor Field-Effect Transistors," *Journal of Japan Applied Physics*, vol. 48, 2009, pp.011204.
62. Jeffrey S. Fu, Dong-Hua Yang, Chin-I Yeh, Hsien-Chin Chiu, Kuo-Sheng Chin, **Hsuan-Ling Kao** and Jui-Ching Cheng, "Non-uniform Chebyshev Distributed Chirped Dumbbell-Shaped Photonic Bandgap Structure (PBGs) Low Pass Filter," *COMPEL-International Journal For Computation and Mathematics in Electrical and Electronic Engineering*, USA, 2010, pp. 295-305.

63. **H.-L. Kao**, D. Y. Yang, C. H. Kao, Y. C. Chang and B. S. Lin, "Switched Resonators using Adjustable Inductors in a 2.4/5 GHz Dual-Band LC VCO,"*IEE Electronics Letters*, Vol. 44, Issue 4, 2008, pp.299-301.
64. **H. L. Kao** and K. C. Chang, "Very Low-Power CMOS LNA for UWB Wireless Receivers using Current-Reused Topology," *Solid State Electronics*, vol. 52, Issue 1, 2008, pp.86-90.
65. T. Chang, **H. L. Kao**, S. P. McAlister, K.Y. Horng and Albert Chin, "Improved RF Power Performance in a 0.18 um MOSFET which uses an Asymmetric Drain Design," *IEEE Electron Device Letters*, Vol. 29, no. 12, 2008, pp. 1402-1404.
66. W.-J. Tsai, T.-F. Ou, **H.-L. Kao**, E.-K. Lai, J.-S. Huang, L.-H. Chong, Y.-Y. Liao, S.-P. Hong, M. T. Wu, S. C. Tsai, C.-H. Leng, F.-H. Hsu, S.-Y. Wang, C.-M. Cheng, T. Luoh, Y. T. Hung, S. A. Luo, C. H. Huang, T.-C. Lu, T. Yang, K.-C. Chen, and C.-Y. Lu, "A Novel Trapping-Nitride-Storage Non-Volatile Memory Cell Using a Gated-Diode Structure with an Ultra-Thin Dielectric Dopant Diffusion Barrier," *IEEE Transactions on Electron Devices* , Vol. 55, Issue 8, Aug, 2008, pp. 2202-2211.
67. **Hsuan-ling Kao** and C. C. Liao, "Direct Measurement of low noise 90 nm Node RF MOSFETs using New layout," *Journal of Japan Applied Physics* , Vol. 46, No. 6A, June 2007, pp.3330-3333.
68. **H. L. Kao**, C. H. Kao, Albert Chin, and C. C. Liao, "Calibration 90 nm Node RF MOSFETs, Including Stress Degradation", *Microwave and Optical Technology Letters*, Vol. 49, Issue 3, March 2007, pp. 604-607.
69. Bing-Fang Hung, Chia-Chung Chen, **Hsuan-Ling Kao**, and Albert Chin, "High-Performance Radio Frequency Passive Devices on Plastic Substrates for Radio Frequency Integrated Circuit Application," *Journal of Japan Applied Physics*, Vol. 46, No. 4B, April 2007, pp.2758-2760.
70. K. C. Chiang, J. W. Lin, H. C. Pan, C. N. Hsiao, W. J. Chen, **H. L. Kao**, I . J . Hsieh, and Albert Chin, "Very High Density (44 fF/mm2) SrTiO3 MIM Capacitors for RF Application," *J. Electrochem. Soc.*, vol. 154, p. H214-H216, 2007.
71. **H. L. Kao**, Albert Chin, C. C. Liao, C. C. Chen, S. P. McAlister and C. C. Chi, "Electrical Stress Effects and Device Modeling of 0.18 m RF MOSFETs," *IEEE Transactions on Electron Devices*, Vol. 53, Issue 4, April, 2006, pp. 636-642.
72. Albert Chin, **H. L. Kao**, C. H. Kao, C. C. Liao, Y. Y. Tseng, C. C. Chi, "Strain enhanced DC-RF performance of 0.13 m nMOSFETs on flexible plastic substrate" *IEE Electronics Letters*, Vol. 42, Issue 14, July, 2006, pp. 827-828.

73. C. C. Chen, **H. L. Kao**, Albert Chin, "Electric stress effect on DC-RF performance degradation of 0.18 m MOSFETS ", *Microwave and Optical Technology Letters*, Vol. 48, Issue 10, July, 2006, pp. 1916-1919. (NCTU, SCI=0.568, 125/206)
74. C. C. Chen, **H. L. Kao**, A. Chin, S. P. McAlister and C. C. Chi, "AC Power Loss and Signal Coupling in VLSI backend Interconnects," *Journal of Japan Applied Physics*, 2006, pp. 2992-2996.
75. C. C. Chen, **H. L. Kao**, K. C. Chiang, A. Chin, "A Parallel Coupled-Line Filter Using VLSI Backend Interconnect with High Resistivity Substrate," *International Journal of Infrared and Millimeter Wave*, 2006, pp. 93-105.
76. C. C. Huang, K. C. Chiang, **H. L. Kao**, Albert Chin, and W. J. Chen, "RF TaN/SrTiO3/TaN MIM Capacitors with 35 fF/ m2 Capacitance Density,"*IEEE Microwave & Wireless Components Lett.*, 2006, pp. 493-495.
77. K. C. Chiang, C. C. Huang, G. L. Chen, W. J. Chen, **H. L. Kao**, Y. H. Wu, Albert Chin and S. P. McAlister, "High Performance SrTiO3 Metal-Insulator-Metal Capacitors for Analog Applications," *IEEE Trans. Electron Devices*, 2006, pp. 2312-2319.
78. D. S. Yu, **H. L. Kao**, Albert Chin, and S. P. McAlister, "Performance and potential of germanium on insulator field-effect transistors," *J. Vacuum Science Tech. A*, 2006, pp. 690-693.
79. **H. L. Kao**, B. F. Hung, Albert Chin, J. M. Lai, C. F. Lee, S. P. McAlister, and C. C. Chi, "Very Low Noise RF nMOSFETs on Plastic by Substrate Thinning and Wafer Transfer," *IEEE Microwave and Wireless Components Letters*, Vol. 15, Issue 11, Nov. 2005, pp.757-759.
80. **H. L. Kao**, Albert Chin, B. F. Hung, C. F. Lee, J. M. Lai, S. P. McAlister, G. S. Samudra, Won Jong Yoo and C. C. Chi, "Low Noise RF MOSFETs on Flexible Plastic Substrates," *IEEE Electron Device Letters*, Vol. 26, Issue 7, July 2005, pp. 489-491.