

* 黃國忠醫師

所有發表期刊論文

- Effect of curcumin on in vitro early post-implantation stages of mouse embryo development. *Eur J Obstet Gynecol Reprod Biol.* 2013 Jan;166(1):47-51. Huang FJ, Lan KC, Kang HY, Liu YC, Hsuw YD, Chan WH, Huang KE.
- High interleukin-16 concentrations in the early second trimester amniotic fluid: an independent predictive marker for preterm birth. *J Matern Fetal Neonatal Med.* 2013 Feb;26(3):285-9. Hsu TY, Lin H, Lan KC, Ou CY, Tsai CC, Cheng BH, Yang KD, Wong YH, Hung TH, Hsiao PY, Kao HF.
- Clinical characteristics and assisted reproductive technology outcomes in infertile foreign brides: comparison with native brides in south Taiwan. *Taiwan J Obstet Gynecol.* 2012 Mar;51(1):31-4. (SCI ; IF=0.947 ; OBS/GYN 60/77) 。 Chiang HJ, Huang FJ, Lan KC, Lin PY, Sung PH, Kung FT.
- Twin live births following transfer using eight-cell cleavage stage embryos on Day 4 with developmental arrest. *Taiwan J Obstet Gynecol.* 2011 Sep;50(3):381-4 (指導作者) (SCI ; IF=0.947 ; OBS/GYN 60/77) 。 Wu HY, Lin YC, Lan KC*.
- Clinical outcomes and development of children born after intracytoplasmic sperm injection (ICSI) using extracted testicular sperm or ejaculated extreme severe oligo-astheno-teratozoospermia sperm: a comparative study. *Fertil Steril.* 2011 Sep;96(3):567-71. (指導作者) (SCI ; IF=3.958 ; OBS/GYN 4/77) 。 Tsai CC, Huang FJ, Wang LJ, Lin YJ, Kung FT, Hsieh CH, Lan KC*.
- Cytomegalovirus infection and fetal death in one monozygotic twin. *Taiwan J Obstet Gynecol.* 2011 Jun;50(2):230-2. (指導作者) (SCI ; IF=0.947 ; OBS/GYN 60/77) 。 Wu HY, Huang SC, Huang HC, Hsu TY, Lan KC*.
- Retinoic acid influences the embryoid body formation in mouse embryonic stem cells by induction of caspase and p38 MAPK/JNK-mediated apoptosis. *Environ Toxicol.* 2011 May 27. (SCI ; IF=1.932 ; ENVIRONMENTAL SCIENCES 72/193) 。 Huang FJ, Lan KC, Kang HY, Lin PY, Chan WH, Hsu YC, Liu YC, Huang KE.
- 產後服用生化湯與惡露天數的關聯---以醫院為基礎的準隨機(QUASI-RANDOM)的研究。 *J Clin Med* 2011;22(1,2):107-113 。 吳芯宜 藍國忠 邱顯學
- Clinical characteristics of perforated pyometra and impending perforation: specific issues in gynecological emergency. *J Obstet Gynaecol Res.* 2010 Jun;36(3):661-6. (SCI ; IF=0.869 ; OBS/GYN 63/77) 。 Ou YC, Lan KC, Lin H, Tsai CC, ChangChien CC.
- Comparison of the offspring sex ratio between cleavage stage embryo transfer and blastocyst transfer. *Taiwan J Obstet Gynecol.* 2010 ;49(1):35-9. (指導作者) (SCI ; IF=0.947 ; OBS/GYN 60/77) 。 Lin PY, Huang FJ, Kung FT, Wang LJ, Chang SY, Lan KC*.

- Comparison of the efficacy of two vaginal progesterone formulations, Crinone 8% gel and Utrogestan capsules, used for luteal support in blastocyst stage embryo transfers. *Taiwan J Obstet Gynecol.* 2009 ;48(4):375-9. (指導作者) (SCI ; IF=0.947 ; OBS/GYN 60/77) ◦ Wang LJ, Huang FJ, Kung FT, Lin PY, Chang SY, Lan KC*
- Expression of androgen receptor in human placentas from normal and preeclamptic pregnancies. *Taiwan J Obstet Gynecol.* 2009 ;48(3):262-7. (SCI ; IF=0.947 ; OBS/GYN 60/77) ◦ Hsu TY, Lan KC, Tsai CC, Ou CY, Cheng BH, Tsai MY, Kang HY, Tung YH, Wong YH, Huang KE.
- Comparison of the offspring sex ratio between fresh and vitrification-thawed blastocyst transfer. *Fertil Steril.*2009 ;92(5):1764-6(指導作者) (SCI ; IF=3.958 ; OBS/GYN 4/77) ◦ (長庚醫院住院醫師優秀論文獎)*# Lin PY, Huang FJ, Kung FT, Wang LJ, Chang SY, Lan KC*.
- Significantly superior response in the right ovary compared to the left ovary after stimulation with FSH in a pituitary down-regulation regimen. *Fertil Steril.* 2010 1;93(7):2269-73. (SCI ; IF=3.958 ; OBS/GYN 4/77) ◦ Lan KC*, Huang FJ , Lin YC, Kung FT, Lan TS, Chang SY.
- Comparison of in vitro fertilization (IVF) vs. intracytoplasmic sperm injection (ICSI) in extremely low oocyte-retrieval cycles. *Fertil Steril.*2010;93(1):96-100(指導作者) (SCI ; IF=3.958 ; OBS/GYN 4/77) ◦ Ou YC, Lan KC*, Huang FJ Kung FT, Lan TS, Chang SY.
- Increased progesterone/estradiol ratio on the day of HCG administration adversely affects success of in vitro fertilization-embryo transfer in patients stimulated with gonadotropin-releasing hormone agonist and recombinant follicle-stimulating hormone. *Taiwan J Obstet Gynecol.* 2008 ;47(2):168-74. (SCI ; IF=0.947 ; OBS/GYN 60/77) ◦ OuYC, Lan KC, Chang SY, Kung FT, Huang FJ*.
- Zona-free versus laser zona-assisted hatching blastocyst transfer: A comparison of outcomes. *Fertil Steril.* 2009 ;91(5):1959-62. (SCI ; IF=3.958 ; OBS/GYN 4/77) (Annual Meeting of the Taiwanese Society of Reproductive Medicine Taipei,2004 優秀論文獎)*# Lan KC, Huang FJ , Lin YC, Kung FT, Chang SY* .
- Expression of androgen receptor coregulators in the testis of men with azoospermia *Fertil Steril.* 2008;89(5):1397-1405. (SCI ; IF=3.958 ; OBS/GYN 4/77) ◦ (Annual Meeting of the Taiwanese Society of Reproductive Medicine Taipei,2008 優秀論文獎)*# Lan KC, Hseh CY, Lu SY, Chang SY, Shyr CR, Chen YT, Kang HY*, Huang KE.
- VEGF, IVF clinical variables and ovarian hyperstimulation syndrome: a prospective study of the preimplantation luteal phase. *J Reprod Med.* 2007

May;52(5):365-74. (SCI ; IF=0.883 ; OBS/GYN 61/77) ◦ Kung FT*, Chang SY, Huang FJ, Lan KC

- Expression of inhibin-activin subunits, follistatin and smads in granulosa-luteal cells collected at oocyte retrieval. J Assist Reprod Genet. 2006;23(9-10):385-92. (SCI ; IF=1.253 ; OBS/GYN 52/77) ◦ Chang SY, Kang HY, Lan KC, Hseh CY, Huang FJ, Huang KE*,.

- Adverse effects of retinoic acid on embryo development and the selective expression of retinoic acid receptors in mouse blastocysts. Hum Reprod. 2006 Jan;21(1):202-9. (SCI ; IF=4.357 ; OBS/GYN 3/77) ◦ Huang FJ*, Hsuw YD, Lan KC, Kang HY, Chang SY, Hsu YC, Huang KE.

- The influences of weather on patients with different ovarian responses in the treatment of assisted reproductive technology. J Assist Reprod Genet. 2005;22(5):191-8. (SCI ; IF=1.253 ; OBS/GYN 52/77) ◦ Chang SY*, Lan KC, Chen CW, Huang FJ, Tsai MY, Chang CY.

- Preemptive analgesia installation during gynecologic laparoscopy: a randomized trial. J Minim Invasive Gynecol. 2005 ,12(4):330-335. (SCI ; IF=1.556 ; OBS/GYN 43/77) ◦ Chou YJ, Ou YC, Lan KC, Jawan B, Chang SY, Kung FT*.

- Expression of steroid receptors, their cofactors, and aromatase in human luteinized granulosa cells after controlled ovarian hyperstimulation. Fertil Steril. 2005;83 Suppl 1:1241-7. (SCI ; IF=3.958 ; OBS/GYN 4/77) Chang SY, Kang HY, Lan KC, Chang CY, Huang FJ, Tsai MY, Huang KE*.

- Gene knockdown with intrathecal siRNA of NMDA receptor NR2B subunit reduces formalin-induced nociception in the rat. Gene Ther. 2005 Jan;12(1):59-66. (SCI ; IF=4.538 ; Biochemistry&molecular biology 67/286) ◦ Tan PH*, Yang LC, Shih HC, Lan KC, Cheng JT.

- Impact of duration of cryopreservation of spermatozoa obtained through testicular sperm extraction on intracytoplasmic sperm injection. Fertil Steril. 2004;81(5):1405-7.(SCI) (SCI ; IF=3.958 ; OBS/GYN 4/77) ◦ Huang FJ, Lan KC, Lin YC, Tsai MY, Kung FT, Chang SY*.

- Human oocyte maturity in vivo determines the outcome of blastocyst development in vitro. J Assist Reprod Genet. 2003 ;20(12):506-12. (SCI ; IF=1.253 ; OBS/GYN 52/77) ◦

Lin YC, Chang SY*, Lan KC, Huang HW, Chang CY, Tsai MY, Kung FT, Huang FJ.

- Assessment of the facial features and chin development of fetuses with use of serial three-dimensional sonography and the mandibular size monogram in a Chinese population. Am J Obstet Gynecol. 2004 ;190(2):541-6. (SCI ; IF=3.313 ; OBS/GYN 9/77) ◦

Tsai MY*, Lan KC, Ou CY, Chen JH, Chang SY, Hsu TY.

- Human cumulus-free oocyte maturational profile and in vitro developmental potential after stimulation with recombinant versus urinary FSH. *Hum Reprod.* 2004;19(2):306-15. (SCI ; IF=4.357 ; OBS/GYN 3/77) Huang FJ,Lan KC, Kung FT, Tsai MY, Chang CY, Huang HW, Lin YC, Chang SY*.
- Significance of mRNA levels of connexin37, connexin43, and connexin45 in luteinized granulosa cells of controlled hyperstimulated follicles. *Fertil Steril.* 2003;80(6):1437-43. (SCI ; IF=3.958 ; OBS/GYN 4/77) Tsai MY, Lan KC, Huang KE, Huang FJ, Kung FT, Chang SY*.
- Transfer of nonselected transferable day 3 embryos in low embryo producers *Fertil Steril.* 2003;80(6):1364-70. (SCI ; IF=3.958 ; OBS/GYN 4/77) Kung FT, Chang SY*, Yang CY, Lin YC, Lan KC, Huang LY, Huang FJ.
- Major complications associated with laparoscopic-assisted vaginal hysterectomy: ten-year experience. *J Am Assoc Gynecol Laparosc* 2003;10(2):147-53. (SCI ; IF=1.556 ; OBS/GYN 43/77) ◦ Shen CC*, Wu MP, Kung FT, Huang FJ, Hsieh CH, Lan KC, Huang EY, Hsu TY,Chang SY.
- Multiple uterine angioleiomyoma in a women presenting with severe menorrhagia *Gynecol Oncol* 2003;90:348-52. (SCI ; IF=3.76 ; OBS/GYN 5/77) ◦ Hsieh CH, Lui CC.Huang SC,Ou YC,Chang Chien CC*, Lan KC, Huang KH.
- The predictive value of using a combined Z-score and day-3 embryo morphology score in the assessment of embryo survival on day 5. *Hum Reprod* 2003;18:1299-1306. (SCI ; IF=4.357 ; OBS/GYN 3/77) ◦ (Annual Meeting of the Taiwanese Society of Reproductive Medicine Taipei,2003 (優秀論文獎)*# Lan KC, Huang FJ, Lin YC,, Kung FT, Hsieh CH, Huang HW,Tan PH,Chang SY. *
- Pelvic Castleman`s disease presenting as an adnexal tumor. *Acta Obstet Gynecol Scand.* 2004;83(3):311-3. (SCI ; IF=1.86 ; OBS/GYN 32/77) ◦ Hsieh CH, Chang Chien CC*, Lan KC, Huang CC, Shen CC, Chang SY, Lin H.
- Combined use of esmolol and nicardipine to blunt the haemodynamic changes following laryngoscopy and tracheal intubation . *Anaesthesia*,2002;57,1-4. (SCI ; IF:2.855 ; *Anesthesiology*3/25) ◦ Tan PH*,Yang LC,Shih HC, Lin CR,Lan KC,Chen CS.
- The maturity of human cumulus-free oocytes is positively related to blastocyst development and viability. *J Assist Reprod Genet* 2002;19:555-60. (SCI ; IF=1.253 ; OBS/GYN 52/77) ◦ Huang FJ, Huang HW, Lan KC,Kung FT,Lin YC,Chang HW,Chang SY*.
- Can a preoperativeCA 125 level be a criterion for full pelvic lymphadenectomy in surgical staging of endometrial cancer?*Gynecol Oncol* 2002 ;86(1):28-33.(SCI ; IF=3.76 ; OBS/GYN 5/77) ◦ Hsieh CH, Chang Chien CC*, Lin H, Huang EY, Huang CC, Lan KC, Chang SY.
- Comparison of metaphase II oocytes after stimulation with recombinant

follicle-stimulating hormone and urinary follicle-stimulating hormone in a pituitary down-regulation regimen. *Fertil Steril* 2002 ;78(3):639-41 (SCI ; IF=3.958 ; OBS/GYN 4/77) ◦

Lan KC, Lin YC, Huang FJ, Kung FT, Hsieh CH, Chang SY*.

• In vitro fertilization and intracytoplasmic sperm injection in the embryo transfer model- outcome compared. *Taiwanese J Obstet Gynecol* 2001;40,1-7 (SCI ; IF=0.947 ; OBS/GYN 60/77) ◦ (Annual Meeting of the Taiwanese Society of Obs&Gyn Taipei,2002.明治奶粉(優秀論文獎)Lan KC ,Chang SY* , Huang FJ, Kung FT, Tsai MY. In vitro fertilization and intracytoplasmic sperm injection in the embryo transfer model- outcome compared

• Comparable clinical outcome of tubal embryo transfer for oligoastheno-teratozoospermia treatment with intracytoplasmic sperm injection and for female infertility treated with in vitro fertilization *Chang Gung med J* 2000;23(5):253-259.Chang SY* , Lan KC, Huang FJ, Kung FT, Tsai MY.