

*翁紹紋醫師

所有發表期刊論文

1. **Weng SW**, Liu JW, Chen WJ, Wang PW: Recurrent Klebsiella pneumoniae liver abscess in a diabetic patient followed by Streptococcus bovis endocarditis—occult colon tumor plays an important role. *Jpn J Infect Dis* 58: 70-72, **2005**(SCI) (First author)
2. **Weng SW**, Yang CH, Huang WT, Chen MC, Wang PW. Malignant hypertension secondary to cortisol-secreting adrenal tumor. *New Zealand Medical Journal* 3;118(1216):U1498. **2005** (First author)
3. **Weng SW**, Liou CW, Lin TK, Wei YH, Lee CF, Eng HL, Chen SD, Liu RT, Chen JF, Chen IY, Chen MH, Wang PW. Association of mitochondrial deoxyribonucleic acid 16189 variant (T->C transition) with metabolic syndrome in Chinese adults. *J Clin Endocrinol Metab.* 90(9):5037-40, **2005** (SCI) (First author)
4. Liou CW, Lin TK, Huei Weng H, Lee CF, Chen TL, Wei YH, Chen SD, Chuang YC, **Weng SW**, Wang PW. A common mitochondrial DNA variant and increased body mass index as associated factors for development of type 2 diabetes: Additive effects of genetic and environmental factors. *J Clin Endocrinol Metab.* 92(1):235-9, **2007**(SCI)
5. Brautbar A, Wang J, Abdenur JE, Chang RC, Thomas JA, Grebe TA, Lim C, **Weng SW**, Graham BH, Wong LJ. The mitochondrial 13513G>A mutation is associated with Leigh disease phenotypes independent of complex I deficiency in muscle. *Mol Genet Metab.* 94(4):485-90. **2008**. (SCI)
6. Wang PW, Hsieh CJ, Psang LC, Cheng YF, Liou CW, **Weng SW**, Chen JF, Chen IY, Li RH, Eng HL. Fatty liver and chronic inflammation in Chinese adults. *Diabetes Res Clin Pract.* 81(2):202-8. **2008** (SCI)
7. Chou CK, **Weng SW**, Chang HW, Chen CY, Su SC, Liu RT. Analysis of traditional and nontraditional risk factors for peripheral arterial disease in elderly type 2 diabetic patients in Taiwan. *Diabetes Res Clin Pract.* Sep; 81(3):331-7. **2008** (SCI)
8. Huang WT, Huang CC, **Weng SW**, Eng HL Expression of the multidrug resistance protein MRP and the lung-resistance protein LRP in nasal NK/T cell lymphoma: further exploring the role of P53 and WT1 gene. *Pathology.* Oct 29:1-6, **2008** (SCI)
9. **Weng SW, Lin TK, Liou CW, Chen SD, Wei YH, Lee HC, Chen IY, Hsieh CJ, Wang PW. Peripheral blood mitochondrial DNA content and dysregulation of glucose metabolism. Diabetes Res Clin Pract. Jan;83(1):94-9 (2009).**
10. **Weng SW, Lin TK, Wang PW, Chen IY, Lee HC, Chen SD, Chuang YC, Liou CW.**

Gly482Ser polymorphism in the peroxisome proliferator-activated receptor gamma coactivator-1alpha gene is associated with oxidative stress and abdominal obesity. *Metabolism*. 2010 Apr;59(4):581-6. (2010)

11. Wang PW, Lin TK, Weng SW, Liou CW. *Mitochondrial DNA variants in the pathogenesis of type 2 diabetes - relevance of asian population studies.* *Rev Diabet Stud*. 2009 Winter;6(4):237-46. Epub Dec 30. (2009)

12. Saneto RP, Lee IC, Koenig MK, Bao X, Weng SW, Naviaux RK, Wong LJ. *POLG DNA testing as an emerging standard of care before instituting valproic acid therapy for pediatric seizure disorders.* *Seizure*. Apr;19(3):140-6 (2010)

13. Liou CW, Lin TK, Chen JB, Tiao MM, **Weng SW**, Chen SD, Chuang YC, Chuang JH, Wang PW. Association between a common mitochondrial DNA D-loop polycytosine variant and alteration of mitochondrial copy number in human peripheral blood cells. *J Med Genet*. 2010 Nov;47(11):723-8.

14. Hsieh CJ, **Weng SW**, Liou CW, Lin TK, Chen JB, Tiao MM, Hung YT, Chen IY, Huang WT, Wang PW. Tissue-specific differences in mitochondrial DNA content in type 2 diabetes. *Diabetes Res Clin Pract*. 2011 Apr;92(1):106-10

15. You HL, **Weng SW**, Li SH, Wei YC, Sheu JJ, Chen CM, Huang WT. Copy number aberrations in combined hepatocellular carcinoma and cholangiocarcinoma. *Exp Mol Pathol*. 2012 Jun;92(3):281-6

16. Lee IC, El-Hattab AW, Wang J, Li FY, **Weng SW**, Craigen WJ, Wong LJ. SURF1-associated Leigh syndrome: a case series and novel mutations. *Hum Mutat*. 2012 Aug;33(8):1192-200

17. Liou CW, Chen JB, Tiao MM, **Weng SW**, Huang TL, Chuang JH, Chen SD, Chuang YC, Lee WC, Lin TK, Wang PW. Mitochondrial DNA coding and control region variants as genetic risk factors for type 2 diabetes. *Diabetes*. 2012 Oct;61(10):2642-51

18. Huang WT, **Weng SW**, Huang CC, Lin HC, Tsai PC, Chuang JH. Expression of Toll-like receptor9 in diffuse large B-cell lymphoma: further exploring CpG oligodeoxynucleotide in NF κ B pathway. *APMIS*. 2012 Nov;120(11):872-81.

19. Chien MC, Huang WT, Wang PW, Liou CW, Lin TK, Hsieh CJ, **Weng SW**. Role of mitochondrial DNA variants and copy number in diabetic atherogenesis. *Genet Mol Res*. 2012 Sep 17;11(3):3339-48

20. Chanprasert S, Wang J, Weng SW, Enns GM, Boué DR, Wong BL, Mendell JR, Perry DA, Sahenk Z, Craigen WJ, Alcala FJ, Pascual JM, Melancon S, Zhang VW, Scaglia F, Wong LJ. *Molecular and clinical characterization of the myopathic form of mitochondrial DNA depletion syndrome caused by mutations in the thymidine kinase (TK2) gene.* *Mol Genet Metab*. 2013 Sep-Oct;110(1-2):153-61 (co-first author)

21. *Weng SW, Kuo HM, Chuang JH, Lin TK, Huang HL, Lin HY, Liou CW, Wang PW. Study of insulin resistance in cybrid cells harboring diabetes-susceptible and diabetes-protective mitochondrial haplogroups.* *Mitochondrion.* 2013 Nov;13(6):888-97.

22. *Weng SW, Lin TK, Wang PW, Chen SD, Chuang YC, Liou CW. Single nucleotide polymorphisms in the mitochondrial control region are associated with metabolic phenotypes and oxidative stress.* *Gene.* 2013 Dec 1;531(2):370-6.

23. *Wang PW, Kuo HM, Huang HT, Chang AY, Weng SW, Tai MH, Chuang JH, Chen IY, Huang SC, Lin TK, Liou CW. Biphasic response of mitochondrial biogenesis to oxidative stress in visceral fat of diet-induced obesity mice.* *Antioxid Redox Signal.* 2014 Jun 1;20(16):2572-88.