

*鍾明憲醫師

所有發表期刊論文與演講

1. **Chung MS**, Lee JJ, Lee CT, Shen FC, Kuo HK, Huang ST, Terry Chiou TY, Sun CK, Yang Kuender D. and Liu RT*. Prevalence and Risk Factors of Taiwanese Microalbuminuric Type 2 Diabetic Mellitus with and without Diabetic Retinopathy. *Acta Nephrologica* 25(2): 43-49, 2011
2. Liu RT, **Chung MS**, Lee WC, Chang SW, Huang ST, Yang KD, Chancellor MB, Chuang YC*. Prevalence of overactive bladder and associated risk factors in 1359 patients with type 2 diabetes. *Urology*. 2011 Nov;78(5):1040-5.
3. Chuang YC, **Chung MS**, Wang PW, Lee WC, Chen CD, Chang HW, Yang KD, Chancellor MB, Liu RT*. Albuminuria is an independent risk factor of erectile dysfunction in men with type 2 diabetes. *J Sex Med*. 2012 Apr;9(4):1055-64.
4. Liu RT, **Chung MS**, Chuang YC, Lee JJ, Lee WC, Chang HW, Yang KD, Chancellor MB*. The presence of overactive bladder wet increased the risk and severity of erectile dysfunction in men with type 2 diabetes. *J Sex Med*. 2012 Jul;9(7):1913-22.
5. Liu RT, **Chung MS**, Wang PW, Chen CD, Lee JJ, Lee WC, Chancellor MB, Yang KD, Chuang YC*. The prevalence and predictors of androgen deficiency in Taiwanese men with type 2 diabetes. *Urology*. 2013 Jul;82(1):124-9.
6. **Chung MS**, [Chuang YC](#), [Lee JJ](#), [Lee WC](#), [Chancellor MB](#), [Liu RT](#)*. Prevalence and associated risk factors of nocturia and subsequent mortality in 1,301 patients with type 2 diabetes. [Int Urol Nephrol](#). 2014 Jul;46(7):1269-75.

Presentation

1. **Chung MS**, Ching-Jung Hsieh, Kuender D. Yang, Chien-Te Lee, Hsi-Kung Kuo, Jong-Jer Lee, Feng-Chih Shen, Siang-Ting Huang, Ya-Fang Li, Rue-Tsuan Liu. Risk factors and TNF- α -308 A/G polymorphism in diabetic nephropathy in Taiwan type 2 diabetes. 2010 Annual meeting of the Endocrine Society and Diabetes Association of the Republic of China, Taipei, 2010/03/12. Oral presentation
2. **Chung MS**, Ching-Jung Hsieh, Kuender D. Yang, Chien-Te Lee, Hsi-Kung Kuo, Jong-Jer Lee, Feng-Chih Shen, Siang-Ting Huang, Ya-Fang Li, Rue-Tsuan Liu. Angiotensin converting enzyme insertion/deletion polymorphism is not associated with diabetic nephropathy among Chinese type 2 diabetes in Taiwan. 2010 Annual meeting of the Endocrine Society and Diabetes Association of the Republic of China, Taipei, 2010/03/12. Poster presentation

3. **Chung MS**, Chuang YC, Wang PW, Lee WC, Chen CD, Chang HW, Yang KD, Chancellor MB, Liu RT. Albuminuria is an independent risk factor of erectile dysfunction in men with type 2 diabetes. 2011 Annual meeting of the Endocrine Society and Diabetes Association of the Republic of China, Kaohsiung, 2011/03/10, Oral presentation
4. **Chung MS**, Cheuk-Kwan Sun, Ching-Jung Hsieh, Jong-Jer Lee, Hsi-Kung Kuo, Siang-Ting Huang, Feng-Chih Shen, Chien-Te Lee, Kuender D. Yang Rue-Tsuan Liu Prevalence and predictors of diabetic nephropathy in type 2 diabetes. 2011 Annual meeting of the Endocrine Society and Diabetes Association of the Republic of China, Taipei, 2012/03/23. Poster presentation
5. **Chung MS**, Yao-Chi Chuang, Pei-Wen Wang, Chung-Dar Chen, Hsueh-Wen Chang, Kuender D. Yang, Michael B. Chancellor, Wei-Chia Lee, Rue-Tsuan Liu. Prevalence and predictors of subnormal total testosterone level in type 2 diabetes. Poster presentation. 2012 Annual meeting of the Endocrine Society and Diabetes Association of the Republic of China, Taipei, 2012/03/23. Poster presentation.
6. **Chung MS**, Chien-Te Lee, Jung-Fu Chen, Ching-Jung Hsieh, Ming-Chung Wang, Lin-Lin Pan, Kuender D. Yang, Hsueh-Wen Chang, Terry Ting-Yu Chiou, Rue-Tsuan Liu. Anemia in type 2 diabetes with normoalbuminuria and estimated *glomerular filtration rate more than 60* ml/min/1.73m². 2012 Annual meeting of the Endocrine Society and Diabetes Association of the Republic of China, Taipei, 2012/03/23. Poster presentation