

*李偉嘉醫師

所有發表期刊論文及研討會論文

第一作者或通訊作者

1. **Lee WC**, Wu HC, Huang KH, Wu HP, Yu HJ*. Hyposensitivity of C-fiber Afferents at the Distal Extremities as an Indicator of Early Stages Diabetic Bladder Dysfunction in Type 2 Diabetic Women. PLoS One 2014; 9: e86463
2. Yu CJ, Hsu CC, **Lee WC***, Chiang PH, Chuang YC. Medical diseases affecting lower urinary tract function. Urological Science (台灣泌尿科醫學會雜誌) 2013;24:41-45. (review) (Non-SCI)
3. **Lee WC**, Chiang PH, Tain YL, Wu CC, Chuang YC. Sensory dysfunction of bladder mucosa and bladder oversensitivity in a rat model of metabolic syndrome. PLoS One 2012; 7: e45578.
4. **Lee WC**, Chuang YC, Chiang PH, Chien CT*, Yu HJ*, Wu CC. Pathophysiological studies of overactive bladder and bladder motor dysfunction in a rat model of metabolic syndrome. J Urol 2011; 186, 318-325. (IF:3.69, 10/73=13.6%)
5. **Lee WC***. The impact of diabetes on the lower urinary tract dysfunction. JTUA (台灣泌尿科醫學會雜誌) 2009;20: 155-61. (review) (Non-SCI)
6. **Lee WC**, Wu HP, Tai TY, Yu HJ*, Chiang PH. Investigation of the urodynamic characteristics and bladder sensory function in the early stages of diabetic bladder dysfunction in women with type 2 diabetes. J Urol, 2009; 181: 198-203.
7. **Lee WC**, Chien CT, Yu HJ*, Lee SW. Bladder dysfunction in rats with metabolic syndrome induced by long-term fructose feeding. J Urol 2008; 179: 2470-2476.
8. **Lee WC**, Wu CC, Wu HP, Tai TY. Lower urinary tract symptoms and uroflowmetry in type 2 diabetes women with/without bladder dysfunction. Urology, 69: 685-690, 2007.
9. **Lee WC**, Wu HP, Tai TY, Liu SP, Chen J, Yu HJ. Effects of diabetes on female voiding behavior. J Urol, 172: 989-992, 2004.
10. **Lee WC**, Lee KL, Chen MY, Chen CY, Chen J, Yu HJ. Lower urinary tract symptoms in women with systemic lupus erythematosus. J Urol ROC(台灣泌尿科醫學會雜誌), 11:161-166,2000. (Non-SCI)

其他作者

1. Tain YL, Lee WC, Hsu CN, **Lee WC**, Huang LT, Lee CT, Lin CY. Asymmetric Dimethylarginine Is Associated with Developmental Programming of Adult Kidney Disease and Hypertension in Offspring of Streptozotocin -treated Mothers. PLoS ONE 2013;8:e55420.
2. Chen CH, Chiang PH, **Lee WC**, Chuang YC, Kang CH, Hsu CC, Lee WC, Chen YT, Cheng YT. [High-intensity diode laser in combination with bipolar transurethral resection of the prostate: a new strategy for the treatment of large prostates \(>80 ml\)](#). Lasers Surg Med. 2012;44:699-704.
3. Wu CC, **Lee WC**, Lin R SJ*. Are employees more committed and willing to accept critical assignments during crisis? A study of organizational commitment, professional commitment and willingness to care during the SARS outbreak in Taiwan. Int J Hum Resour Man, 2012: 23; 2698-2711. SSCI
4. Liu RT, Chung MS, Wang PW, Chen CD, Lee JJ, **Lee WC**, Chancellor MB, Yang KD, Chuang YC. The prevalence and predictors of androgen deficiency in Taiwanese men with type 2 diabetes. Urology. 2013;82:124-9.
5. En Meng, Wei-Yu Lin, **Wei-Chia Lee**, Yao-Chi Chuang. Pathophysiology of overactive bladder. LUTS 2012;4:48-55.(review)
6. Liu RT, Chung MS, Chuang YC, Lee JJ, **Lee WC**, Chang HW, Yang KD, Chancellor MB. The presence of overactive bladder wet increased the risk and severity of erectile dysfunction in men with type 2 diabetes. J Sex Med, 2012: 9, 1913-22.
7. Chuang YC, Chung MS, Wang PW, **Lee WC**, Chen CD, Chang HW, Yang KD, Chancellor MB, Liu RT. Albuminuria is an independent risk factor of erectile dysfunction in men with type 2 diabetes. J Sex Med, 2012; 9: 1055-64.
8. Liu RT, Chung MS, **Lee WC**, Chang SW, Huang ST, Yang KD, Chancellor MB, Chuang YC*. Prevalence of overactive bladder and association risk factors in 1359 patients with type 2 diabetes. Urology 2011;78:1040-1045.
9. Lee WC, Chuang YC, **Lee WC**, Chiang PH. Safety and dose flexibility clinical evaluation of intravesical liposome in patients with interstitial cystitis or painful bladder syndrome. Kaohsiung J Med Sci 2011; 27, 437-440.
10. Chen CH, Chiang PH, Chuang YC, Lee WC, Chen YT, **Lee WC**. Preliminary results of prostate vaporization in the treatment of benign prostatic hyperplasia by using a 200-W high-intensity diode laser. Urology 2010; 75: 658-663.
11. Chuang YC*, Lee WC, **Lee WC**, Chiang PH. Intravesical liposome versus oral pentosan polysulfate for interstitial cystitis/painful bladder syndrome. J Urol, 2009; 182: 1393-1400.
12. Yu HJ, Liu CT, Lee KL, **Lee WC**, Chen TH. Overactive bladder syndrome among

community-dwelling adults in Taiwan: prevalence, correlates, perception, and treatment seeking. *Urol int.*, 77: 327-33, 2006.

13. Huang KH, **Lee WC**, Chang SC, Lin BH, Chi HS. Primary Mucinous Adenocarcinoma of the Renal Pelvis: A Case Report. *J Urol ROC* (台灣泌尿科醫學會雜誌) (non-SCI)
14. Huang KH, **Lee WC**, Chang SC, Lin BH. Lidocaine-Induced Seizures After Intraurethral Instillation: A Case Report. *J Urol ROC* (台灣泌尿科醫學會雜誌) , 2004;15:33-36. (non-SCI)
15. Yu HJ, **Lee WC**, Liu SP, Tai TY, Wu H, Chen J. Unrecognized voiding difficulty in female type 2 diabetic patients in the diabetic clinic: a prospective case-control study. *Diabetes Care*; 27:988-989, 2004.
16. Yu HJ, **Lee WC**, Lee KL, Chen MY, Chen CY, Chen J. Voiding dysfunction in women with systemic lupus erythematosus. *Arthritis and Rheumatism*, 50:166-172, 2004.

碩士論文

Voiding Dysfunction in Female Patients with Diabetes: Pattern of Lower Urinary Tract Symptoms、Uroflowmetry、current perception test and Risk Factors Analysis.

博士論文

Bladder dysfunction secondary to metabolic diseases related to insulin resistance.

學術研討會論文

1. Lower urinary tract involvement in patients with lupus systemic erythematosus. Aug, 2000:台北 (臺灣泌尿科醫學會)。
2. Voiding dysfunction in female patients with diabetes: pattern of lower urinary tract symptoms and uroflowmetry Voiding dysfunction in female patients with diabetes: pattern of lower urinary tract symptoms and uroflowmetry. Aug, 2003: 台中 (臺灣泌尿科醫學會)。
3. Synchronous ovarian cancer and renal cell carcinoma-A case report. Aug, 2004:台北 (臺灣泌尿科醫學會)。
4. Epithelioid angioliopoma, malignant-A case report. Aug, 2004:台北. (臺灣泌尿科醫學會)。
5. Lower urinary tract symptoms in women with autoimmune diseases. Aug, 2004: 台北 (臺灣泌尿科醫學會)。
6. Effects of diabetes on female voiding behavior. Aug, 2004: 台北 (臺灣泌尿科醫

學會)。

7. Voiding dysfunction in female diabetic patients: relationship to peripheral neuropathy detected by current perception test. Aug, 2004: 台北 (臺灣泌尿科醫學會)。
8. The bladder disorders of metabolic syndrome in female fructose-fed rats. Aug, 2006: 台北 (臺灣泌尿科醫學會)。
9. Lower urinary tract symptoms and uroflowmetry in type 2 diabetes women with/without bladder dysfunction. Aug, 2007: 台北 (臺灣泌尿科醫學會)。
10. Young spasmodic bladder treated by dextranomer accompanying with Botulinum toxin injection to preserve renal function and the storage function of bladder: A case report. Aug, 2008: 台北 (臺灣泌尿科醫學會)。
11. Bladder dysfunction in rats with metabolic syndrome induced by long-term fructose feeding. Aug, 2008: 台北 (臺灣泌尿科醫學會)。
12. Study of early stages of diabetic bladder dysfunction in type 2 diabetic women by intravesical current perception threshold testing and urodynamics studies. Aug, 2008: 台北 (臺灣泌尿科醫學會)。
13. The alteration of purinergic receptor in the bladder of fructose-fed rats. Aug, 2009: 台北 (臺灣泌尿科醫學會)。
14. Risperidone long-acting injection provoked urinary retention: A case report. Aug, 2010: 台北 (臺灣泌尿科醫學會)。
15. Pathophysiological studies of overactive bladder and bladder motor dysfunction in a rat model of metabolic syndrome. Aug, 2011: 台南 (臺灣泌尿科醫學會)。
16. Urothelial dysfunction and bladder oversensitivity in a rat model of metabolic syndrome. May, 2012: Atlanta, USA. (Annual meeting of American Urological Association)
17. Sensory dysfunction of bladder mucosa and bladder oversensitivity in a rat model of metabolic syndrome. Aug, 2012: Nagoya, Japan. (Annual meeting of Pan-pacific Continence Society)