

*劉建衛醫師

所有發表期刊論文及專書

First & Corresponding Author:

1. Chang WH, Wang CH, Yang SY, Lin YC, Wu JJ, **Lee MS***, Lee GB*. Rapid isolation and diagnosis of live bacteria from human joint fluids by using an integrated microfluidic system. *Lab Chip*. 2014 Jul 29;14(17):3376-84.
2. Chang CH, Chang Y, Chen DW, Ueng SWN, **Lee MS***. Topical tranexamic Acid reduces blood loss and transfusion rates associated with primary total hip arthroplasty. *Clin Orthop Relat Res*. 2014 May;472(5):1552-7. doi: 10.1007/s11999-013-3446-0. Epub 2014 Jan 3.
3. **Lee MS***, Chang WH, Chen SC, Hsieh PH, Shih HN, Ueng SWN, and Lee GB. Molecular Diagnosis of Periprosthetic Joint Infection by Quantitative RT-PCR of Bacterial 16S Ribosomal RNA. *The Scientific World Journal*, Volume 2013, Article ID 950548.
4. Chen DW, Chang YH, Hsieh PH, Ueng SWN, **Lee MS***. The Influence of Storage Temperature on the Antibiotic Release of Vancomycin-Loaded Polymethylmethacrylate. *The Scientific World Journal*, Vol. 2013, Article ID: 573526.
5. Chen DW, Lin CL, Hu CC, Wu JW, **Lee MS***. Finite element analysis of different repair methods of Vancouver B1 periprosthetic fractures after total hip arthroplasty. *Injury* 2012;43:1061-5.
6. Chen DW, Lin CL, Hu CC, Tsai MF, **Lee MS***. Biomechanical consideration of total hip arthroplasty following failed fixation of femoral intertrochanteric fractures – A finite element analysis. *Med Eng Phys* 2013;35:569-75.
7. Hu CC, Chern JS, Hsieh PH, Shih CH, Ueng SWN, **Lee MS***. Two-incision versus modified Watson-Jones total hip arthroplasty in the same patient – a prospective study on clinical outcomes and patient's preference. *Chang Gung Med J* 2012;35(1):54-61.
8. Yu YH, Chen ACY, Hu CC, Hsieh PH, Ueng SWN, **Lee MS***. Acute delirium and poor compliance in total hip arthroplasty patients with substance abuse disorders. *J Arthroplasty* 2012;27:1526-9.
9. MJ Huang, Hsieh PH, Ueng SWN, Ho KC, Yen TZ, **Lee MS***. Use of positron emission tomography to detect infection around antibiotic-loaded cement spacers in patients with high C-reactive protein levels. *Orthop* 2011;34(10):759. Doi 10.3928/01477447-20110826-08.
10. **Lee MS***. Minimally invasive total hip arthroplasty. *Formosan J Musculoskeletal Dis* 2011;2(2):41-44.

11. Kuo CH, Lin CL, Ueng SWN, Wang CJ, **Lee MS***. Calculation of osteonecrotic volume using two-dimensional projections: comparison between the current volumetric measurement methods. *Formosan J Musculoskeletal Dis* 2010;1:3-10.
12. **Lee MS**, Hsieh PH, Shih CH, Wang CJ. Nontraumatic osteonecrosis of the femoral head – From clinical to bench. *Chang Gung Med J* 2010;33:351-10.
13. Chen CC, Lin CL, Chen WC, Shih HN, Ueng SWN, **Lee MS***. Vascularized iliac bone-grafting for osteonecrosis with segmental collapse of the femoral head. *J Bone Joint Surg Am*, 2009;91A:2390-2394. **SCI 3.313**.
14. Tai CL, Chen WP, Chen HH, Lin CY, **Lee MS***. Biomechanical optimization of different fixation modes for a proximal femoral L-osteotomy. *BMC Musculoskeletal Disorders*. 2009;10:112-121. DOI: 10.1186/1471-2474-10-112. **SCI 2.377**
15. Chang YH, Hu CC, Chen DW, Ueng SW, Shih CH, **Lee MS***. Local cancellous bone grafting for osteonecrosis of the femoral head. *Surg Innov* 2009;16(1):63-7. DOI: 10.1177/1553350608330398. **SCI 2.171**
16. **Lee MS**, Sun MT, Pang ST, Ueng SWN, Chen SC, Hwang TL, Wang TH. Evaluation of differentially expressed genes by shear stress in human osteoarthritic chondrocytes in vitro. *Chang Gung Med J* 2009;32:42-50.
17. **Lee MS**, Hsieh PH, Chang YH, ChanYS, Agrawal S, Ueng SWN. Elevated intraosseous pressure in the intertrochanteric region is associated with poorer results in osteonecrosis of the femoral head treated by multiple drilling. *J Bone Joint Surg [Br]* 2008; 90:852-7. **SCI 2.196**
18. Hu CC, Agrawal S, Hsu KY, Liang YC, Chen DWC, Ueng SWN, **Lee MS***. Favorable isokinetic hamstring/quadriceps ratio following midvastus approach as compared to median parapatellar approach in primary total knee arthroplasty. *J Orthop Surg Taiwan* 2008;25:7-11. **(Corresponding author)**
19. Chou SW, Ueng SWN, **Lee MS***. Muscular recovery of hip flexors and extensors after two-incision total hip arthroplasty. *Chang Gung Med J* 2008;31(6):576-582. **(Corresponding author)**
20. Hu CC, Yang WE, Chang YH, Chen DWC, Ueng SWN, **Lee MS***. Fluoroscopy can not recognize intraoperative fracture in patients receiving two-incision total hip arthroplasty. *J Arthroplast* 2008;23:1031-1036. **(Corresponding author) SCI 2.056**
21. Lu ML, Chou SW, Yang WE, Senan V, Hsieh PH, Shih HN, **Lee MS***. Hospital course and early clinical outcomes of two-incision total hip arthroplasty. *Chang Gung Med J* 2007;30(6):513-520. **(Corresponding author)**

22. **Lee MS**, Chen AC, Kuo CH, Senan V, Shih HN, Tai CL, Shih CH. The position of the bipolar cup reflects the direction of the hip contact force pivoting on it. *J Arthroplasty* 2007;22(2):189-94. **(SCI)**
23. **Lee MS**, Kuo CH, Senan V, Chen WJ, Chen LH, Ueng SWN. Two-incision total hip replacement: Intraoperative fluoroscopy versus imageless navigation. *Hip International* 2006;16 (Suppl): S35-S41.
24. **Lee MS**, Tai CL, Senan V, Shih CH, Lo SW, Chen WP. The effect of necrotic lesion size and rotational degree on the stress reduction in transtrochanteric rotational osteotomy for femoral head osteonecrosis - a three-dimensional finite-element simulation. *Clin Biomech.* 2006;21:969-976. **(SCI)**
25. Yeh JH, Chang YH, Hsieh PS, Shih HN, Ueng SWN, Shih CH, **Lee MS***. The direction of hip joint reaction force in patients receiving bipolar hemiarthroplasty. *J Orthop Surg Taiwan* 2005;22:1-6. **(Corresponding author)**
26. Chen WP, Tai CL, Tan TTF, Shih CH, Hou SH, **Lee MS***. The degrees to which transtrochanteric rotational osteotomy moves the region of osteonecrotic femoral head out of the weight-bearing area as evaluated by computer simulation. *Clin Biomech* 2005;20:63-69. **(Corresponding author) (SCI)**
27. **Lee MS**, Tu YK, Chao, CCK, Chen SC, Chen CY, Chan YS, Yeh WL, Ueng SWN. Inhibition of nitric oxide can ameliorate apoptosis and modulate matrix protein gene expression in bacteria infected chondrocyte *In Vitro*. *J Orthop Res* 2005;23(2):440-445. **(SCI)**
28. Chen WP, Tai CL, Shih CH, Leou MC, **Lee MS***. Selection of fixation devices in proximal femur rotational osteotomy: clinical complications and finite element analysis. *Clin Biomech* 2004;19:255-262. **(Corresponding author) (SCI)**
29. **Lee MS**, Trindade MC, Ikenoue T, Goodman SB, Schurman DJ, Smith RL. Regulation of nitric oxide and bcl-2 expression by shear stress in human osteoarthritic chondrocytes in vitro. *J Cell Biochem* 2003;90:80-86. **(SCI)**
30. Chen CY, Chen ACY, Chang YH, Fu TS, **Lee MS***. Synovial chondromatosis of the hip: management with arthroscope-assisted synovectomy and removal of loose bodies: report of two cases. *Chang Gung Med J* 2003;26(3):208-214. **(Corresponding author)**
31. Chao EK, Chen LH, Chen WJ, **Lee MS***. Pyogenic sacroiliitis – Report of 11 cases and review of literatures. *J Musculoskeletal Res* 2003;7(1):79-86. **(Corresponding author)**
32. **Lee MS**, Trindade MC, Ikenoue T, Shurman DJ, Goodman SB, Smith RL. Intermittent hydrostatic pressure inhibits shear stress-induced nitric oxide release in human osteoarthritic chondrocytes *in vitro*. *J Rheumatol* 2003;30(2):326-8. **(SCI)**

33. **Lee MS**, Ikenoue T, Trindade MCD, Wong N, Goodman SB, Schurman DJ, Smith RL. Protective effects of intermittent hydrostatic pressure on osteoarthritic chondrocytes activated by bacterial endotoxin *in vitro*. J Orthop Res 2003;21:117-122. **(SCI)**
34. **Lee MS**, Trindade MCD, Ikenoue T, Schurman DJ, Goodman SB, Smith RL. Effects of shear stress on nitric oxide and matrix protein gene expression in human osteoarthritic chondrocytes in vitro. J Orthop Res 2002;20(3):556-561. **(SCI)**
35. **Lee MS**, Chang YH, Chao EK, Shih CH. Conditions before collapse of the contralateral hip in osteonecrosis of the femoral head. Chang Gung Med J 2002; 25(4):228-237.
36. Chang SA, **Lee SS***, Ueng SWN, Yuan LJ, Shih CH. Surgical treatment for pathological long bone fracture in patients with multiple myeloma: a retrospective analysis of 22 cases. Chang Gung Med J 2001;24(5):300-306. **(Corresponding author)**
37. **Lee MS**. Apoptosis in Bacteria-infected Human Articular Chondrocytes - And Its Implication in The Sequelae of Septic Arthritis. Ph.D. Thesis, Graduate Institute of Clinical Medicine, Chang Gung University, 2001.
38. **Lee MS**, Ueng SWN, Shih CH, Chao CCK. Primary culture of human chondrocytes are susceptible to low inocula of Staphylococcus aureus and undergo apoptosis. Scand J Infect Dis 2001;33:47-50. **(SCI)**
39. **Lee SS**, Yen CY, Ueng SWN, Shih CH, Chao CCK. Signal transduction pathways and apoptosis in bacteria-infected chondrocytes. J Orthop Res 2001;19(4):696-702. **(SCI)**
40. **Lee MS**, Chao EK, Ueng SWN, Chen CY, Shih CH, Chao CCK. Effects of different mechanical stresses on nitric oxide release influence cartilage macromolecular genes expression in human osteoarthritic chondrocytes in vitro. J Orthop Surg ROC 2001;18:1-6.
41. **Lee SS**, Ueng SWN, Lin SS. [Letters to the editor] In vitro elution of antibiotic from antibiotic-impregnated biodegradable calcium alginate wound dressing. J Trauma 2000;48(2):361-362. **(SCI)**
42. **Lee SS**, Chan YS, Chen CY, Fu TS, Ueng SWN. Non-tuberculous cold abscess of the psoas muscle – an unusual manifestation of colocutaneous fistula. Arch Orthop Trauma Surg 2000;120(3-4):224-225. **(SCI)**
43. **Lee MS**, Ueng SWN, Shih CH, Chao CCK. Signal transduction pathways and apoptosis in bacteria-infected chondrocytes. Transactions of 46th Annual Meeting, 2000;25(2):1081. Orthopaedic Research Society.
44. Lin SS, Ueng SWN, **Lee SS**, Chan EC, Chen KT, Yang CY, Chen CY, Chan YS. In vitro elution of antibiotic from antibiotic-impregnated biodegradable calcium

alginate wound dressing. *J Trauma* 1999;47(1):136-141. **(Corresponding author) (SCI)**

45. **Lee SS**, Ueng SWN, Shih CH. Aneurysm-induced intertrochanteric bone loss reconstructed by a vascularized iliac graft. A case report. *J Trauma* 1999;46(5):944-947. **(SCI)**
46. **Lee SS**, Sun JH, Chang LY, Ueng SWN, Shih CH. Limb-threatening necrotizing alternariosis salvaged by adjunctive hyperbaric oxygen therapy. *Scand J Inf Dis* 1998;30:194-196. **(SCI)**
47. **Lee SS**, Chen CY, Chan YS, Yen CY, Chao EK, Ueng SWN. Hyperbaric oxygen therapy in the treatment of diabetic foot infection. *Chang Gung Med J* 1997;20:17-23.
48. **Lee SS**, Tang FT, Ueng SWN, Chen WJ, Hsu RWW, Shih CH. The results of pseudarthrosis after hip resectional arthroplasty. *Chang Gung Med J* 1997, SI:67.
49. **Lee SS**, Ueng SWN. Diabetic foot. *Medicine Today* 1997;24(12):1002-1005.
50. **Lee SS**, Chen LH, Shih HN, Wang KC, Chao EK, Ueng SWN, Wu RSC. Nonstaphylococcal pyomyositis. *J Orthopedic Surg* 1996;4(2):93-97.
51. **Lee SS**, Ueng SWN, Shih CH. Vastus lateralis flaps for chronic recalcitrant hip infection. *Int Orthop* 1996;20:373-377. **(SCI)**
52. **Lee SS**, Chao EK, Chen CY, Ueng SWN. Staphylococcal pyomyositis. *Chang Gung Med J* 1996;19:241-246.
53. **Lee SS**, Wang KC, Chen YJ, Hsu R WW, Shih CH. Posterior tibial tendon insufficiency with flat foot deformity- a case report and review of articles. *J Surg Assoc ROC* 1994;27:2222-26.

Co-author:

1. Shen SH, Huang KC*, Tsai YH, Yang TY, **Lee MS**, Ueng SW, Hsu RW. Risk analysis for second hip fracture in patients after hip fracture surgery: a nationwide population-based study. *J Am Med Dir Assoc*. 2014 Oct;15(10):725-31. doi: 10.1016/j.jamda.2014.05.010. Epub 2014 Jul 10.
2. Hsu WH*, Chen CL, Kuo LT, Fan CH, **Lee MS**, Hsu RWW. The relationship between health-related fitness and quality of life in postmenopausal women from Southern Taiwan. *Clin Interv Aging*. 2014 Sep. 16;9:1573-9. doi: 10.2147/CIA.S66310. eCollection 2014.
3. Chang YH*, Tai CL, Hsu HY, Hsieh PH, **Lee MS**, Ueng SW. Liquid antibiotics in bone cement: an effective way to improve the efficiency of antibiotic release in antibiotic loaded bone cement. *Bone Joint Res*. 2014 Aug;3(8):246-51.

4. Lin SS, Ueng SW, Niu CC, Yuan LJ, Yang CY, Chen WJ, **Lee MS**, Chen JK*. Effects of hyperbaric oxygen on the osteogenic differentiation of mesenchymal stem cells. *BMC Musculoskelet Disord*. 2014 Feb 25;15(1):56.
5. Chen ACY, **Lee MS**, Chen WJ, Lee ST. Assessment in orthopaedic training—an analysis of rating consistency by using an objective structured examination video. *Journal of Surgical Education* 70(2): 189-192, March 2013.
6. Tsai TT, Lai PL, Liao JC, Fu TS, Niu CC, Chen LH, **Lee MS**, Chen WJ, Fang HC, Ho NY, Pang JH. Increased periostin gene expression in degenerative intervertebral disc cells. *Spine J*. 2013 Mar;13(3):289-98. doi: 10.1016/j.spinee.2013.01.040. Epub 2013 Feb 27.
7. Fan KF, Liao JC, Niu CC, Chen LH, Chen WJ, **Lee MS**. Anterior Single-Screw Fixation In 24 Patients With Type Ii Odontoid Fractures. *Formosan Journal of Musculoskeletal Disorders*, Volume 4, Issue 1, February 2013, Pages 26–31.
8. Chang Y, Hsieh PH, Chen DW, **Lee MS**, Shih HN, Ueng SW. Pain distribution and response to total hip arthroplasty: a prospective observational study in 113 patients with end-stage hip disease. *J Orthop Sci*. 2012 Mar 20. [Epub ahead of print]
9. Ueng SW, Hsieh PH, Shih HN, Chan YS, **Lee MS**, Chang Y. Antibacterial activity of joint fluid in cemented total-knee arthroplasty: an in vivo comparative study of polymethylmethacrylate with and without antibiotic loading. *Antimicrob Agents Chemother*. 2012 Nov;56(11):5541-6. doi: 10.1128/AAC.01067-12. Epub 2012 Aug 13.
10. Ueng SWN, **Lee MS**, Tai CL, Hsu KY, Lin SS, Chan YS, Chen WJ. Hyperbaric oxygen therapy improves medial collateral ligament healing in a rabbit model. *Formosan J Musculoskel Disorder* 2011;2:7-11.
11. Chang Y, Chen WC, Hsieh PH, Chen DW, **Lee MS**, Shih HN, Ueng SWN. In vitro activities of daptomycin-, vancomycin-, and teicoplanin-loaded polymethylmethacrylate against methicillin-susceptible, methicillin-resistant, and vancomycin-intermediate strains of staphylococcus aureus. *Antimicrob Agents Chemother* 2011;55:5480-5484.
12. Ueng SWN, Yuan LJ, Lin SS, Liu SJ, Chan EC, Chen KT, **Lee MS**. In vitro and in vivo analysis of a biodegradable poly(lactide-co-glycolide) copolymer capsule and collagen composite system for antibiotics and bone cells delivery. *J Trauma* 2011;70(6):1503-1509.
13. Yu YH, Chan YS, **Lee MS**, Shih HN. Open and arthroscopic surgical management of primary synovial chondromatosis of the hip. *Chang Gung Med J* 2011;34:101-8.

14. Lin CF, Yang CY, Chao E, **Lee MS**, See LC. Short-term inhalation of sevoflurane during induction of general anesthesia can inhibit the A-line ARX index response to intubation: a randomized trial. *Chang Gung Med J*. 2011 Nov-Dec;34(6):599-606.
15. Lin J, Chiu FY, **Lee MS**. Vision for the Formosan Journal of Musculoskeletal Disorders. Editorial. *Formosan J Musculoskeletal Dis* 2010;1:2.
16. Chang Y, Shih HN, Chen DW, **Lee MS**, Ueng SW, Hsieh PH. The concentration of antibiotic in fresh-frozen bone graft. *J Bone Joint Surg Br*. 2010 Oct;92(10):1471-4.
17. Chen ACY, **Lee MS**, Lin SS, Pan LC, Ueng SWN. Augmentation of osteochondral repair by hyperbaric oxygenation: a rabbit study. *J Orthop Surg Res* 2010;5:91:1-9.
18. Hsieh PH, Ueng SWN, **Lee MS**, Shih HN, Huang KC. Prosthetic hip infection in patients with liver cirrhosis: an outcome analysis. *Int J Infect Dis* 2010; PMID 20933451
19. Chen ACY, Lee MS, Ueng SteveWN, Chen WJ. Management of late-diagnosed scaphoid fractures. *Injury* 2010;41(6):e10-e14, June.
20. Li WC, Shih CH, Ueng SWN, Shih HN, **Lee MS**, Hsieh PH. Uncemented total hip arthroplasty in chronic hemodialysis patients. 20 hips reviewed after 2-13 years. *Acta Orthopaedica* 2010;81(2):178-182. **SCI**
21. Hsu SL, Wang CJ, **Lee MS**, Chan YS, Huang CC, Yang KD. Cocktail therapy for femoral head necrosis of the hip. *Arch Orthop Trauma Surg* 2010;130:23-29. **SCI**
22. Chen SH, Ho KC, Hsieh PH, **Lee MS**, Yen TC. Potential clinical role of 18F FDG-PET/CT in detecting hip prosthesis infection: a study in patients undergoing two-stage revision arthroplasty with an interim spacer. *Q J Nucl Med Mol Imaging*. 2010 Aug;54(4):429-35.
23. Chen DW, Hsieh PH, Huang KC, Hu CC, Chang YH, **Lee MS**. Continuous intra-articular infusion of bupivacaine for post-operative pain relief after total hip arthroplasty: A randomized, placebo-controlled, double-blind study. *Eur J Pain*. 2010;14:529-34.
24. Wang CJ, Ko JY, Chan YS, **Lee MS**, Chen JM, Wang FS, Yang KD, Huang CC. Extracorporeal shockwave for hip necrosis in systemic lupus erythematosus. *Lupus* 2009;18:1082-1086. **SCI**
25. Hsieh PH, **Lee MS**, Hsu KY, Chang YH, Shih HN, Ueng SWN. Gram-negative prosthetic joint infections: Risk factors and outcome of treatment. *Clinical Infectious Disease* 2009;49(7):1036-43. **SCI** 6.75

26. Hsieh PH, Huang KC, Lee PC, **Lee MS**. Two-stage revision of infected hip arthroplasty using an antibiotic-loaded spacer: retrospective comparison between short-term and prolonged antibiotic therapy. *J Antimicrob Chemother* 2009;64:392-397. **SCI** 4.038
27. Chen ACY, Lin SS, Chang YS, **Lee MS**, Ueng SWN. Osteogenesis of prefabricated vascularized periosteal graft in rabbits. *J Trauma* 2009;67:165-167.
28. Wang CJ, Wang FS, Yang KD, Huang CC, **Lee MS**, Chan YS, Wang JW, Ko JY. Treatment of osteonecrosis of the hip: comparison of extracorporeal shockwave with shockwave and alendronate. *Arch Orthop Trauma Surg* 2008;128:901-908. **SCI**
29. Tu YK, Yen CY, Ma CH, Yu SW, Chou YC, **Lee MS**, Ueng SWN. Soft tissue injury management and flap reconstruction for mangled lower extremities. *Injury* 2008;39:S75-95. **(SCI)**
30. Yen CY, Tu YK, Ma CH, Yeh JH, Kao FC, Yu SW, **Lee MS**, Chou YC. Measurement of tibial endothelial cell function after cigarette smoking, cessation of smoking and hyperbaric oxygen therapy. *Injury* 2008;39:S40-46. **(SCI)**
31. Wang CJ, Wang FS, Yang KD, Huang CC, **Lee MS**, Chang YS, Wang JW, Ko JY. Treatment of osteonecrosis of the hip: comparison of extracorporeal shockwave with shockwave and alendronate. *Arch Orthop Trauma Surg* 2008;128:901-8. **(SCI)**
32. Wu CH, Yuan LJ, Chan YS, Chen AC, **Lee MS**, Ueng SW. Conditions affecting treatment of pertrochanteric osteomyelitis. *Chang Gung Med J* 2007;30(5):414-22.
33. Chen DW, Hu CC, Chang YH, Yang WE, **Lee MS**. Comparison of clinical outcome in primary total hip arthroplasty by conventional anterolateral transgluteal or 2-incision approach. *J Arthroplast* 2009;24:528-532. **(SCI)**
34. Tai CL, **Lee MS**, Lian LL, Chen WP. A biomechanical study of the modified intertrochanteric valgus osteotomy: a three-dimensional finite element analysis. *Chin J Orthop Trauma* June; 9(6), 510-14, 2007.
35. Chan YS, Chen ACY, Yuan LJ, Lin SS, Yang CY, **Lee MS**, Ueng SWN. Effects of Hyperbaric Oxygen and platelet derived growth factor on medial collateral ligament fibroblasts. *Undersea & Hyperbaric Medicine* 2007; 34(3):181-90. **(SCI)**
36. Ueng SW, **Lee MS**, Lin SS, Chan EC, Liu SJ. Development of a biodegradable alginate carrier system for antibiotics and bone cells. *J Orthop Res* 2007; 25(1):62-72. **(SCI)**
37. Hsieh PH, Tai CL, Chang YH, **Lee MS**, Shih HN, Shih CH. Precooling of the femoral canal enhances shear strength at the cement-prosthesis interface and reduces

the polymerization temperature. J Orthop Res 2006;24:1809-14. **(SCI)**

38. Lo YP, Chan YS, Lien LC, **Lee MS**, Hsu KY, Shih CH. Complications of hip arthroscopy: analysis of seventy three cases. Chang Gung Med J 2006;29(1):86-92.
39. Yen CY, Tu YK, Ma CH, Yu SW, Kao FC, **Lee MS**. Osteonecrosis of the femoral head: Comparison of clinical results for vascularized iliac and fibula bone grafting. J Reconstruct Microsurgery 2006;22:21-24. **(SCI)**
40. Chan YS, Lien LC, Hsu HL, Wan YL, **Lee MS**, Hsu KY, Shih CH. Evaluating hip labral tears using magnetic resonance arthrography: a prospective study comparing hip arthroscopy and magnetic resonance arthrography diagnosis. Arthroscopy 2005;21:1250-1256. **(SCI)**
41. Chen AC, Chao EK, Hung SS, **Lee MS**, Ueng SW. Percutaneous screw fixation for unstable scaphoid fractures. Journal of Trauma-Injury Infection & Critical Care. 59(1):184-7, 2005. **(SCI)**
42. Tai CL, **Lee MS**, Chen WP, Lee PC, Hsieh PH, Shih CH. Biomechanical comparison of newly designed stemless prosthesis and conventional hip prosthesis – an experimental study. Biomed Material Eng 2005;15:239-249. **(SCI)**
43. Hsieh PH, Shih CH, Chang YH, **Lee SS**, Yang WE, Shih HN. Treatment of deep infection of the hip associated with massive bone loss: two-stage revision with an antibiotic-loaded interim cement prosthesis followed by reconstruction with allograft. journal of bone and joint surgery - british volume 2005;87(6):770-775. **(SCI)**
44. Tai CL, Chen WP, **Lee MS**, Lee PC, Shih CH. Comparison of stress shielding between straight and curved stems in cementless total hip arthroplasty. – An in vitro experimental study. J Med Biol Eng 2004;24(4):177-181. **(SCI)**
45. Trindade MC, Shida J, Ikenoue T, **Lee MS**, Lin EY, Yaszay B, Yerby S, Goodman SB, Schurman DJ, Smith RL. Intermittent hydrostatic pressure inhibits matrix metalloproteinase and pro-inflammatory mediator release from human osteoarthritic chondrocytes in vitro. Osteoarthritis & Cartilage. 2004;12(9):729-35. **(SCI)**
46. Chen WP, Tai CL, **Lee MS**, Lee PC, Liu CP, Shih CH. Comparison of stress shielding among different cement fixation modes of femoral stem in total hip arthroplasty. – A three-dimensional finite element analysis. J Med Biol Eng 2004;24(4):183-187. **(SCI)**

47. Hsieh PH, Shih CH, Chang YH, **Lee MS**, Shih HN, Yang WE. Two-Stage Revision Hip Arthroplasty for Infection: Comparison Between the Interim Use of Antibiotic-Loaded Cement Beads and a Spacer Prosthesis. *J Bone Joint Surg (A)* 2004;86:1989-1997. **(SCI)**
48. Hsieh PH, Chen LH, Chen CH, **Lee MS**, Yang WE, Shih CH. Two-stage revision hip arthroplasty for infection with a custom-made antibiotic-loaded cement prosthesis as an interim spacer. *J Trauma* 2004;56:1247-1252. **(SCI)**
49. Yang SC, Fu TS, **Lee MS**, Chen WJ. Percutaneous catheter drainage following inadequate surgical treatment for complicated Pott's disease – A case report. *J Orthop Surg, Taiwan* 2004;21(1):39-44.
50. Goodman S, Trindade M, Ma T, **Lee M**, Wang N, Ikenoue T, Matsuura I, Miyanishi K, Fox N, Regula D, Genovese M, Klein J, Bloch D, Smith RL. Modulation of bone ingrowth and tissue differentiation by local infusion of interleukin-10 in the presence of ultra-high molecular weight polyethylene (UHMWPE) wear particles. *Journal of Biomedical Materials Research. Part A.* 2003;65(1):43-50. **(SCI)**
51. Hsieh PH, Shih CH, Chang YH, **Lee MS**, Shih HN, Yang WE. Reimplantation following resection hip arthroplasty for infection with and without an antibiotic-loaded cement spacer. *J Orthop Surg Taiwan* 2003;20:163-171.
52. Chan YS, Yuan LJ, Hung SS, Wang CJ, Yu SW, Chen CY, Chao EK, **Lee MS**. Arthroscopic-assisted reduction with bilateral buttress plate fixation of complex tibial plateau fractures. *Arthroscopy* 2003;19(9):974-984. **(SCI)**
53. Hsieh PH, Chen LH, **Lee MS**, Chen CH, Yang WE, Shih CH. Hip arthroplasty in patients with cirrhosis of the liver. *J Bone Joint Surg [Br]* 2003;85(6):818-21. **(SCI)**
54. Tai CL, Shih CH, Chen WP, **Lee MS**, Liu YL, Hsieh PH, Chen WJ. Finite element analysis of the cervico-trochanteric stemless femoral prosthesis. *Clin Biomech* 2003;18:S53-58. **(SCI)**
55. Hung SS, Chao EK, Chan YS, Yuan LJ, Chung PCH, Chen CY, **Lee MS**, Wang CJ. Arthroscopically assisted Osteosynthesis for tibial plateau fractures. *J Trauma* 2003;54:356-363. **(SCI)**
56. Ikenoue T, Trindade MCD, **Lee MS**, Lin EY, Schurman DJ, Goodman SB, Smith RL. Mechanoregulation of human articular chondrocyte aggrecan and type II collagen expression by intermittent hydrostatic pressure *in vitro*. *J Orthop Res* 2003;21:110-116. **(SCI)**
57. Chao EK, Chen AC, **Lee MS**, Ueng SWN. Surgical approaches for non-neruogenic elbow heterotopic ossification with ulnar neuropathy. *J Trauma* 2002;53:928-933. **(SCI)**

58. Tsai TT, Chao EK, Tu YK, Chen AC, **Lee MS**, Ueng SWN. Management of scaphoid nonunion with avascular necrosis using 1, 2 intercompartmental supraretinacular arterial bone grafts. *Chang Gung Med J* 2002;25(5):321-8.
59. Chen ACY, Chan YS, Yuan LJ, Ye WL, **Lee MS**, Chao EK. Arthroscopically assisted Osteosynthesis of complex intraarticular fractures of the distal radius. *J Trauma* 2002;53:354-359. **(SCI)**
60. Chang CY, Kao PF, **Lee MS**, Lin MC, Tzen KY. Investigation of pulmonary epithelial permeability in patients after hyperbaric oxygen therapy by ^{99m}Tc-diethylenetriaminepentaacetic acid aerosol inhalation lung scintigraphy. *Nuclear Medicine Commun* 2002;23(6):569-572. **(SCI)**
61. Chen WJ, Lai PL, Chang CH, **Lee MS**, Chen CH, Tai CL. The effect of hyperbaric oxygen on spinal fusion: using the model of posterolateral intertransverse fusion in rabbits. *J Trauma* 2002;52:333-338. **(SCI)**
62. Yang SC, Chen ACY, Chao EK, Yuan LJ, **Lee MS**, Ueng SWN. Early surgical management for heterotopic ossification about the elbow presenting as limited range of motion associated with ulnar neuropathy. *Chang Gung Med J* 2002;25(4):245-252.
63. Tu YK, **Lee SS**, Yeh WL, Yen CY, Wang KC, Ueng SWN. Microsurgical reconstruction for combined Achilles tendon defect with soft tissue loss – the comparison between free flap and free functional muscle transfers. *J Orthop Surg ROC* 2002;19:23-27.
64. Goodman, S; **Lee MS**; Trindade, M; Fox, N; Regula, D; Genovese, M; Klein, J; Smith, L. Local infusion of Il-10 modulates the reaction to UHMWPE wear particles in vivo. *Transactions of 47th Annual Meeting, 2001: 0960. Orthopaedic Research Society.*
65. Ikenoue, T; **Lee MS**; Trindade, M; Shurman, D; Goodman, S; Smith, R Lane. Effects of intermittent hydrostatic pressure on normal human chondrocytes. *Transactions of 47th Annual Meeting, 2001: 0550. Orthopaedic Research Society.*
66. Trindade, M C.D.; **Lee MS**; Ikenoue, T; Goodman, S B.; Schurman, D J.; Smith, R. Fluid induced shear stress increases human osteoarthritic chondrocyte pro-inflammatory mediator release in vitro. *Transactions of 47th Annual Meeting, 2001: 0551. Orthopaedic Research Society.*
67. Trindade, M C.D.; Ikenoue, T; **Lee MS**; Lin, E; Shah, S; Goodman, S B.; Schurman, D J.; Smith, R. Intermittent hydrostatic pressure inhibits matrix metalloproteinase-2 release from human osteoarthritic chondrocytes in vitro. *Transactions of 47th Annual Meeting, 2001: 0457. Orthopaedic Research Society.*

68. Chan YS, Ueng SW, Wang CJ, **Lee SS**, Chen CY, Shih CH. Antibiotic-impregnated autogenic cancellous bone grafting is an effective and safe method for the management of small infected tibial defects: a comparison study. *J Trauma* 2000;48(2):246-55. **(SCI)**
69. Yen CY, **Lee SS**, Yuan LJ, Fu TS, Chan YS, Chen CY, Tu YK, Ueng SWN. Vascularized island pedicle iliac bone grafting for avascular necrosis of the femoral head. *Chang Gung Med J* 2000;23:536-41.
70. Ueng SWN, **Lee SS**, Lin SS, Chan EC, Hsu BRS, Chen KT. Biodegradable alginate antibiotic beads. *Clin Orthop* 2000;380:250-259. **(SCI)**
71. Chen CY, Chao EK, **Lee SS**, Ueng SWN. Osteosynthesis of carpal nonunion with interpositional bone graft and kirschner wires: a 3- to 6-year follow-up. *J Trauma* 1999;47(3):558-563. **(SCI)**
72. Ueng SW, **Lee SS**, Lin SS, Wang CR, Liu SJ, Tai CL, Shih CH. Hyperbaric oxygen therapy mitigates the adverse effect of cigarette smoking on the bone healing of tibial lengthening: an experimental study on rabbits. *J Trauma* 1999;47(4):752-9. **(SCI)**
73. Chen CY, Chao EK, **Lee SS**, Ueng SW. Osteosynthesis of carpal scaphoid nonunion with interpositional bone graft and Kirschner wires: a 3- to 6-year follow-up. *J Trauma* 1999;47(3):558-63. **(SCI)**
74. Ueng SWN, **Lee SS**, Lin SS, Wang CR, Liu SJ, Yang HF, Tai CL, Shih CH. Bone healing of tibial lengthening is enhanced by hyperbaric oxygen therapy: a study of bone mineral density and torsional strength on rabbits. *J Trauma* 1998;44:676-681. **(SCI)**
75. Chen CY, **Lee SS**, Chan YS, Yen CY, Chao EK, Ueng SWN. Chronic refractory tibial osteomyelitis treated with adjuvant hyperbaric oxygen: a preliminary report. *Chang Gung Med J* 1998;21(2):165-171.
76. Chan YS, Ueng SWN, Wang CJ, **Lee SS**, Chao EK, Shih CH. Management of small infected tibial defects with antibiotic-impregnated autogenic cancellous bone grafting. *J Trauma* 1998;45:758-764. **(SCI)**
77. Wang KC, Fang CM, Chen WJ, **Lee SS**, Yang WE, Shih CH. Pyomyositis of the calf muscles mimicking distal deep venous thrombosis: a case report. *Am J Orthop* 1997;26:358-359.
78. Chan YS, Hsu RWW, Ho WP, Ueng SWN, **Lee SS**, Shih CH. Infection in total knee arthroplasty: a CGMH experience. *Chang Gung Med J* 1997, SI:70-1.
79. Ueng SWN, Chao EK, **Lee SS**, Shih CH. Augmentative plate fixation for the management of femoral nonunion after intramedullary nailing. *J Trauma* 1997;43(4):640-644. **(SCI)**

80. Chan YS, Hsu RWW, Ho WP, Ueng WN, **Lee SS**, Shih CH. The management and outcome of deep infection in total knee arthroplasty. J Orthop Surg ROC 1997;14:174-180.
81. Chen CY, Chao EK, **Lee SS**. Augmentation of elbow stability with radial head transfer: a case report and review of the literature. Chang Gung Med J 1996;19: 83-89.

Books & Chapters

1. **Lee MS**: Minimally invasive total hip arthroplasty. In: Fokter SK eds. Recent advances in hip and knee arthroplasty. Croatia: InTech Publishing Co., 2012 (ISBN 978-953-307-841-0), 69-84.
2. **Lee MS**: Minimally invasive two incision total hip arthroplasty in lateral position. In: Yoon TR eds. Minimally Invasive Total Hip Arthroplasty. Seoul: IB Publishing Co., 2007 (ISBN 978-89-92715-00-3), 69-77.
3. 翁文能, **李炫昇** 高壓氧醫學 (原理及臨床應用) ISBN 957-9143-55-2 松根出版社 1997
4. **李炫昇** 傅秀英 翁文能 高壓氧治療簡介 1995