研討會發表(Presentation):

- Necrotizing fasciitis and primary sepsis caused by Vibrio vulnificus and Vibrio cholerae non-O1. Annual Conference of Taiwan Orthopaedic Association, Taiwan, 2007
- 2. Hemorrhagic shock following massive hemothorax in thoracic spine fracture. Annual Conference of Taiwan Orthopaedic Association, Taiwan, 2008
- The comparison of isolated Bankart lesion and Bankart lesion with SLAP lesion in chronic unstable shoulder: A retrospective study Annual Conference of Taiwan Orthopaedic Association, Taiwan, 2008
- Surgical outcome for necrotizing soft tissue interventions and primary sepsis caused by Vibrio species.
 Annual Conference of Taiwan Orthopaedic Association, Taiwan, 2009
- Surgical intervention for Vibrio necrotizing fasciitis: Outcome analysis of seventy-one cases Annual Conference of Taiwan Orthopaedic Association, Taiwan, 2009
- The effect of traumatic brain injury on bone healing and callus formation in young adult patients with femoral shaft fracture. Annual Conference of Taiwan Orthopaedic Association, Taiwan, 2011
- Modified Kapandji method for distal radius fracture: radiographic outcome compared with conventional percutaneous pinning Annual Conference of Taiwan Orthopaedic Association, Taiwan,2012

論文發表 (Publications)

 The effects of an injury to the brain on bone healing and callus formation in young adults with fractures of the femoral shaft.
<u>Yang TY</u>, Wang TC, Tsai YH, Huang KC. J Bone Joint Surg Br. 2012 Feb;94(2):227-30