JOURNAL OF PROSTHODONTICS

Implant, Esthetic, and Reconstructive Dentistry

665	Maxillary reconstruction using subperiosteal dental implants: A clinical report
	Hannah Machine and Sassan Nadjmi
670	Narrow-diameter implants for treatment with fixed restorations in the posterior region: A systematic review and meta-analysis
	Aspasia Pachiou, Panagiotis Tsirogiannis, Alexis Ioannidis, Tim Joda, Nikitas Sykaras, and Olga Naka
686	Chewing with Co-Cr or PEEK denture frameworks: A randomized crossover clinical study
	Pedro Henrique Bastos de Oliveira, Guilherme Fantini Ferreira, Lorena Tavares Gama, Talita Malini Carletti, and Renata Cunha Matheus Rodrigues Garcia
695	lem:lem:lem:lem:lem:lem:lem:lem:lem:lem:
	Simon Dahlgren, Carin Starkhammar Johansson, and Shariel Sayardoust
703	Trueness and precision of facial scan and virtual patient representation workflow
	Khaled Q. Al Hamad, Jad Q. Ayyad, Bashar A. Al-Rashdan, and Firas A. Al Quran
712	Assessment of different treatment alternatives for patients with total maxillectomy
	Ilgın Arı, Gülin Acar, Emre Tosun, and Mehmet Muhtaroğulları
727	Digital functionally generated path vs. traditional CAD-CAM methods for single posterior crowns: An in vivo study of the effects on patient satisfaction and crown volume
	Sherine Anwar Saad, Yousreya Atteya Shalaby, and Amir Shoukry Azer
734	The effect of different surface treatments on the bond strength to zirconia
	Kushaldeep FNU, Leen Musharbash, Fusun Ozer, Francis Mante, Julian Conejo, Viram Upadhyaya, Eva Anadioti, and Markus B. Blatz
741	Effects of complete-arch digital scanning techniques on the passive fit of CAD-CAM verification devices
	Natalie Asavanant, Chao-Chieh Yang, Hawra AlQallaf, Amirali Zandinejad, Dean Morton, Toshiki Nagai, and Wei-Shao Lin
749	he impact of base design and restoration type on the resin consumption, trueness, and dimensional stability of dental casts additively manufactured from liquid crystal display 3D printers
	Chih-Wei Tseng, Wei-Shao Lin, Citra Dewi Sahrir, and Wei-Chun Lin
757	Longevity of terminal abutment teeth retaining maxillary obturator prostheses
	Tintu Chandy, Annu Singh, Akriti Mishra Meza, Elyn Riedel, Joseph M. Huryn, and Joseph D. Randazzo
764	Semi-adjustable digital articulator programming using eccentric interocclusal scans
	Hongseok An and Despoina Bompolaki

A novel technique to integrate intraoral scans and polyvinyl siloxane impressions in situ for the

Andrew B. Cameron, Jane L. Evans, Santosh Kumar Tadakamadla, and Menaka A. Abuzar

EDITOR
DR. RADI MASRI

The Official Journal of the American College of Prosthodontists





completely edentulous maxilla