

# JOURNAL OF PROSTHODONTICS

## Implant, Esthetic, and Reconstructive Dentistry

- Application of metallic guides and reverse scanning for full-mouth rehabilitation using implant-supported prostheses: A case report 777  
*Ahlam A. Alhazmi, Mazin Talal Alharbi, Anas Lahiq, Lama Saleh AlMarshoud, Ihab Taefiq Mitwalli, Rayan Asali, Amr Ahmed Azhari, and Walaa Magdy Ahmed*
- Under pressure: Unraveling the impact of occlusal overload on peri-implant health—A systematic review 784  
*Sean Mojaver, Nupur Patel, Hector Sarmiento, and Joseph P. Fiorellini*
- Parkinson's disease – The dentist's role as part of the healthcare team 796  
*Liliana Ortiz Camacho, Leila Jahangiri, Jenna Iseringhausen, and Gary R. Goldstein*
- Acrylic resin versus metal palatal base in complete dentures: A randomized crossover clinical trial of patient-reported outcomes 804  
*Motassim Abu-Awwad, Laila Hailkal, Mohammad Bustani, Nadia Eweijef, Dima Abu Baker, and Mahmoud K. AL-Omri*
- Relationship between palatal coverage and accuracy of texture perception: A preliminary study using an experimental palatal plate 812  
*Akinari Daidoji, Yasue Tanaka, Yuki Ito, Hala Al Khalili, and Yoshinori Hattori*
- Patient-centered outcomes of indirect CAD-CAM removable partial denture frameworks: A 2-year follow-up study 818  
*Hend Mahmoud Hegazi, Amr Elkhadem, Ahmed Fayyad, Doaa Mahmoud Elkady, Maha Wagdy Elkerdawy, and Arwa Sedky*
- Effect of using scan body accessories and inter-implant distances on the accuracy of complete arch implant digital impressions: An in vitro study 827  
*Amal Ashry, Ahmed M. Abdelhamid, Salah Ezzelarab, and Mohamed Moataz Khamis*
- Color stability of CAD-CAM hybrid ceramic materials following immersion in artificial saliva and wine 836  
*Toshiki Nagai, Amal Alfaraj, Tien-Min G Chu, Chao-Chieh Yang, and Wei-Shao Lin*
- Fracture resistance of cement-retained lithium disilicate implant-supported crowns: Effect of material used for two-piece abutments 845  
*Jekita Kaerpfloy, Rui Li, Steven Makowka, and Ramtin Sadid-Zadeh*
- Influence of occlusal thickness on the fracture resistance of chairside milled lithium disilicate posterior full-coverage single-unit prostheses containing virgillite: A comparative in vitro study 852  
*Carlos A. Jurado, Christian Edgar Davila, Alexandra Davila, Alfredo I. Hernandez, Yukari Odagiri, Kelvin I. Afrashtehfar, and Damian Lee*
- Effect of different implant abutment materials on optical properties of translucent monolithic zirconia crowns 859  
*Nisha Patel, Geoffrey A. Thompson, Carl Drago, Mohamed Elshewy, David Berzins, and Hongseok An*
- In vitro study to analyze reverse torque values of attachment screws with multiple loosening/tightening preload cycles 867  
*Amira Alhameed, Nikita Sinha, Geoffrey A. Thompson, Carl Drago, and Hongseok An*
- A digital workflow for designing and manufacturing metal frameworks and removable partial dentures: A novel dental technique 873  
*Xin Wang, Dan Ma, Sheng Zhong, Qingyuan Ye, Yimin Zhao, Nan Ren, and Shizhu Bai*
- Virtual reconstruction of a provisional obturator using a mirroring technique in a patient with limited mouth opening 879  
*Min-Ju Ji, Jung-Jin Lee, Jue-Min Seo, and Yeon-Hee Park*

EDITOR  
DR. RADI MASRI

The Official Journal of the American College of Prosthodontists

WILEY

ACP

AMERICAN COLLEGE OF  
PROSTHODONTISTS

Your smile. Our specialty.®